CPA 751 - East Downtown Profile: Prevention

| | City of | Toronto | | | | | |
|--|---------|--------------|---------------|-----|-------------|-----|--------|
| | Toronto | Central LHIN | East Downtown | | | | |
| Indicators | Count, | Count, | Count, | - ; | (95% CI) | - | Rate |
| | % | % | % | 1 | | 1 | Ratio* |
| Mammograms (2009-2011) ^a | | | | - 1 | | 1 | |
| Women, aged 50-59 | | | | - | | 1 | |
| Total eligible population ** | 152,883 | 65,948 | 3,996 | 1 | | 1 | |
| % of all eligible women having a mammogram within last 2 years | 54.5 | 53.9 | 47.4 | ; | (45.8-48.9) | 1 | 0.87 L |
| Total eligible population using services *** | 138,100 | 58,962 | 3,428 | - | | -} | |
| % of all women using services who also had a mammogram | 60.3 | 60.2 | 55.2 | - | (53.6-56.9) | - | 0.92 L |
| Women, aged 60-69 | | | | - | | - | |
| Total eligible population ** | 131,959 | 56,131 | 3,367 | - | | | |
| % of all eligible women having a mammogram within last 2 years | 57.5 | 56.5 | 49.6 | 1 | (47.9-51.3) | - | 0.86 L |
| Total eligible population using services *** | 121,953 | 51,444 | 2,976 | - | | | |
| % of all women using services who also had a mammogram | 62.3 | 61.7 | 56.1 | - | (54.4-57.9) | - | 0.90 L |
| Women, aged 50-69 | | | | - | | - | |
| Total eligible population ** | 284,842 | 122,079 | 7,363 | - | | -} | |
| % having a mammogram within last 2 years | 55.9 | 55.1 | 48.4 | 1 | (47.3-49.5) | - | 0.87 L |
| % having a mammogram within last 2 years - Age-Adjusted † | 56.1 | 55.3 | 48.6 | - | (47.0-50.2) | - | 0.87 L |
| Total eligible population using services *** | 260,053 | 110,406 | 6,404 | - } | | - } | |
| % having a mammogram within last 2 years | 61.2 | 60.9 | 55.7 | 1 | (54.4-56.9) | 1 | 0.91 L |
| % having a mammogram within last 2 years - Age-Adjusted † | 61.4 | 61.0 | 55.7 | - | (53.9-57.6) | 1 | 0.91 L |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).
 - * Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

CPA 751 – East Downtown Profile: Prevention

| | City of | Toronto | | | | | |
|--|---------|--------------|--------------|-----|-------------|----|--------|
| | Toronto | Central LHIN | East Downtow | | | wn | |
| Indicators | Count, | Count, | Count, | - | (95% CI) | 1 | Rate |
| | % | % | % | 1 | | 1 | Ratio* |
| Pap smears (2008-2011) ^a | | | | - 1 | | 1 | |
| Women, aged 21-34 | | | | - | | 1 | |
| Total eligible population ** | 190,152 | 88,940 | 7,542 | - } | | 1 | |
| % of all eligible women having a Pap smear within last 3 years | 59.1 | 62.2 | 57.6 | + | (56.4-58.7) | 1 | 0.97 L |
| Total eligible population using services *** | 177,832 | 83,547 | 6,999 | - | | 1 | |
| % of all women using services who also had a Pap smear | 63.2 | 66.2 | 62.0 | 1 | (60.9-63.2) | 1 | 0.98 L |
| Women, aged 35-49 | | | | - 1 | | - | |
| Total eligible population ** | 283,994 | 126,813 | 8,790 | - | | 1 | |
| % of all eligible women having a Pap smear within last 3 years | 58.5 | 58.1 | 47.5 | - | (46.4-48.5) | 1 | 0.81 L |
| Total eligible population using services *** | 244,335 | 107,166 | 6,986 | - | | -} | |
| % of all women using services who also had a Pap smear | 68.0 | 68.7 | 59.7 | - | (58.6-60.9) | - | 0.88 L |
| Women, aged 50-69 | | | | | | - | |
| Total eligible population ** | 267,274 | 114,379 | 7,082 | - | | - | |
| % of all eligible women having a Pap smear within last 3 years | 55.3 | 55.0 | 44.8 | - | (43.6-45.9) | - | 0.81 L |
| Total eligible population using services *** | 241,067 | 102,028 | 6,076 | - | | -} | |
| % of all women using services who also had a Pap smear | 61.3 | 61.6 | 52.2 | - | (50.9-53.4) | - | 0.85 L |
| Women, aged 21-69 | | | | - | | - | |
| Total eligible population ** | 741,420 | 330,132 | 23,414 | - | | 1 | |
| % having a Pap smear within last 3 years | 57.5 | 58.1 | 49.9 | ! | (49.3-50.5) | 1 | 0.87 L |
| % having a Pap smear within last 3 years - Age-Adjusted † | 57.8 | 58.6 | 50.0 | 1 | (49.1-51.0) | 1 | 0.87 L |
| Total eligible population using services *** | 663,234 | 292,741 | 20,061 | 1 | | 1 | |
| % having a Pap smear within last 3 years | 64.3 | 65.5 | 58.2 | 1 | (57.5-58.9) | 1 | 0.91 L |
| % having a Pap smear within last 3 years - Age-Adjusted † | 64.4 | 65.8 | 58.3 | - | (57.2-59.3) | - | 0.90 L |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - ^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.
 - * Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

CPA 751 - East Downtown Profile: Prevention

| | City of | Toronto | | | | | |
|---|---------|--------------|---------------|-----|-------------|----|--------|
| | Toronto | Central LHIN | East Downtown | | | | |
| Indicators | Count, | Count, | Count, | - ; | (95% CI) | - | Rate |
| | % | % | % | 1 | | 1 | Ratio* |
| Any Colorectal Cancer Screening § (2011) ^a | | | | - 1 | | 1 | |
| Men and women, aged 50-59 | | | | 1 | | 1 | |
| Total eligible population ** | 309,272 | 135,071 | 10,256 | 1 | | 1 | |
| % screened § | 47.4 | 47.4 | 40.8 | ! | (39.9-41.8) | 1 | 0.86 L |
| Total eligible population using services *** | 275,278 | 118,927 | 8,685 | - } | | | |
| % screened § | 53.1 | 53.6 | 48.0 | - 1 | (47.0-49.1) | - | 0.90 L |
| Men and women, aged 60-74 | | | | | | - | |
| Total eligible population ** | 354,276 | 150,297 | 10,315 | - | | - | |
| % screened § | 56.3 | 55.8 | 49.9 | - } | (48.9-50.8) | - | 0.89 L |
| Total eligible population using services *** | 324,306 | 136,315 | 8,955 | - } | | | |
| % screened § | 61.4 | 61.3 | 57.1 | - 1 | (56.0-58.1) | - | 0.93 L |
| Men and women, aged 50-74 | | | | - | | - | |
| Total eligible population ** | 663,548 | 285,368 | 20,571 | - } | | -} | |
| % screened § | 52.1 | 51.8 | 45.4 | - } | (44.7-46.0) | - | 0.87 L |
| % screened §, Age-Adjusted † | 52.8 | 52.5 | 46.3 | - 1 | (45.4-47.3) | - | 0.88 L |
| Total eligible population using services *** | 599,584 | 255,242 | 17,640 | - } | | -} | |
| % screened § | 57.6 | 57.7 | 52.6 | 1 | (51.9-53.4) | - | 0.91 L |
| % screened §, Age-Adjusted † | 58.1 | 58.3 | 53.5 | - | (52.4-54.7) | - | 0.92 L |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).
 - * Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - § Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

CPA 751 - East Downtown Profile: Prevention

| | City of | Toronto | | | | | |
|---|---------|--------------|---------------|-----|-------------|----|--------|
| | Toronto | Central LHIN | East Downtown | | | | |
| Indicators | Count, | Count, | Count, | - ; | (95% CI) | - | Rate |
| | % | % | % | 1 | | 1 | Ratio* |
| Colonoscopy ‡ (2001-2011) ^a | | | | - 1 | | - | |
| Men and women, aged 50-59 | | | | - 1 | | - | |
| Total eligible population ** | 309,272 | 135,071 | 10,256 | 1 | | 1 | |
| % screened within last 10 years ‡ | 30.7 | 32.9 | 26.6 | ; | (25.7-27.4) | 1 | 0.86 L |
| Total eligible population using services *** | 275,278 | 118,927 | 8,685 | - } | | -} | |
| % screened within last 10 years ‡ | 34.4 | 37.2 | 31.2 | - | (30.2-32.2) | - | 0.91 L |
| Men and women, aged 60-74 | | | | - | | - | |
| Total eligible population ** | 354,276 | 150,297 | 10,315 | - | | - | |
| % screened within last 10 years ‡ | 39.0 | 40.7 | 36.1 | - | (35.2-37.0) | - | 0.93 L |
| Total eligible population using services *** | 324,306 | 136,315 | 8,955 | - | | - | |
| % screened within last 10 years ‡ | 42.4 | 44.6 | 41.2 | - | (40.2-42.2) | - | 0.97 L |
| Men and women, aged 50-74 | | | | - | | - | |
| Total eligible population ** | 663,548 | 285,368 | 20,571 | - | | | |
| % screened within last 10 years ‡ | 35.1 | 37.0 | 31.3 | - | (30.7-32.0) | - | 0.89 L |
| % screened within last 10 years ‡, Age-Adjusted † | 35.7 | 37.6 | 32.4 | - | (31.6-33.2) | - | 0.91 L |
| Total eligible population using services *** | 599,584 | 255,242 | 17,640 | - } | | -} | |
| % screened within last 10 years ‡ | 38.7 | 41.2 | 36.3 | - 1 | (35.6-37.0) | 1 | 0.94 L |
| % screened within last 10 years ‡, Age-Adjusted † | 39.3 | 41.7 | 37.3 | - | (36.4-38.2) | - | 0.95 L |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - ^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).
 - * Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - ‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

CPA 751 – East Downtown Profile: Prevention

| | City of | Toronto | | | | | |
|---|---------|--------------|---------------|-----|-------------|---|--------|
| | Toronto | Central LHIN | East Downtown | | | | |
| Indicators | Count, | Count, | Count, | - ; | (95% CI) | - | Rate |
| | % | % | % | 1 | | 1 | Ratio* |
| Fecal Occult Blood Testing ± (2009-2011) a | | | | - } | | | |
| Men and women, aged 50-59 | | | | 1 | | - | |
| Total eligible population ** | 210,079 | 88,954 | 7,384 | - } | | + | |
| % of all eligible population screened within last 2 years | 22.6 | 20.1 | 17.8 | ! | (16.9-18.7) | 1 | 0.79 L |
| Total eligible population using services *** | 176,392 | 72,982 | 5,827 | - } | | - | |
| % of all population using services who were screened | 26.9 | 24.5 | 22.6 | - 1 | (21.5-23.6) | 1 | 0.84 L |
| Men and women, aged 60-74 | | | | | | - | |
| Total eligible population ** | 210,622 | 86,817 | 6,469 | - } | | + | |
| % of all eligible population screened within last 2 years | 26.5 | 23.4 | 20.1 | 1 | (19.1-21.1) | 1 | 0.76 L |
| Total eligible population using services *** | 181,112 | 73,102 | 5,141 | - } | | + | |
| % of all population using services who were screened | 30.8 | 27.8 | 25.3 | - 1 | (24.1-26.5) | 1 | 0.82 L |
| Men and women, aged 50-74 | | | | - | | - | |
| Total eligible population ** | 420,701 | 175,771 | 13,853 | - } | | - | |
| % screened within last 2 years | 24.5 | 21.7 | 18.9 | 1 | (18.2-19.5) | - | 0.77 L |
| % screened within last 2 years, Age-Adjusted † | 25.0 | 22.1 | 19.2 | - | (18.4-20.0) | - | 0.77 L |
| Total eligible population using services *** | 357,504 | 146,084 | 10,968 | - 1 | | - | |
| % screened within last 2 years | 28.9 | 26.1 | 23.8 | 1 | (23.0-24.6) | 1 | 0.83 L |
| % screened within last 2 years, Age-Adjusted † | 29.3 | 26.5 | 24.2 | ! | (23.3-25.2) | 1 | 0.83 L |

- CI Confidence Interval.
- **H/L/NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.
 - a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).
 - * Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.
 - ** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
 - *** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
 - **±** FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).
 - † Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.