

Primary SubLHIN 0505.0

Rexdale (Toronto) Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rexdale (Toronto)			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Mammograms (2009-2011) ^a						
Women, aged 50-59						
Total eligible population **	152,883	65,948	6,809			
% of all eligible women having a mammogram within last 2 years	54.5	53.9	50.9	(49.7-52.1)	0.93 L	
Total eligible population using services ***	138,100	58,962	6,328			
% of all women using services who also had a mammogram	60.3	60.2	54.8	(53.6-56.0)	0.91 L	
Women, aged 60-69						
Total eligible population **	131,959	56,131	6,158			
% of all eligible women having a mammogram within last 2 years	57.5	56.5	52.5	(51.3-53.8)	0.91 L	
Total eligible population using services ***	121,953	51,444	5,795			
% of all women using services who also had a mammogram	62.3	61.7	55.8	(54.6-57.1)	0.90 L	
Women, aged 50-69						
Total eligible population **	284,842	122,079	12,967			
% having a mammogram within last 2 years	55.9	55.1	51.7	(50.8-52.6)	0.92 L	
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	51.8	(50.6-53.1)	0.92 L	
Total eligible population using services ***	260,053	110,406	12,123			
% having a mammogram within last 2 years	61.2	60.9	55.3	(54.4-56.2)	0.90 L	
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	55.4	(54.0-56.7)	0.90 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

Primary SubLHIN 0505.0

Rexdale (Toronto) Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rexdale (Toronto)			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Pap smears (2008-2011) ^a						
Women, aged 21-34						
Total eligible population **	190,152	88,940	9,327			
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	55.2	(54.2-56.3)	0.93 L	
Total eligible population using services ***	177,832	83,547	8,749			
% of all women using services who also had a Pap smear	63.2	66.2	58.9	(57.9-59.9)	0.93 L	
Women, aged 35-49						
Total eligible population **	283,994	126,813	13,476			
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	56.4	(55.6-57.3)	0.96 L	
Total eligible population using services ***	244,335	107,166	12,039			
% of all women using services who also had a Pap smear	68.0	68.7	63.2	(62.3-64.0)	0.93 L	
Women, aged 50-69						
Total eligible population **	267,274	114,379	12,239			
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	52.3	(51.4-53.2)	0.95 L	
Total eligible population using services ***	241,067	102,028	11,374			
% of all women using services who also had a Pap smear	61.3	61.6	56.3	(55.4-57.2)	0.92 L	
Women, aged 21-69						
Total eligible population **	741,420	330,132	35,042			
% having a Pap smear within last 3 years	57.5	58.1	54.7	(54.2-55.2)	0.95 L	
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	54.8	(54.0-55.6)	0.95 L	
Total eligible population using services ***	663,234	292,741	32,162			
% having a Pap smear within last 3 years	64.3	65.5	59.6	(59.0-60.1)	0.93 L	
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	59.7	(58.9-60.6)	0.93 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

Primary SubLHIN 0505.0

Rexdale (Toronto) Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rexdale (Toronto)		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	14,351		
% screened §	47.4	47.4	42.5	(41.6-43.3)	0.90 L
Total eligible population using services ***	275,278	118,927	13,127		
% screened §	53.1	53.6	46.3	(45.5-47.2)	0.87 L
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	16,880		
% screened §	56.3	55.8	50.8	(50.0-51.5)	0.90 L
Total eligible population using services ***	324,306	136,315	15,720		
% screened §	61.4	61.3	54.5	(53.7-55.2)	0.89 L
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	31,231		
% screened §	52.1	51.8	46.9	(46.4-47.5)	0.90 L
% screened §, Age-Adjusted †	52.8	52.5	47.5	(46.7-48.3)	0.90 L
Total eligible population using services ***	599,584	255,242	28,847		
% screened §	57.6	57.7	50.8	(50.2-51.3)	0.88 L
% screened §, Age-Adjusted †	58.1	58.3	51.3	(50.4-52.1)	0.88 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

Primary SubLHIN 0505.0

Rexdale (Toronto) Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rexdale (Toronto)		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	14,351		
% screened within last 10 years ‡	30.7	32.9	24.5	(23.7-25.2)	0.80 L
Total eligible population using services ***	275,278	118,927	13,127		
% screened within last 10 years ‡	34.4	37.2	26.7	(25.9-27.4)	0.78 L
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	16,880		
% screened within last 10 years ‡	39.0	40.7	31.9	(31.2-32.6)	0.82 L
Total eligible population using services ***	324,306	136,315	15,720		
% screened within last 10 years ‡	42.4	44.6	34.2	(33.5-35.0)	0.81 L
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	31,231		
% screened within last 10 years ‡	35.1	37.0	28.5	(28.0-29.0)	0.81 L
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	29.0	(28.4-29.6)	0.81 L
Total eligible population using services ***	599,584	255,242	28,847		
% screened within last 10 years ‡	38.7	41.2	30.8	(30.3-31.3)	0.79 L
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	31.3	(30.6-31.9)	0.80 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

Primary SubLHIN 0505.0

Rexdale (Toronto) Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rexdale (Toronto)			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Fecal Occult Blood Testing ± (2009-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	210,079	88,954	10,647			
% of all eligible population screened within last 2 years	22.6	20.1	22.4	(21.6-23.2)	0.99 NS	
Total eligible population using services ***	176,392	72,982	9,432			
% of all population using services who were screened	26.9	24.5	25.3	(24.5-26.2)	0.94 L	
Men and women, aged 60-74						
Total eligible population **	210,622	86,817	11,186			
% of all eligible population screened within last 2 years	26.5	23.4	25.7	(24.9-26.5)	0.97 L	
Total eligible population using services ***	181,112	73,102	10,035			
% of all population using services who were screened	30.8	27.8	28.7	(27.8-29.6)	0.93 L	
Men and women, aged 50-74						
Total eligible population **	420,701	175,771	21,833			
% screened within last 2 years	24.5	21.7	24.1	(23.6-24.7)	0.98 NS	
% screened within last 2 years, Age-Adjusted †	25.0	22.1	24.4	(23.8-25.1)	0.98 NS	
Total eligible population using services ***	357,504	146,084	19,467			
% screened within last 2 years	28.9	26.1	27.1	(26.4-27.7)	0.94 L	
% screened within last 2 years, Age-Adjusted †	29.3	26.5	27.4	(26.6-28.1)	0.93 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>