

Primary SubLHIN 0606.0

South Etobicoke (Toronto) Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	South Etobicoke (Toronto)		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	6,935		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	56.0	(54.8-57.2)	1.03 H
Total eligible population using services ***	138,100	58,962	6,436		
% of all women using services who also had a mammogram	60.3	60.2	60.3	(59.2-61.5)	1.00 NS
Women, aged 60-69					
Total eligible population **	131,959	56,131	5,758		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	58.7	(57.4-60.0)	1.02 NS
Total eligible population using services ***	121,953	51,444	5,449		
% of all women using services who also had a mammogram	62.3	61.7	62.0	(60.7-63.3)	1.00 NS
Women, aged 50-69					
Total eligible population **	284,842	122,079	12,693		
% having a mammogram within last 2 years	55.9	55.1	57.2	(56.4-58.1)	1.02 H
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	57.4	(56.1-58.8)	1.02 H
Total eligible population using services ***	260,053	110,406	11,885		
% having a mammogram within last 2 years	61.2	60.9	61.1	(60.2-62.0)	1.00 NS
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	61.2	(59.8-62.7)	1.00 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

Primary SubLHIN 0606.0

South Etobicoke (Toronto) Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	South Etobicoke (Toronto)		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Pap smears (2008-2011) ^a					
Women, aged 21-34					
Total eligible population **	190,152	88,940	6,665		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	61.6	(60.4-62.7)	1.04 H
Total eligible population using services ***	177,832	83,547	6,256		
% of all women using services who also had a Pap smear	63.2	66.2	65.6	(64.4-66.8)	1.04 H
Women, aged 35-49					
Total eligible population **	283,994	126,813	10,810		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	63.7	(62.8-64.6)	1.09 H
Total eligible population using services ***	244,335	107,166	9,739		
% of all women using services who also had a Pap smear	68.0	68.7	70.7	(69.8-71.6)	1.04 H
Women, aged 50-69					
Total eligible population **	267,274	114,379	11,927		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	59.8	(59.0-60.7)	1.08 H
Total eligible population using services ***	241,067	102,028	11,108		
% of all women using services who also had a Pap smear	61.3	61.6	64.3	(63.4-65.2)	1.05 H
Women, aged 21-69					
Total eligible population **	741,420	330,132	29,402		
% having a Pap smear within last 3 years	57.5	58.1	61.6	(61.1-62.2)	1.07 H
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	61.9	(60.9-62.8)	1.07 H
Total eligible population using services ***	663,234	292,741	27,103		
% having a Pap smear within last 3 years	64.3	65.5	66.9	(66.3-67.4)	1.04 H
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	67.1	(66.1-68.1)	1.04 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

Primary SubLHIN 0606.0

South Etobicoke (Toronto) Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	South Etobicoke (Toronto)		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	14,037		
% screened §	47.4	47.4	47.8	(47.0-48.6)	1.01 NS
Total eligible population using services ***	275,278	118,927	12,915		
% screened §	53.1	53.6	51.9	(51.0-52.8)	0.98 L
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	15,547		
% screened §	56.3	55.8	57.3	(56.5-58.1)	1.02 H
Total eligible population using services ***	324,306	136,315	14,593		
% screened §	61.4	61.3	60.9	(60.1-61.7)	0.99 NS
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	29,584		
% screened §	52.1	51.8	52.8	(52.2-53.4)	1.01 H
% screened §, Age-Adjusted †	52.8	52.5	53.6	(52.7-54.4)	1.01 NS
Total eligible population using services ***	599,584	255,242	27,508		
% screened §	57.6	57.7	56.7	(56.1-57.3)	0.98 L
% screened §, Age-Adjusted †	58.1	58.3	57.4	(56.5-58.3)	0.99 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

Primary SubLHIN 0606.0

South Etobicoke (Toronto) Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	South Etobicoke (Toronto)		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	14,037		
% screened within last 10 years ‡	30.7	32.9	32.4	(31.7-33.2)	1.06 H
Total eligible population using services ***	275,278	118,927	12,915		
% screened within last 10 years ‡	34.4	37.2	35.2	(34.4-36.0)	1.02 NS
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	15,547		
% screened within last 10 years ‡	39.0	40.7	39.1	(38.3-39.9)	1.00 NS
Total eligible population using services ***	324,306	136,315	14,593		
% screened within last 10 years ‡	42.4	44.6	41.6	(40.8-42.4)	0.98 L
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	29,584		
% screened within last 10 years ‡	35.1	37.0	35.9	(35.4-36.5)	1.02 H
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	36.5	(35.8-37.2)	1.02 H
Total eligible population using services ***	599,584	255,242	27,508		
% screened within last 10 years ‡	38.7	41.2	38.6	(38.0-39.1)	1.00 NS
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	39.1	(38.3-39.8)	0.99 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

Primary SubLHIN 0606.0

South Etobicoke (Toronto) Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	South Etobicoke (Toronto)		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	9,254		
% of all eligible population screened within last 2 years	22.6	20.1	20.9	(20.0-21.7)	0.92 L
Total eligible population using services ***	176,392	72,982	8,141		
% of all population using services who were screened	26.9	24.5	23.7	(22.8-24.7)	0.88 L
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	9,137		
% of all eligible population screened within last 2 years	26.5	23.4	27.3	(26.4-28.3)	1.03 NS
Total eligible population using services ***	181,112	73,102	8,198		
% of all population using services who were screened	30.8	27.8	30.5	(29.5-31.5)	0.99 NS
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	18,391		
% screened within last 2 years	24.5	21.7	24.1	(23.5-24.7)	0.98 NS
% screened within last 2 years, Age-Adjusted †	25.0	22.1	24.8	(24.1-25.6)	0.99 NS
Total eligible population using services ***	357,504	146,084	16,339		
% screened within last 2 years	28.9	26.1	27.1	(26.4-27.8)	0.94 L
% screened within last 2 years, Age-Adjusted †	29.3	26.5	27.8	(27.0-28.7)	0.95 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>