

Secondary SubLHIN 0805.0

North York West Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	North York West		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	12,346		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	53.8	(53.0-54.7)	0.99 NS
Total eligible population using services ***	138,100	58,962	11,503		
% of all women using services who also had a mammogram	60.3	60.2	57.8	(56.9-58.7)	0.96 L
Women, aged 60-69					
Total eligible population **	131,959	56,131	10,789		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	57.3	(56.4-58.3)	1.00 NS
Total eligible population using services ***	121,953	51,444	10,189		
% of all women using services who also had a mammogram	62.3	61.7	60.7	(59.8-61.7)	0.98 L
Women, aged 50-69					
Total eligible population **	284,842	122,079	23,135		
% having a mammogram within last 2 years	55.9	55.1	55.5	(54.8-56.1)	0.99 NS
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	55.7	(54.7-56.7)	0.99 NS
Total eligible population using services ***	260,053	110,406	21,692		
% having a mammogram within last 2 years	61.2	60.9	59.2	(58.5-59.8)	0.97 L
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	59.3	(58.3-60.4)	0.97 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

Secondary SubLHIN 0805.0

North York West Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	North York West		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Pap smears (2008-2011) ^a					
Women, aged 21-34					
Total eligible population **	190,152	88,940	15,970		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	59.1	(58.3-59.8)	1.00 NS
Total eligible population using services ***	177,832	83,547	15,036		
% of all women using services who also had a Pap smear	63.2	66.2	62.7	(62.0-63.5)	0.99 NS
Women, aged 35-49					
Total eligible population **	283,994	126,813	23,461		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	58.1	(57.5-58.7)	0.99 NS
Total eligible population using services ***	244,335	107,166	20,854		
% of all women using services who also had a Pap smear	68.0	68.7	65.4	(64.7-66.0)	0.96 L
Women, aged 50-69					
Total eligible population **	267,274	114,379	21,760		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	53.0	(52.3-53.6)	0.96 L
Total eligible population using services ***	241,067	102,028	20,213		
% of all women using services who also had a Pap smear	61.3	61.6	57.0	(56.4-57.7)	0.93 L
Women, aged 21-69					
Total eligible population **	741,420	330,132	61,191		
% having a Pap smear within last 3 years	57.5	58.1	56.5	(56.1-56.9)	0.98 L
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	56.9	(56.3-57.5)	0.98 L
Total eligible population using services ***	663,234	292,741	56,103		
% having a Pap smear within last 3 years	64.3	65.5	61.7	(61.3-62.1)	0.96 L
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	62.0	(61.4-62.7)	0.96 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

Secondary SubLHIN 0805.0

North York West Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	North York West		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	24,824		
% screened §	47.4	47.4	43.6	(43.0-44.2)	0.92 L
Total eligible population using services ***	275,278	118,927	22,764		
% screened §	53.1	53.6	47.5	(46.9-48.2)	0.89 L
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	30,174		
% screened §	56.3	55.8	52.8	(52.2-53.3)	0.94 L
Total eligible population using services ***	324,306	136,315	28,170		
% screened §	61.4	61.3	56.4	(55.8-57.0)	0.92 L
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	54,998		
% screened §	52.1	51.8	48.6	(48.2-49.1)	0.93 L
% screened §, Age-Adjusted †	52.8	52.5	49.2	(48.6-49.8)	0.93 L
Total eligible population using services ***	599,584	255,242	50,934		
% screened §	57.6	57.7	52.4	(52.0-52.9)	0.91 L
% screened §, Age-Adjusted †	58.1	58.3	52.9	(52.3-53.6)	0.91 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

Secondary SubLHIN 0805.0

North York West Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	North York West		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	24,824		
% screened within last 10 years ‡	30.7	32.9	26.3	(25.7-26.8)	0.86 L
Total eligible population using services ***	275,278	118,927	22,764		
% screened within last 10 years ‡	34.4	37.2	28.6	(28.0-29.2)	0.83 L
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	30,174		
% screened within last 10 years ‡	39.0	40.7	33.9	(33.4-34.5)	0.87 L
Total eligible population using services ***	324,306	136,315	28,170		
% screened within last 10 years ‡	42.4	44.6	36.3	(35.7-36.8)	0.85 L
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	54,998		
% screened within last 10 years ‡	35.1	37.0	30.5	(30.1-30.9)	0.87 L
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	30.9	(30.5-31.4)	0.87 L
Total eligible population using services ***	599,584	255,242	50,934		
% screened within last 10 years ‡	38.7	41.2	32.8	(32.4-33.2)	0.85 L
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	33.3	(32.8-33.8)	0.85 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

Secondary SubLHIN 0805.0

North York West Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	North York West		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing \pm (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	17,934		
% of all eligible population screened within last 2 years	22.6	20.1	22.0	(21.4-22.6)	0.97 NS
Total eligible population using services ***	176,392	72,982	15,887		
% of all population using services who were screened	26.9	24.5	24.8	(24.1-25.5)	0.92 L
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	19,415		
% of all eligible population screened within last 2 years	26.5	23.4	26.6	(26.0-27.3)	1.00 NS
Total eligible population using services ***	181,112	73,102	17,442		
% of all population using services who were screened	30.8	27.8	29.6	(29.0-30.3)	0.96 L
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	37,349		
% screened within last 2 years	24.5	21.7	24.4	(24.0-24.8)	0.99 NS
% screened within last 2 years, Age-Adjusted †	25.0	22.1	24.8	(24.3-25.3)	0.99 NS
Total eligible population using services ***	357,504	146,084	33,329		
% screened within last 2 years	28.9	26.1	27.3	(26.9-27.8)	0.95 L
% screened within last 2 years, Age-Adjusted †	29.3	26.5	27.8	(27.2-28.3)	0.95 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

\pm FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>