

N117 – L'Amoreaux Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	L'Amoreaux		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	2,884		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	56.6	(54.8-58.4)	1.04 H
Total eligible population using services ***	138,100	58,962	2,587		
% of all women using services who also had a mammogram	60.3	60.2	63.1	(61.3-65.0)	1.05 H
Women, aged 60-69					
Total eligible population **	131,959	56,131	2,637		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	59.4	(57.5-61.3)	1.03 NS
Total eligible population using services ***	121,953	51,444	2,445		
% of all women using services who also had a mammogram	62.3	61.7	64.1	(62.2-66.0)	1.03 NS
Women, aged 50-69					
Total eligible population **	284,842	122,079	5,521		
% having a mammogram within last 2 years	55.9	55.1	58.0	(56.7-59.3)	1.04 H
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	58.1	(56.1-60.2)	1.04 NS
Total eligible population using services ***	260,053	110,406	5,032		
% having a mammogram within last 2 years	61.2	60.9	63.6	(62.3-64.9)	1.04 H
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	63.6	(61.4-65.9)	1.04 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N117 – L'Amoreaux Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	L'Amoreaux		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Pap smears (2008-2011) ^a					
Women, aged 21-34					
Total eligible population **	190,152	88,940	3,068		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	54.0	(52.2-55.7)	0.91 L
Total eligible population using services ***	177,832	83,547	2,843		
% of all women using services who also had a Pap smear	63.2	66.2	58.2	(56.4-60.1)	0.92 L
Women, aged 35-49					
Total eligible population **	283,994	126,813	5,520		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	58.5	(57.2-59.8)	1.00 NS
Total eligible population using services ***	244,335	107,166	4,650		
% of all women using services who also had a Pap smear	68.0	68.7	69.5	(68.1-70.8)	1.02 H
Women, aged 50-69					
Total eligible population **	267,274	114,379	5,217		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	55.6	(54.2-56.9)	1.01 NS
Total eligible population using services ***	241,067	102,028	4,666		
% of all women using services who also had a Pap smear	61.3	61.6	62.1	(60.7-63.5)	1.01 NS
Women, aged 21-69					
Total eligible population **	741,420	330,132	13,805		
% having a Pap smear within last 3 years	57.5	58.1	56.4	(55.6-57.2)	0.98 L
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	56.1	(54.9-57.4)	0.97 L
Total eligible population using services ***	663,234	292,741	12,159		
% having a Pap smear within last 3 years	64.3	65.5	64.0	(63.2-64.9)	1.00 NS
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	63.6	(62.1-65.0)	0.99 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N117 – L'Amoreaux Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	L'Amoreaux		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	5,669		
% screened §	47.4	47.4	47.6	(46.3-48.9)	1.00 NS
Total eligible population using services ***	275,278	118,927	4,971		
% screened §	53.1	53.6	54.2	(52.8-55.6)	1.02 NS
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	7,011		
% screened §	56.3	55.8	58.0	(56.9-59.2)	1.03 H
Total eligible population using services ***	324,306	136,315	6,448		
% screened §	61.4	61.3	63.0	(61.8-64.2)	1.03 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	12,680		
% screened §	52.1	51.8	53.4	(52.5-54.2)	1.02 H
% screened §, Age-Adjusted †	52.8	52.5	53.9	(52.7-55.2)	1.02 NS
Total eligible population using services ***	599,584	255,242	11,419		
% screened §	57.6	57.7	59.2	(58.3-60.1)	1.03 H
% screened §, Age-Adjusted †	58.1	58.3	59.6	(58.1-61.0)	1.03 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N117 – L'Amoreaux Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	L'Amoreaux		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	5,669		
% screened within last 10 years ‡	30.7	32.9	25.0	(23.9-26.2)	0.81 L
Total eligible population using services ***	275,278	118,927	4,971		
% screened within last 10 years ‡	34.4	37.2	28.4	(27.2-29.7)	0.83 L
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	7,011		
% screened within last 10 years ‡	39.0	40.7	37.4	(36.3-38.6)	0.96 L
Total eligible population using services ***	324,306	136,315	6,448		
% screened within last 10 years ‡	42.4	44.6	40.6	(39.4-41.8)	0.96 L
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	12,680		
% screened within last 10 years ‡	35.1	37.0	31.9	(31.1-32.7)	0.91 L
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	32.6	(31.6-33.6)	0.91 L
Total eligible population using services ***	599,584	255,242	11,419		
% screened within last 10 years ‡	38.7	41.2	35.3	(34.5-36.2)	0.91 L
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	35.9	(34.8-37.0)	0.91 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N117 – L'Amoreaux Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	L'Amoreaux		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	4,178		
% of all eligible population screened within last 2 years	22.6	20.1	28.9	(27.6-30.3)	1.28 H
Total eligible population using services ***	176,392	72,982	3,485		
% of all population using services who were screened	26.9	24.5	34.7	(33.1-36.3)	1.29 H
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	4,297		
% of all eligible population screened within last 2 years	26.5	23.4	31.5	(30.1-32.9)	1.19 H
Total eligible population using services ***	181,112	73,102	3,738		
% of all population using services who were screened	30.8	27.8	36.2	(34.7-37.8)	1.17 H
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	8,475		
% screened within last 2 years	24.5	21.7	30.2	(29.3-31.2)	1.23 H
% screened within last 2 years, Age-Adjusted †	25.0	22.1	30.5	(29.3-31.7)	1.22 H
Total eligible population using services ***	357,504	146,084	7,223		
% screened within last 2 years	28.9	26.1	35.5	(34.4-36.6)	1.23 H
% screened within last 2 years, Age-Adjusted †	29.3	26.5	35.6	(34.2-37.1)	1.22 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>