

N26 – Downsview-Roding-CFB Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Downsview-Roding-CFB			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Mammograms (2009-2011) ^a						
Women, aged 50-59						
Total eligible population **	152,883	65,948	1,806			
% of all eligible women having a mammogram within last 2 years	54.5	53.9	54.1	(51.8-56.4)	0.99 NS	
Total eligible population using services ***	138,100	58,962	1,669			
% of all women using services who also had a mammogram	60.3	60.2	58.5	(56.2-60.9)	0.97 NS	
Women, aged 60-69						
Total eligible population **	131,959	56,131	1,576			
% of all eligible women having a mammogram within last 2 years	57.5	56.5	57.7	(55.3-60.2)	1.00 NS	
Total eligible population using services ***	121,953	51,444	1,467			
% of all women using services who also had a mammogram	62.3	61.7	62.0	(59.5-64.5)	1.00 NS	
Women, aged 50-69						
Total eligible population **	284,842	122,079	3,382			
% having a mammogram within last 2 years	55.9	55.1	55.8	(54.1-57.5)	1.00 NS	
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	56.0	(53.5-58.6)	1.00 NS	
Total eligible population using services ***	260,053	110,406	3,136			
% having a mammogram within last 2 years	61.2	60.9	60.2	(58.5-61.9)	0.98 NS	
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	60.4	(57.7-63.2)	0.98 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N26 – Downsview-Roding-CFB Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Downsview-Roding-CFB			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Pap smears (2008-2011) ^a						
Women, aged 21-34						
Total eligible population **	190,152	88,940	2,364			
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	61.2	(59.2-63.2)	1.04	H
Total eligible population using services ***	177,832	83,547	2,217			
% of all women using services who also had a Pap smear	63.2	66.2	65.3	(63.3-67.3)	1.03	H
Women, aged 35-49						
Total eligible population **	283,994	126,813	3,317			
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	59.9	(58.2-61.6)	1.02	NS
Total eligible population using services ***	244,335	107,166	2,987			
% of all women using services who also had a Pap smear	68.0	68.7	66.5	(64.8-68.2)	0.98	NS
Women, aged 50-69						
Total eligible population **	267,274	114,379	3,148			
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	52.2	(50.4-53.9)	0.94	L
Total eligible population using services ***	241,067	102,028	2,882			
% of all women using services who also had a Pap smear	61.3	61.6	57.0	(55.2-58.8)	0.93	L
Women, aged 21-69						
Total eligible population **	741,420	330,132	8,829			
% having a Pap smear within last 3 years	57.5	58.1	57.5	(56.5-58.5)	1.00	NS
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	58.1	(56.5-59.7)	1.00	NS
Total eligible population using services ***	663,234	292,741	8,086			
% having a Pap smear within last 3 years	64.3	65.5	62.8	(61.7-63.8)	0.98	L
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	63.3	(61.6-65.1)	0.98	NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N26 – Downsview-Roding-CFB Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Downsview-Roding-CFB			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Any Colorectal Cancer Screening § (2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	3,727			
% screened §	47.4	47.4	46.0	(44.4-47.6)	0.97	NS
Total eligible population using services ***	275,278	118,927	3,414			
% screened §	53.1	53.6	50.1	(48.4-51.8)	0.94	L
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	4,426			
% screened §	56.3	55.8	52.5	(51.0-53.9)	0.93	L
Total eligible population using services ***	324,306	136,315	4,115			
% screened §	61.4	61.3	56.3	(54.8-57.8)	0.92	L
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	8,153			
% screened §	52.1	51.8	49.5	(48.4-50.6)	0.95	L
% screened §, Age-Adjusted †	52.8	52.5	49.9	(48.4-51.5)	0.95	L
Total eligible population using services ***	599,584	255,242	7,529			
% screened §	57.6	57.7	53.5	(52.4-54.6)	0.93	L
% screened §, Age-Adjusted †	58.1	58.3	53.9	(52.2-55.6)	0.93	L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N26 – Downsview-Roding-CFB Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Downsview-Roding-CFB			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Colonoscopy ‡ (2001-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	3,727			
% screened within last 10 years ‡	30.7	32.9	27.3	(25.8-28.7)		0.89 L
Total eligible population using services ***	275,278	118,927	3,414			
% screened within last 10 years ‡	34.4	37.2	29.7	(28.1-31.2)		0.86 L
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	4,426			
% screened within last 10 years ‡	39.0	40.7	33.3	(31.9-34.7)		0.85 L
Total eligible population using services ***	324,306	136,315	4,115			
% screened within last 10 years ‡	42.4	44.6	35.7	(34.2-37.1)		0.84 L
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	8,153			
% screened within last 10 years ‡	35.1	37.0	30.5	(29.5-31.5)		0.87 L
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	30.9	(29.7-32.2)		0.87 L
Total eligible population using services ***	599,584	255,242	7,529			
% screened within last 10 years ‡	38.7	41.2	33.0	(31.9-34.0)		0.85 L
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	33.3	(32.0-34.7)		0.85 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N26 – Downsview-Roding-CFB Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Downsview-Roding-CFB			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Fecal Occult Blood Testing ± (2009-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	210,079	88,954	2,647			
% of all eligible population screened within last 2 years	22.6	20.1	24.0	(22.4-25.6)	1.06	NS
Total eligible population using services ***	176,392	72,982	2,337			
% of all population using services who were screened	26.9	24.5	27.2	(25.4-29.0)	1.01	NS
Men and women, aged 60-74						
Total eligible population **	210,622	86,817	2,895			
% of all eligible population screened within last 2 years	26.5	23.4	27.3	(25.7-28.9)	1.03	NS
Total eligible population using services ***	181,112	73,102	2,590			
% of all population using services who were screened	30.8	27.8	30.5	(28.8-32.3)	0.99	NS
Men and women, aged 50-74						
Total eligible population **	420,701	175,771	5,542			
% screened within last 2 years	24.5	21.7	25.7	(24.6-26.9)	1.05	H
% screened within last 2 years, Age-Adjusted †	25.0	22.1	26.0	(24.7-27.4)	1.04	NS
Total eligible population using services ***	357,504	146,084	4,927			
% screened within last 2 years	28.9	26.1	28.9	(27.7-30.2)	1.00	NS
% screened within last 2 years, Age-Adjusted †	29.3	26.5	29.2	(27.7-30.8)	1.00	NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>