

N111 – Rockcliffe-Smythe Profile: Prevention

| Indicators | City of Toronto | Toronto Central LHIN | Rockcliffe-Smythe | | | |
|--|-----------------|----------------------|-------------------|-------------|----------------|--|
| | Count, % | Count, % | Count, % | (95% CI) | Rate Ratio* | |
| Mammograms (2009-2011) ^a | | | | | | |
| Women, aged 50-59 | | | | | | |
| Total eligible population ** | 152,883 | 65,948 | 1,315 | | | |
| % of all eligible women having a mammogram within last 2 years | 54.5 | 53.9 | 56.3 | (53.7-59.0) | 1.03 NS | |
| Total eligible population using services *** | 138,100 | 58,962 | 1,226 | | | |
| % of all women using services who also had a mammogram | 60.3 | 60.2 | 60.4 | (57.7-63.2) | 1.00 NS | |
| Women, aged 60-69 | | | | | | |
| Total eligible population ** | 131,959 | 56,131 | 1,145 | | | |
| % of all eligible women having a mammogram within last 2 years | 57.5 | 56.5 | 56.6 | (53.7-59.5) | 0.98 NS | |
| Total eligible population using services *** | 121,953 | 51,444 | 1,086 | | | |
| % of all women using services who also had a mammogram | 62.3 | 61.7 | 59.7 | (56.8-62.6) | 0.96 NS | |
| Women, aged 50-69 | | | | | | |
| Total eligible population ** | 284,842 | 122,079 | 2,460 | | | |
| % having a mammogram within last 2 years | 55.9 | 55.1 | 56.5 | (54.5-58.4) | 1.01 NS | |
| % having a mammogram within last 2 years - Age-Adjusted † | 56.1 | 55.3 | 56.5 | (53.5-59.6) | 1.01 NS | |
| Total eligible population using services *** | 260,053 | 110,406 | 2,312 | | | |
| % having a mammogram within last 2 years | 61.2 | 60.9 | 60.1 | (58.1-62.1) | 0.98 NS | |
| % having a mammogram within last 2 years - Age-Adjusted † | 61.4 | 61.0 | 60.0 | (56.9-63.3) | 0.98 NS | |

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N111 – Rockcliffe-Smythe Profile: Prevention

| Indicators | City of Toronto | Toronto Central LHIN | Rockcliffe-Smythe | | |
|--|-----------------|----------------------|-------------------|-------------|----------------|
| | Count, % | Count, % | Count, % | (95% CI) | Rate Ratio* |
| Pap smears (2008-2011) ^a | | | | | |
| Women, aged 21-34 | | | | | |
| Total eligible population ** | 190,152 | 88,940 | 1,429 | | |
| % of all eligible women having a Pap smear within last 3 years | 59.1 | 62.2 | 57.9 | (55.3-60.4) | 0.98 NS |
| Total eligible population using services *** | 177,832 | 83,547 | 1,346 | | |
| % of all women using services who also had a Pap smear | 63.2 | 66.2 | 61.4 | (58.8-64.0) | 0.97 NS |
| Women, aged 35-49 | | | | | |
| Total eligible population ** | 283,994 | 126,813 | 2,185 | | |
| % of all eligible women having a Pap smear within last 3 years | 58.5 | 58.1 | 60.0 | (57.9-62.0) | 1.03 NS |
| Total eligible population using services *** | 244,335 | 107,166 | 1,930 | | |
| % of all women using services who also had a Pap smear | 68.0 | 68.7 | 67.9 | (65.8-70.0) | 1.00 NS |
| Women, aged 50-69 | | | | | |
| Total eligible population ** | 267,274 | 114,379 | 2,274 | | |
| % of all eligible women having a Pap smear within last 3 years | 55.3 | 55.0 | 53.2 | (51.1-55.2) | 0.96 L |
| Total eligible population using services *** | 241,067 | 102,028 | 2,114 | | |
| % of all women using services who also had a Pap smear | 61.3 | 61.6 | 57.2 | (55.1-59.3) | 0.93 L |
| Women, aged 21-69 | | | | | |
| Total eligible population ** | 741,420 | 330,132 | 5,888 | | |
| % having a Pap smear within last 3 years | 57.5 | 58.1 | 56.8 | (55.6-58.1) | 0.99 NS |
| % having a Pap smear within last 3 years - Age-Adjusted † | 57.8 | 58.6 | 57.3 | (55.3-59.3) | 0.99 NS |
| Total eligible population using services *** | 663,234 | 292,741 | 5,390 | | |
| % having a Pap smear within last 3 years | 64.3 | 65.5 | 62.1 | (60.8-63.4) | 0.97 L |
| % having a Pap smear within last 3 years - Age-Adjusted † | 64.4 | 65.8 | 62.6 | (60.4-64.8) | 0.97 NS |

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N111 – Rockcliffe-Smythe Profile: Prevention

| Indicators | City of Toronto | Toronto Central LHIN | Rockcliffe-Smythe | | | |
|--|-----------------|----------------------|-------------------|-------------|----------------|--|
| | Count, % | Count, % | Count, % | (95% CI) | Rate Ratio* | |
| Any Colorectal Cancer Screening § (2011) ^a | | | | | | |
| Men and women, aged 50-59 | | | | | | |
| Total eligible population ** | 309,272 | 135,071 | 2,737 | | | |
| % screened § | 47.4 | 47.4 | 42.0 | (40.1-43.8) | 0.89 L | |
| Total eligible population using services *** | 275,278 | 118,927 | 2,521 | | | |
| % screened § | 53.1 | 53.6 | 45.5 | (43.5-47.4) | 0.86 L | |
| Men and women, aged 60-74 | | | | | | |
| Total eligible population ** | 354,276 | 150,297 | 3,136 | | | |
| % screened § | 56.3 | 55.8 | 48.9 | (47.2-50.7) | 0.87 L | |
| Total eligible population using services *** | 324,306 | 136,315 | 2,925 | | | |
| % screened § | 61.4 | 61.3 | 52.4 | (50.6-54.2) | 0.85 L | |
| Men and women, aged 50-74 | | | | | | |
| Total eligible population ** | 663,548 | 285,368 | 5,873 | | | |
| % screened § | 52.1 | 51.8 | 45.7 | (44.4-47.0) | 0.88 L | |
| % screened §, Age-Adjusted † | 52.8 | 52.5 | 46.2 | (44.5-48.0) | 0.88 L | |
| Total eligible population using services *** | 599,584 | 255,242 | 5,446 | | | |
| % screened § | 57.6 | 57.7 | 49.2 | (47.9-50.5) | 0.85 L | |
| % screened §, Age-Adjusted † | 58.1 | 58.3 | 49.7 | (47.8-51.6) | 0.86 L | |

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N111 – Rockcliffe-Smythe Profile: Prevention

| Indicators | City of Toronto | Toronto Central LHIN | Rockcliffe-Smythe | | | |
|---|-----------------|----------------------|-------------------|-------------|----------------|--|
| | Count, % | Count, % | Count, % | (95% CI) | Rate Ratio* | |
| Colonoscopy ‡ (2001-2011) ^a | | | | | | |
| Men and women, aged 50-59 | | | | | | |
| Total eligible population ** | 309,272 | 135,071 | 2,737 | | | |
| % screened within last 10 years ‡ | 30.7 | 32.9 | 24.4 | (22.8-26.0) | 0.79 L | |
| Total eligible population using services *** | 275,278 | 118,927 | 2,521 | | | |
| % screened within last 10 years ‡ | 34.4 | 37.2 | 26.4 | (24.7-28.1) | 0.77 L | |
| Men and women, aged 60-74 | | | | | | |
| Total eligible population ** | 354,276 | 150,297 | 3,136 | | | |
| % screened within last 10 years ‡ | 39.0 | 40.7 | 30.9 | (29.3-32.5) | 0.79 L | |
| Total eligible population using services *** | 324,306 | 136,315 | 2,925 | | | |
| % screened within last 10 years ‡ | 42.4 | 44.6 | 33.1 | (31.4-34.8) | 0.78 L | |
| Men and women, aged 50-74 | | | | | | |
| Total eligible population ** | 663,548 | 285,368 | 5,873 | | | |
| % screened within last 10 years ‡ | 35.1 | 37.0 | 27.9 | (26.7-29.0) | 0.79 L | |
| % screened within last 10 years ‡, Age-Adjusted † | 35.7 | 37.6 | 28.4 | (27.0-29.8) | 0.79 L | |
| Total eligible population using services *** | 599,584 | 255,242 | 5,446 | | | |
| % screened within last 10 years ‡ | 38.7 | 41.2 | 30.0 | (28.8-31.2) | 0.77 L | |
| % screened within last 10 years ‡, Age-Adjusted † | 39.3 | 41.7 | 30.5 | (29.0-32.0) | 0.78 L | |

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N111 – Rockcliffe-Smythe Profile: Prevention

| Indicators | City of Toronto | Toronto Central LHIN | Rockcliffe-Smythe | | | |
|--|-----------------|----------------------|-------------------|-------------|----------------|--|
| | Count, % | Count, % | Count, % | (95% CI) | Rate Ratio* | |
| Fecal Occult Blood Testing ± (2009-2011) ^a | | | | | | |
| Men and women, aged 50-59 | | | | | | |
| Total eligible population ** | 210,079 | 88,954 | 2,027 | | | |
| % of all eligible population screened within last 2 years | 22.6 | 20.1 | 21.8 | (20.0-23.6) | 0.96 NS | |
| Total eligible population using services *** | 176,392 | 72,982 | 1,814 | | | |
| % of all population using services who were screened | 26.9 | 24.5 | 24.3 | (22.3-26.3) | 0.90 L | |
| Men and women, aged 60-74 | | | | | | |
| Total eligible population ** | 210,622 | 86,817 | 2,113 | | | |
| % of all eligible population screened within last 2 years | 26.5 | 23.4 | 24.2 | (22.4-26.1) | 0.91 L | |
| Total eligible population using services *** | 181,112 | 73,102 | 1,903 | | | |
| % of all population using services who were screened | 30.8 | 27.8 | 26.9 | (24.9-28.9) | 0.87 L | |
| Men and women, aged 50-74 | | | | | | |
| Total eligible population ** | 420,701 | 175,771 | 4,140 | | | |
| % screened within last 2 years | 24.5 | 21.7 | 23.0 | (21.7-24.3) | 0.94 L | |
| % screened within last 2 years, Age-Adjusted † | 25.0 | 22.1 | 23.3 | (21.8-24.8) | 0.93 L | |
| Total eligible population using services *** | 357,504 | 146,084 | 3,717 | | | |
| % screened within last 2 years | 28.9 | 26.1 | 25.6 | (24.2-27.0) | 0.89 L | |
| % screened within last 2 years, Age-Adjusted † | 29.3 | 26.5 | 25.9 | (24.2-27.6) | 0.88 L | |

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>