

N114 – Lambton Baby Point Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Lambton Baby Point			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Mammograms (2009-2011) ^a						
Women, aged 50-59						
Total eligible population **	152,883	65,948	509			
% of all eligible women having a mammogram within last 2 years	54.5	53.9	59.7	(55.5-64.0)	1.10 H	
Total eligible population using services ***	138,100	58,962	466			
% of all women using services who also had a mammogram	60.3	60.2	65.2	(60.9-69.6)	1.08 H	
Women, aged 60-69						
Total eligible population **	131,959	56,131	387			
% of all eligible women having a mammogram within last 2 years	57.5	56.5	58.4	(53.5-63.3)	1.01 NS	
Total eligible population using services ***	121,953	51,444	366			
% of all women using services who also had a mammogram	62.3	61.7	61.7	(56.8-66.7)	0.99 NS	
Women, aged 50-69						
Total eligible population **	284,842	122,079	896			
% having a mammogram within last 2 years	55.9	55.1	59.2	(55.9-62.4)	1.06 NS	
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	59.0	(54.0-64.4)	1.05 NS	
Total eligible population using services ***	260,053	110,406	832			
% having a mammogram within last 2 years	61.2	60.9	63.7	(60.4-67.0)	1.04 NS	
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	63.4	(58.0-69.1)	1.03 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N114 – Lambton Baby Point Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Lambton Baby Point			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Pap smears (2008-2011) ^a						
Women, aged 21-34						
Total eligible population **	190,152	88,940	447			
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	65.3	(60.9-69.7)	1.10 H	
Total eligible population using services ***	177,832	83,547	419			
% of all women using services who also had a Pap smear	63.2	66.2	69.7	(65.3-74.1)	1.10 H	
Women, aged 35-49						
Total eligible population **	283,994	126,813	830			
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	70.0	(66.9-73.1)	1.20 H	
Total eligible population using services ***	244,335	107,166	746			
% of all women using services who also had a Pap smear	68.0	68.7	77.9	(74.9-80.9)	1.15 H	
Women, aged 50-69						
Total eligible population **	267,274	114,379	808			
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	60.6	(57.3-64.0)	1.10 H	
Total eligible population using services ***	241,067	102,028	741			
% of all women using services who also had a Pap smear	61.3	61.6	66.1	(62.7-69.5)	1.08 H	
Women, aged 21-69						
Total eligible population **	741,420	330,132	2,085			
% having a Pap smear within last 3 years	57.5	58.1	65.4	(63.3-67.4)	1.14 H	
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	65.7	(62.1-69.4)	1.14 H	
Total eligible population using services ***	663,234	292,741	1,906			
% having a Pap smear within last 3 years	64.3	65.5	71.5	(69.5-73.5)	1.11 H	
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	71.7	(67.8-75.8)	1.11 H	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N114 – Lambton Baby Point Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Lambton Baby Point			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Any Colorectal Cancer Screening § (2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	971			
% screened §	47.4	47.4	52.1	(49.0-55.3)	1.10 H	
Total eligible population using services ***	275,278	118,927	878			
% screened §	53.1	53.6	57.5	(54.2-60.8)	1.08 H	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	968			
% screened §	56.3	55.8	56.9	(53.8-60.0)	1.01 NS	
Total eligible population using services ***	324,306	136,315	891			
% screened §	61.4	61.3	61.8	(58.7-65.0)	1.01 NS	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	1,939			
% screened §	52.1	51.8	54.5	(52.3-56.7)	1.05 H	
% screened §, Age-Adjusted †	52.8	52.5	55.0	(51.7-58.5)	1.04 NS	
Total eligible population using services ***	599,584	255,242	1,769			
% screened §	57.6	57.7	59.7	(57.4-62.0)	1.04 NS	
% screened §, Age-Adjusted †	58.1	58.3	60.1	(56.5-64.0)	1.04 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N114 – Lambton Baby Point Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Lambton Baby Point			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Colonoscopy ‡ (2001-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	971			
% screened within last 10 years ‡	30.7	32.9	38.4	(35.4-41.5)	1.25 H	
Total eligible population using services ***	275,278	118,927	878			
% screened within last 10 years ‡	34.4	37.2	42.4	(39.1-45.6)	1.23 H	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	968			
% screened within last 10 years ‡	39.0	40.7	44.4	(41.3-47.6)	1.14 H	
Total eligible population using services ***	324,306	136,315	891			
% screened within last 10 years ‡	42.4	44.6	48.3	(45.0-51.5)	1.14 H	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	1,939			
% screened within last 10 years ‡	35.1	37.0	41.4	(39.2-43.6)	1.18 H	
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	42.1	(39.1-45.2)	1.18 H	
Total eligible population using services ***	599,584	255,242	1,769			
% screened within last 10 years ‡	38.7	41.2	45.3	(43.0-47.7)	1.17 H	
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	46.0	(42.8-49.3)	1.17 H	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N114 – Lambton Baby Point Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Lambton Baby Point			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Fecal Occult Blood Testing ± (2009-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	210,079	88,954	588			
% of all eligible population screened within last 2 years	22.6	20.1	20.9	(17.6-24.2)	0.93 NS	
Total eligible population using services ***	176,392	72,982	496			
% of all population using services who were screened	26.9	24.5	24.8	(21.0-28.6)	0.92 NS	
Men and women, aged 60-74						
Total eligible population **	210,622	86,817	524			
% of all eligible population screened within last 2 years	26.5	23.4	20.4	(17.0-23.9)	0.77 L	
Total eligible population using services ***	181,112	73,102	447			
% of all population using services who were screened	30.8	27.8	23.9	(20.0-27.9)	0.78 L	
Men and women, aged 50-74						
Total eligible population **	420,701	175,771	1,112			
% screened within last 2 years	24.5	21.7	20.7	(18.3-23.1)	0.84 L	
% screened within last 2 years, Age-Adjusted †	25.0	22.1	20.6	(18.0-23.6)	0.82 L	
Total eligible population using services ***	357,504	146,084	943			
% screened within last 2 years	28.9	26.1	24.4	(21.6-27.1)	0.84 L	
% screened within last 2 years, Age-Adjusted †	29.3	26.5	24.3	(21.1-27.8)	0.83 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>