

N116 – Steeles Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Steeles		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	1,938		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	55.7	(53.5-57.9)	1.02 NS
Total eligible population using services ***	138,100	58,962	1,602		
% of all women using services who also had a mammogram	60.3	60.2	67.4	(65.1-69.6)	1.12 H
Women, aged 60-69					
Total eligible population **	131,959	56,131	1,743		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	61.2	(58.9-63.4)	1.06 H
Total eligible population using services ***	121,953	51,444	1,530		
% of all women using services who also had a mammogram	62.3	61.7	69.7	(67.4-72.0)	1.12 H
Women, aged 50-69					
Total eligible population **	284,842	122,079	3,681		
% having a mammogram within last 2 years	55.9	55.1	58.3	(56.7-59.9)	1.04 H
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	58.6	(56.1-61.1)	1.04 H
Total eligible population using services ***	260,053	110,406	3,132		
% having a mammogram within last 2 years	61.2	60.9	68.5	(66.9-70.1)	1.12 H
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	68.6	(65.7-71.6)	1.12 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N116 – Steeles Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Steeles			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Pap smears (2008-2011) ^a						
Women, aged 21-34						
Total eligible population **	190,152	88,940	2,011			
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	50.4	(48.2-52.6)	0.85 L	
Total eligible population using services ***	177,832	83,547	1,808			
% of all women using services who also had a Pap smear	63.2	66.2	56.0	(53.7-58.3)	0.89 L	
Women, aged 35-49						
Total eligible population **	283,994	126,813	3,304			
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	55.9	(54.2-57.6)	0.96 L	
Total eligible population using services ***	244,335	107,166	2,582			
% of all women using services who also had a Pap smear	68.0	68.7	71.5	(69.8-73.3)	1.05 H	
Women, aged 50-69						
Total eligible population **	267,274	114,379	3,566			
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	56.3	(54.6-57.9)	1.02 NS	
Total eligible population using services ***	241,067	102,028	2,966			
% of all women using services who also had a Pap smear	61.3	61.6	67.6	(65.9-69.3)	1.10 H	
Women, aged 21-69						
Total eligible population **	741,420	330,132	8,881			
% having a Pap smear within last 3 years	57.5	58.1	54.8	(53.8-55.8)	0.95 L	
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	54.2	(52.6-55.8)	0.94 L	
Total eligible population using services ***	663,234	292,741	7,356			
% having a Pap smear within last 3 years	64.3	65.5	66.2	(65.1-67.2)	1.03 H	
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	65.2	(63.3-67.1)	1.01 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N116 – Steeles Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Steeles		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	3,783		
% screened §	47.4	47.4	51.7	(50.1-53.3)	1.09 H
Total eligible population using services ***	275,278	118,927	3,078		
% screened §	53.1	53.6	63.5	(61.8-65.2)	1.20 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	4,686		
% screened §	56.3	55.8	60.9	(59.5-62.3)	1.08 H
Total eligible population using services ***	324,306	136,315	4,087		
% screened §	61.4	61.3	69.7	(68.3-71.1)	1.14 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	8,469		
% screened §	52.1	51.8	56.8	(55.7-57.8)	1.09 H
% screened §, Age-Adjusted †	52.8	52.5	57.3	(55.7-58.9)	1.08 H
Total eligible population using services ***	599,584	255,242	7,165		
% screened §	57.6	57.7	67.0	(65.9-68.1)	1.16 H
% screened §, Age-Adjusted †	58.1	58.3	67.3	(65.4-69.2)	1.16 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N116 – Steeles Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Steeles		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	3,783		
% screened within last 10 years ‡	30.7	32.9	30.9	(29.5-32.4)	1.01 NS
Total eligible population using services ***	275,278	118,927	3,078		
% screened within last 10 years ‡	34.4	37.2	38.0	(36.3-39.7)	1.10 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	4,686		
% screened within last 10 years ‡	39.0	40.7	38.7	(37.3-40.1)	0.99 NS
Total eligible population using services ***	324,306	136,315	4,087		
% screened within last 10 years ‡	42.4	44.6	44.3	(42.8-45.8)	1.04 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	8,469		
% screened within last 10 years ‡	35.1	37.0	35.2	(34.2-36.3)	1.00 NS
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	35.7	(34.4-37.0)	1.00 NS
Total eligible population using services ***	599,584	255,242	7,165		
% screened within last 10 years ‡	38.7	41.2	41.6	(40.4-42.7)	1.07 H
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	41.8	(40.3-43.4)	1.06 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N116 – Steeles Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Steeles		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	2,550		
% of all eligible population screened within last 2 years	22.6	20.1	28.4	(26.6-30.1)	1.26 H
Total eligible population using services ***	176,392	72,982	1,846		
% of all population using services who were screened	26.9	24.5	39.2	(36.9-41.4)	1.46 H
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	2,807		
% of all eligible population screened within last 2 years	26.5	23.4	34.7	(32.9-36.5)	1.31 H
Total eligible population using services ***	181,112	73,102	2,213		
% of all population using services who were screened	30.8	27.8	44.0	(41.9-46.1)	1.43 H
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	5,357		
% screened within last 2 years	24.5	21.7	31.7	(30.4-32.9)	1.29 H
% screened within last 2 years, Age-Adjusted †	25.0	22.1	32.2	(30.7-33.8)	1.29 H
Total eligible population using services ***	357,504	146,084	4,059		
% screened within last 2 years	28.9	26.1	41.8	(40.3-43.3)	1.45 H
% screened within last 2 years, Age-Adjusted †	29.3	26.5	42.1	(40.1-44.2)	1.44 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>