

N122 – Birchcliffe-Cliffside Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Birchcliffe-Cliffside		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	1,565		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	55.7	(53.2-58.1)	1.02 NS
Total eligible population using services ***	138,100	58,962	1,465		
% of all women using services who also had a mammogram	60.3	60.2	59.5	(56.9-62.0)	0.99 NS
Women, aged 60-69					
Total eligible population **	131,959	56,131	1,290		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	56.9	(54.2-59.6)	0.99 NS
Total eligible population using services ***	121,953	51,444	1,236		
% of all women using services who also had a mammogram	62.3	61.7	59.4	(56.6-62.1)	0.95 L
Women, aged 50-69					
Total eligible population **	284,842	122,079	2,855		
% having a mammogram within last 2 years	55.9	55.1	56.2	(54.4-58.0)	1.01 NS
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	56.3	(53.6-59.2)	1.00 NS
Total eligible population using services ***	260,053	110,406	2,701		
% having a mammogram within last 2 years	61.2	60.9	59.4	(57.6-61.3)	0.97 NS
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	59.4	(56.5-62.4)	0.97 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N122 – Birchcliffe-Cliffside Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Birchcliffe-Cliffside			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Pap smears (2008-2011) ^a						
Women, aged 21-34						
Total eligible population **	190,152	88,940	1,118			
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	66.0	(63.2-68.8)	1.12 H	
Total eligible population using services ***	177,832	83,547	1,073			
% of all women using services who also had a Pap smear	63.2	66.2	68.8	(66.0-71.6)	1.09 H	
Women, aged 35-49						
Total eligible population **	283,994	126,813	2,284			
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	63.7	(61.7-65.7)	1.09 H	
Total eligible population using services ***	244,335	107,166	2,059			
% of all women using services who also had a Pap smear	68.0	68.7	70.7	(68.7-72.6)	1.04 H	
Women, aged 50-69						
Total eligible population **	267,274	114,379	2,650			
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	59.1	(57.2-60.9)	1.07 H	
Total eligible population using services ***	241,067	102,028	2,491			
% of all women using services who also had a Pap smear	61.3	61.6	62.8	(60.9-64.7)	1.03 NS	
Women, aged 21-69						
Total eligible population **	741,420	330,132	6,052			
% having a Pap smear within last 3 years	57.5	58.1	62.1	(60.9-63.3)	1.08 H	
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	63.1	(61.0-65.3)	1.09 H	
Total eligible population using services ***	663,234	292,741	5,623			
% having a Pap smear within last 3 years	64.3	65.5	66.8	(65.6-68.1)	1.04 H	
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	67.7	(65.4-70.1)	1.05 H	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N122 – Birchcliffe-Cliffside Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Birchcliffe-Cliffside			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Any Colorectal Cancer Screening § (2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	3,230			
% screened §	47.4	47.4	50.1	(48.4-51.8)	1.06 H	
Total eligible population using services ***	275,278	118,927	2,983			
% screened §	53.1	53.6	54.1	(52.4-55.9)	1.02 NS	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	3,342			
% screened §	56.3	55.8	58.3	(56.6-59.9)	1.03 H	
Total eligible population using services ***	324,306	136,315	3,160			
% screened §	61.4	61.3	61.5	(59.8-63.2)	1.00 NS	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	6,572			
% screened §	52.1	51.8	54.3	(53.1-55.5)	1.04 H	
% screened §, Age-Adjusted †	52.8	52.5	55.1	(53.2-56.9)	1.04 H	
Total eligible population using services ***	599,584	255,242	6,143			
% screened §	57.6	57.7	57.9	(56.7-59.2)	1.01 NS	
% screened §, Age-Adjusted †	58.1	58.3	58.6	(56.7-60.6)	1.01 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N122 – Birchcliffe-Cliffside Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Birchcliffe-Cliffside			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Colonoscopy ‡ (2001-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	3,230			
% screened within last 10 years ‡	30.7	32.9	34.1	(32.4-35.7)	1.11 H	
Total eligible population using services ***	275,278	118,927	2,983			
% screened within last 10 years ‡	34.4	37.2	36.7	(35.0-38.5)	1.07 H	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	3,342			
% screened within last 10 years ‡	39.0	40.7	40.6	(38.9-42.2)	1.04 NS	
Total eligible population using services ***	324,306	136,315	3,160			
% screened within last 10 years ‡	42.4	44.6	42.8	(41.1-44.5)	1.01 NS	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	6,572			
% screened within last 10 years ‡	35.1	37.0	37.4	(36.2-38.5)	1.06 H	
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	38.0	(36.5-39.6)	1.06 H	
Total eligible population using services ***	599,584	255,242	6,143			
% screened within last 10 years ‡	38.7	41.2	39.9	(38.6-41.1)	1.03 NS	
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	40.4	(38.8-42.1)	1.03 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N122 – Birchcliffe-Cliffside Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Birchcliffe-Cliffside			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Fecal Occult Blood Testing ± (2009-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	210,079	88,954	2,047			
% of all eligible population screened within last 2 years	22.6	20.1	21.3	(19.5-23.1)	0.94 NS	
Total eligible population using services ***	176,392	72,982	1,804			
% of all population using services who were screened	26.9	24.5	24.2	(22.2-26.1)	0.90 L	
Men and women, aged 60-74						
Total eligible population **	210,622	86,817	1,891			
% of all eligible population screened within last 2 years	26.5	23.4	26.3	(24.3-28.3)	0.99 NS	
Total eligible population using services ***	181,112	73,102	1,712			
% of all population using services who were screened	30.8	27.8	29.0	(26.9-31.2)	0.94 NS	
Men and women, aged 50-74						
Total eligible population **	420,701	175,771	3,938			
% screened within last 2 years	24.5	21.7	23.7	(22.4-25.0)	0.97 NS	
% screened within last 2 years, Age-Adjusted †	25.0	22.1	24.3	(22.8-26.0)	0.97 NS	
Total eligible population using services ***	357,504	146,084	3,516			
% screened within last 2 years	28.9	26.1	26.5	(25.1-28.0)	0.92 L	
% screened within last 2 years, Age-Adjusted †	29.3	26.5	27.1	(25.4-29.0)	0.93 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>