

N123 – Cliffcrest Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Cliffcrest		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	973		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	58.2	(55.1-61.3)	1.07 H
Total eligible population using services ***	138,100	58,962	918		
% of all women using services who also had a mammogram	60.3	60.2	61.7	(58.5-64.8)	1.02 NS
Women, aged 60-69					
Total eligible population **	131,959	56,131	810		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	55.8	(52.4-59.2)	0.97 NS
Total eligible population using services ***	121,953	51,444	776		
% of all women using services who also had a mammogram	62.3	61.7	58.2	(54.8-61.7)	0.94 L
Women, aged 50-69					
Total eligible population **	284,842	122,079	1,783		
% having a mammogram within last 2 years	55.9	55.1	57.1	(54.8-59.4)	1.02 NS
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	56.9	(53.4-60.6)	1.01 NS
Total eligible population using services ***	260,053	110,406	1,694		
% having a mammogram within last 2 years	61.2	60.9	60.1	(57.8-62.4)	0.98 NS
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	59.8	(56.2-63.7)	0.97 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N123 – Cliffcrest Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Cliffcrest		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Pap smears (2008-2011) ^a					
Women, aged 21-34					
Total eligible population **	190,152	88,940	736		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	60.9	(57.3-64.4)	1.03 NS
Total eligible population using services ***	177,832	83,547	698		
% of all women using services who also had a Pap smear	63.2	66.2	64.2	(60.6-67.7)	1.02 NS
Women, aged 35-49					
Total eligible population **	283,994	126,813	1,417		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	63.7	(61.2-66.2)	1.09 H
Total eligible population using services ***	244,335	107,166	1,298		
% of all women using services who also had a Pap smear	68.0	68.7	69.5	(67.0-72.0)	1.02 NS
Women, aged 50-69					
Total eligible population **	267,274	114,379	1,626		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	56.7	(54.3-59.1)	1.03 NS
Total eligible population using services ***	241,067	102,028	1,532		
% of all women using services who also had a Pap smear	61.3	61.6	60.2	(57.7-62.6)	0.98 NS
Women, aged 21-69					
Total eligible population **	741,420	330,132	3,779		
% having a Pap smear within last 3 years	57.5	58.1	60.1	(58.6-61.7)	1.05 H
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	60.7	(58.1-63.4)	1.05 H
Total eligible population using services ***	663,234	292,741	3,528		
% having a Pap smear within last 3 years	64.3	65.5	64.4	(62.8-66.0)	1.00 NS
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	65.0	(62.2-67.9)	1.01 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N123 – Cliffcrest Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Cliffcrest		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	2,036		
% screened §	47.4	47.4	50.5	(48.3-52.7)	1.07 H
Total eligible population using services ***	275,278	118,927	1,900		
% screened §	53.1	53.6	54.1	(51.8-56.3)	1.02 NS
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	2,156		
% screened §	56.3	55.8	54.9	(52.8-57.0)	0.98 NS
Total eligible population using services ***	324,306	136,315	2,049		
% screened §	61.4	61.3	57.7	(55.6-59.9)	0.94 L
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	4,192		
% screened §	52.1	51.8	52.8	(51.3-54.3)	1.01 NS
% screened §, Age-Adjusted †	52.8	52.5	53.2	(51.0-55.5)	1.01 NS
Total eligible population using services ***	599,584	255,242	3,949		
% screened §	57.6	57.7	56.0	(54.4-57.5)	0.97 L
% screened §, Age-Adjusted †	58.1	58.3	56.3	(53.9-58.7)	0.97 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N123 – Cliffcrest Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Cliffcrest		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	2,036		
% screened within last 10 years ‡	30.7	32.9	34.3	(32.3-36.4)	1.12 H
Total eligible population using services ***	275,278	118,927	1,900		
% screened within last 10 years ‡	34.4	37.2	36.7	(34.6-38.9)	1.07 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	2,156		
% screened within last 10 years ‡	39.0	40.7	38.5	(36.4-40.6)	0.99 NS
Total eligible population using services ***	324,306	136,315	2,049		
% screened within last 10 years ‡	42.4	44.6	40.5	(38.3-42.6)	0.95 NS
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	4,192		
% screened within last 10 years ‡	35.1	37.0	36.5	(35.0-37.9)	1.04 NS
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	36.9	(35.0-38.8)	1.03 NS
Total eligible population using services ***	599,584	255,242	3,949		
% screened within last 10 years ‡	38.7	41.2	38.7	(37.1-40.2)	1.00 NS
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	39.0	(37.0-41.0)	0.99 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N123 – Cliffcrest Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Cliffcrest		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	1,311		
% of all eligible population screened within last 2 years	22.6	20.1	23.2	(20.9-25.5)	1.03 NS
Total eligible population using services ***	176,392	72,982	1,176		
% of all population using services who were screened	26.9	24.5	25.9	(23.3-28.4)	0.96 NS
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	1,298		
% of all eligible population screened within last 2 years	26.5	23.4	25.1	(22.8-27.5)	0.95 NS
Total eligible population using services ***	181,112	73,102	1,192		
% of all population using services who were screened	30.8	27.8	27.3	(24.8-29.9)	0.89 L
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	2,609		
% screened within last 2 years	24.5	21.7	24.1	(22.5-25.8)	0.98 NS
% screened within last 2 years, Age-Adjusted †	25.0	22.1	24.4	(22.5-26.4)	0.97 NS
Total eligible population using services ***	357,504	146,084	2,368		
% screened within last 2 years	28.9	26.1	26.6	(24.8-28.4)	0.92 L
% screened within last 2 years, Age-Adjusted †	29.3	26.5	26.8	(24.7-29.0)	0.91 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>