

N130 – Milliken Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Milliken		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	2,162		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	55.7	(53.6-57.8)	1.02 NS
Total eligible population using services ***	138,100	58,962	1,798		
% of all women using services who also had a mammogram	60.3	60.2	67.0	(64.8-69.1)	1.11 H
Women, aged 60-69					
Total eligible population **	131,959	56,131	1,701		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	59.3	(56.9-61.6)	1.03 NS
Total eligible population using services ***	121,953	51,444	1,503		
% of all women using services who also had a mammogram	62.3	61.7	67.1	(64.7-69.4)	1.08 H
Women, aged 50-69					
Total eligible population **	284,842	122,079	3,863		
% having a mammogram within last 2 years	55.9	55.1	57.3	(55.7-58.8)	1.02 NS
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	57.6	(55.2-60.1)	1.03 NS
Total eligible population using services ***	260,053	110,406	3,301		
% having a mammogram within last 2 years	61.2	60.9	67.0	(65.4-68.6)	1.09 H
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	67.0	(64.2-69.9)	1.09 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N130 – Milliken Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Milliken		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Pap smears (2008-2011) ^a					
Women, aged 21-34					
Total eligible population **	190,152	88,940	2,266		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	51.5	(49.4-53.6)	0.87 L
Total eligible population using services ***	177,832	83,547	2,058		
% of all women using services who also had a Pap smear	63.2	66.2	56.7	(54.6-58.8)	0.90 L
Women, aged 35-49					
Total eligible population **	283,994	126,813	3,474		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	54.7	(53.0-56.3)	0.94 L
Total eligible population using services ***	244,335	107,166	2,668		
% of all women using services who also had a Pap smear	68.0	68.7	71.2	(69.5-72.9)	1.05 H
Women, aged 50-69					
Total eligible population **	267,274	114,379	3,752		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	54.3	(52.7-55.9)	0.98 NS
Total eligible population using services ***	241,067	102,028	3,089		
% of all women using services who also had a Pap smear	61.3	61.6	65.9	(64.3-67.6)	1.08 H
Women, aged 21-69					
Total eligible population **	741,420	330,132	9,492		
% having a Pap smear within last 3 years	57.5	58.1	53.8	(52.8-54.8)	0.94 L
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	53.5	(52.0-55.1)	0.93 L
Total eligible population using services ***	663,234	292,741	7,815		
% having a Pap smear within last 3 years	64.3	65.5	65.3	(64.3-66.4)	1.02 H
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	64.8	(63.0-66.7)	1.01 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N130 – Milliken Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Milliken		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	4,333		
% screened §	47.4	47.4	51.4	(50.0-52.9)	1.09 H
Total eligible population using services ***	275,278	118,927	3,564		
% screened §	53.1	53.6	62.5	(60.9-64.1)	1.18 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	4,544		
% screened §	56.3	55.8	59.3	(57.9-60.8)	1.05 H
Total eligible population using services ***	324,306	136,315	3,948		
% screened §	61.4	61.3	68.2	(66.8-69.7)	1.11 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	8,877		
% screened §	52.1	51.8	55.5	(54.4-56.5)	1.06 H
% screened §, Age-Adjusted †	52.8	52.5	56.2	(54.7-57.9)	1.07 H
Total eligible population using services ***	599,584	255,242	7,512		
% screened §	57.6	57.7	65.5	(64.4-66.6)	1.14 H
% screened §, Age-Adjusted †	58.1	58.3	66.0	(64.1-67.9)	1.14 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N130 – Milliken Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Milliken		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	4,333		
% screened within last 10 years ‡	30.7	32.9	25.3	(24.0-26.6)	0.82 L
Total eligible population using services ***	275,278	118,927	3,564		
% screened within last 10 years ‡	34.4	37.2	30.7	(29.2-32.2)	0.89 L
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	4,544		
% screened within last 10 years ‡	39.0	40.7	33.3	(31.9-34.7)	0.85 L
Total eligible population using services ***	324,306	136,315	3,948		
% screened within last 10 years ‡	42.4	44.6	38.2	(36.7-39.8)	0.90 L
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	8,877		
% screened within last 10 years ‡	35.1	37.0	29.4	(28.4-30.3)	0.84 L
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	30.2	(29.0-31.4)	0.84 L
Total eligible population using services ***	599,584	255,242	7,512		
% screened within last 10 years ‡	38.7	41.2	34.7	(33.6-35.7)	0.89 L
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	35.3	(33.9-36.7)	0.90 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N130 – Milliken Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Milliken		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	3,164		
% of all eligible population screened within last 2 years	22.6	20.1	33.5	(31.9-35.1)	1.48 H
Total eligible population using services ***	176,392	72,982	2,397		
% of all population using services who were screened	26.9	24.5	44.2	(42.2-46.2)	1.64 H
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	2,958		
% of all eligible population screened within last 2 years	26.5	23.4	37.5	(35.8-39.3)	1.42 H
Total eligible population using services ***	181,112	73,102	2,365		
% of all population using services who were screened	30.8	27.8	46.9	(44.9-48.9)	1.52 H
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	6,122		
% screened within last 2 years	24.5	21.7	35.4	(34.2-36.6)	1.44 H
% screened within last 2 years, Age-Adjusted †	25.0	22.1	36.0	(34.4-37.5)	1.44 H
Total eligible population using services ***	357,504	146,084	4,762		
% screened within last 2 years	28.9	26.1	45.6	(44.2-47.0)	1.58 H
% screened within last 2 years, Age-Adjusted †	29.3	26.5	45.9	(43.9-47.9)	1.57 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>