

N135 – Morningside Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Morningside		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	1,015		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	55.1	(52.0-58.1)	1.01 NS
Total eligible population using services ***	138,100	58,962	946		
% of all women using services who also had a mammogram	60.3	60.2	59.1	(56.0-62.2)	0.98 NS
Women, aged 60-69					
Total eligible population **	131,959	56,131	935		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	56.5	(53.3-59.6)	0.98 NS
Total eligible population using services ***	121,953	51,444	886		
% of all women using services who also had a mammogram	62.3	61.7	59.6	(56.4-62.8)	0.96 NS
Women, aged 50-69					
Total eligible population **	284,842	122,079	1,950		
% having a mammogram within last 2 years	55.9	55.1	55.7	(53.5-57.9)	1.00 NS
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	55.8	(52.5-59.3)	1.00 NS
Total eligible population using services ***	260,053	110,406	1,832		
% having a mammogram within last 2 years	61.2	60.9	59.3	(57.1-61.6)	0.97 NS
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	59.4	(55.9-63.0)	0.97 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N135 – Morningside Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Morningside		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Pap smears (2008-2011) ^a					
Women, aged 21-34					
Total eligible population **	190,152	88,940	1,275		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	55.7	(53.0-58.4)	0.94 L
Total eligible population using services ***	177,832	83,547	1,188		
% of all women using services who also had a Pap smear	63.2	66.2	59.8	(57.0-62.6)	0.95 L
Women, aged 35-49					
Total eligible population **	283,994	126,813	1,688		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	58.7	(56.4-61.1)	1.00 NS
Total eligible population using services ***	244,335	107,166	1,494		
% of all women using services who also had a Pap smear	68.0	68.7	66.3	(63.9-68.7)	0.98 NS
Women, aged 50-69					
Total eligible population **	267,274	114,379	1,801		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	54.1	(51.8-56.4)	0.98 NS
Total eligible population using services ***	241,067	102,028	1,685		
% of all women using services who also had a Pap smear	61.3	61.6	57.9	(55.5-60.2)	0.94 L
Women, aged 21-69					
Total eligible population **	741,420	330,132	4,764		
% having a Pap smear within last 3 years	57.5	58.1	56.2	(54.8-57.6)	0.98 NS
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	56.4	(54.2-58.6)	0.98 NS
Total eligible population using services ***	663,234	292,741	4,367		
% having a Pap smear within last 3 years	64.3	65.5	61.3	(59.8-62.7)	0.95 L
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	61.7	(59.3-64.1)	0.96 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N135 – Morningside Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Morningside		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	2,116		
% screened §	47.4	47.4	46.0	(43.9-48.1)	0.97 NS
Total eligible population using services ***	275,278	118,927	1,944		
% screened §	53.1	53.6	50.0	(47.8-52.2)	0.94 L
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	2,456		
% screened §	56.3	55.8	54.6	(52.6-56.5)	0.97 NS
Total eligible population using services ***	324,306	136,315	2,311		
% screened §	61.4	61.3	57.9	(55.9-59.9)	0.94 L
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	4,572		
% screened §	52.1	51.8	50.6	(49.1-52.0)	0.97 L
% screened §, Age-Adjusted †	52.8	52.5	51.2	(49.1-53.4)	0.97 NS
Total eligible population using services ***	599,584	255,242	4,255		
% screened §	57.6	57.7	54.3	(52.8-55.8)	0.94 L
% screened §, Age-Adjusted †	58.1	58.3	54.8	(52.6-57.1)	0.94 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N135 – Morningside Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Morningside		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	2,116		
% screened within last 10 years ‡	30.7	32.9	28.3	(26.3-30.2)	0.92 L
Total eligible population using services ***	275,278	118,927	1,944		
% screened within last 10 years ‡	34.4	37.2	30.7	(28.7-32.8)	0.89 L
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	2,456		
% screened within last 10 years ‡	39.0	40.7	37.3	(35.3-39.2)	0.96 NS
Total eligible population using services ***	324,306	136,315	2,311		
% screened within last 10 years ‡	42.4	44.6	39.5	(37.5-41.5)	0.93 L
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	4,572		
% screened within last 10 years ‡	35.1	37.0	33.1	(31.7-34.5)	0.94 L
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	33.7	(32.0-35.5)	0.94 L
Total eligible population using services ***	599,584	255,242	4,255		
% screened within last 10 years ‡	38.7	41.2	35.5	(34.0-36.9)	0.92 L
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	36.1	(34.3-37.9)	0.92 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N135 – Morningside Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Morningside		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	1,488		
% of all eligible population screened within last 2 years	22.6	20.1	23.2	(21.0-25.3)	1.03 NS
Total eligible population using services ***	176,392	72,982	1,317		
% of all population using services who were screened	26.9	24.5	26.2	(23.8-28.6)	0.97 NS
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	1,502		
% of all eligible population screened within last 2 years	26.5	23.4	25.8	(23.6-28.0)	0.97 NS
Total eligible population using services ***	181,112	73,102	1,359		
% of all population using services who were screened	30.8	27.8	28.5	(26.1-30.9)	0.92 NS
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	2,990		
% screened within last 2 years	24.5	21.7	24.5	(22.9-26.0)	1.00 NS
% screened within last 2 years, Age-Adjusted †	25.0	22.1	24.8	(23.0-26.7)	0.99 NS
Total eligible population using services ***	357,504	146,084	2,676		
% screened within last 2 years	28.9	26.1	27.4	(25.7-29.0)	0.95 NS
% screened within last 2 years, Age-Adjusted †	29.3	26.5	27.6	(25.6-29.7)	0.94 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>