

N15 – Kingsway South Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Kingsway South		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	605		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	64.8	(61.0-68.6)	1.19 H
Total eligible population using services ***	138,100	58,962	570		
% of all women using services who also had a mammogram	60.3	60.2	68.8	(65.0-72.6)	1.14 H
Women, aged 60-69					
Total eligible population **	131,959	56,131	568		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	69.4	(65.6-73.2)	1.21 H
Total eligible population using services ***	121,953	51,444	529		
% of all women using services who also had a mammogram	62.3	61.7	74.5	(70.8-78.2)	1.20 H
Women, aged 50-69					
Total eligible population **	284,842	122,079	1,173		
% having a mammogram within last 2 years	55.9	55.1	67.0	(64.3-69.7)	1.20 H
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	67.2	(62.6-72.1)	1.20 H
Total eligible population using services ***	260,053	110,406	1,099		
% having a mammogram within last 2 years	61.2	60.9	71.5	(68.9-74.2)	1.17 H
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	71.8	(66.9-77.0)	1.17 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N15 – Kingsway South Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Kingsway South		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Pap smears (2008-2011) ^a					
Women, aged 21-34					
Total eligible population **	190,152	88,940	369		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	64.0	(59.1-68.9)	1.08 NS
Total eligible population using services ***	177,832	83,547	342		
% of all women using services who also had a Pap smear	63.2	66.2	69.0	(64.1-73.9)	1.09 H
Women, aged 35-49					
Total eligible population **	283,994	126,813	875		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	72.7	(69.7-75.6)	1.24 H
Total eligible population using services ***	244,335	107,166	797		
% of all women using services who also had a Pap smear	68.0	68.7	79.8	(77.0-82.6)	1.17 H
Women, aged 50-69					
Total eligible population **	267,274	114,379	1,079		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	70.2	(67.4-72.9)	1.27 H
Total eligible population using services ***	241,067	102,028	1,002		
% of all women using services who also had a Pap smear	61.3	61.6	75.5	(72.9-78.2)	1.23 H
Women, aged 21-69					
Total eligible population **	741,420	330,132	2,323		
% having a Pap smear within last 3 years	57.5	58.1	70.1	(68.3-72.0)	1.22 H
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	69.0	(65.3-72.9)	1.19 H
Total eligible population using services ***	663,234	292,741	2,141		
% having a Pap smear within last 3 years	64.3	65.5	76.1	(74.3-77.9)	1.18 H
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	75.0	(70.9-79.1)	1.16 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N15 – Kingsway South Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Kingsway South		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,151		
% screened §	47.4	47.4	63.8	(61.0-66.5)	1.35 H
Total eligible population using services ***	275,278	118,927	1,085		
% screened §	53.1	53.6	67.5	(64.7-70.3)	1.27 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	1,512		
% screened §	56.3	55.8	71.2	(68.9-73.4)	1.26 H
Total eligible population using services ***	324,306	136,315	1,410		
% screened §	61.4	61.3	75.8	(73.6-78.1)	1.24 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	2,663		
% screened §	52.1	51.8	68.0	(66.2-69.7)	1.30 H
% screened §, Age-Adjusted †	52.8	52.5	68.3	(65.1-71.5)	1.29 H
Total eligible population using services ***	599,584	255,242	2,495		
% screened §	57.6	57.7	72.2	(70.4-73.9)	1.25 H
% screened §, Age-Adjusted †	58.1	58.3	72.5	(69.2-76.0)	1.25 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N15 – Kingsway South Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Kingsway South		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,151		
% screened within last 10 years ‡	30.7	32.9	52.7	(49.9-55.6)	1.72 H
Total eligible population using services ***	275,278	118,927	1,085		
% screened within last 10 years ‡	34.4	37.2	55.8	(52.8-58.7)	1.62 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	1,512		
% screened within last 10 years ‡	39.0	40.7	57.7	(55.2-60.2)	1.48 H
Total eligible population using services ***	324,306	136,315	1,410		
% screened within last 10 years ‡	42.4	44.6	61.4	(58.9-64.0)	1.45 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	2,663		
% screened within last 10 years ‡	35.1	37.0	55.6	(53.7-57.5)	1.58 H
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	55.8	(53.0-58.7)	1.56 H
Total eligible population using services ***	599,584	255,242	2,495		
% screened within last 10 years ‡	38.7	41.2	59.0	(57.0-60.9)	1.52 H
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	59.2	(56.2-62.3)	1.51 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N15 – Kingsway South Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Kingsway South		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	533		
% of all eligible population screened within last 2 years	22.6	20.1	21.8	(18.3-25.3)	0.96 NS
Total eligible population using services ***	176,392	72,982	469		
% of all population using services who were screened	26.9	24.5	24.7	(20.8-28.6)	0.92 NS
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	625		
% of all eligible population screened within last 2 years	26.5	23.4	30.2	(26.6-33.8)	1.14 H
Total eligible population using services ***	181,112	73,102	530		
% of all population using services who were screened	30.8	27.8	35.7	(31.6-39.7)	1.16 H
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	1,158		
% screened within last 2 years	24.5	21.7	26.3	(23.8-28.9)	1.07 NS
% screened within last 2 years, Age-Adjusted †	25.0	22.1	26.9	(24.0-30.1)	1.08 NS
Total eligible population using services ***	357,504	146,084	999		
% screened within last 2 years	28.9	26.1	30.5	(27.7-33.4)	1.06 NS
% screened within last 2 years, Age-Adjusted †	29.3	26.5	31.4	(27.9-35.1)	1.07 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>