

N16 – Stonegate-Queensway Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Stonegate-Queensway			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Mammograms (2009-2011) ^a						
Women, aged 50-59						
Total eligible population **	152,883	65,948	1,541			
% of all eligible women having a mammogram within last 2 years	54.5	53.9	57.0	(54.6-59.5)	1.05 H	
Total eligible population using services ***	138,100	58,962	1,446			
% of all women using services who also had a mammogram	60.3	60.2	60.8	(58.3-63.3)	1.01 NS	
Women, aged 60-69						
Total eligible population **	131,959	56,131	1,227			
% of all eligible women having a mammogram within last 2 years	57.5	56.5	60.1	(57.4-62.9)	1.05 NS	
Total eligible population using services ***	121,953	51,444	1,150			
% of all women using services who also had a mammogram	62.3	61.7	64.2	(61.4-66.9)	1.03 NS	
Women, aged 50-69						
Total eligible population **	284,842	122,079	2,768			
% having a mammogram within last 2 years	55.9	55.1	58.4	(56.6-60.3)	1.04 H	
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	58.7	(55.8-61.7)	1.05 NS	
Total eligible population using services ***	260,053	110,406	2,596			
% having a mammogram within last 2 years	61.2	60.9	62.3	(60.4-64.2)	1.02 NS	
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	62.6	(59.5-65.8)	1.02 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N16 – Stonegate-Queensway Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Stonegate-Queensway			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Pap smears (2008-2011) ^a						
Women, aged 21-34						
Total eligible population **	190,152	88,940	1,282			
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	67.9	(65.4-70.5)	1.15 H	
Total eligible population using services ***	177,832	83,547	1,220			
% of all women using services who also had a Pap smear	63.2	66.2	71.4	(68.9-73.9)	1.13 H	
Women, aged 35-49						
Total eligible population **	283,994	126,813	2,483			
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	66.0	(64.1-67.9)	1.13 H	
Total eligible population using services ***	244,335	107,166	2,265			
% of all women using services who also had a Pap smear	68.0	68.7	72.4	(70.5-74.2)	1.06 H	
Women, aged 50-69						
Total eligible population **	267,274	114,379	2,737			
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	61.6	(59.8-63.4)	1.11 H	
Total eligible population using services ***	241,067	102,028	2,545			
% of all women using services who also had a Pap smear	61.3	61.6	66.2	(64.4-68.1)	1.08 H	
Women, aged 21-69						
Total eligible population **	741,420	330,132	6,502			
% having a Pap smear within last 3 years	57.5	58.1	64.5	(63.4-65.7)	1.12 H	
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	65.4	(63.3-67.5)	1.13 H	
Total eligible population using services ***	663,234	292,741	6,030			
% having a Pap smear within last 3 years	64.3	65.5	69.6	(68.4-70.7)	1.08 H	
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	70.2	(68.0-72.5)	1.09 H	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N16 – Stonegate-Queensway Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Stonegate-Queensway		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	3,161		
% screened §	47.4	47.4	50.1	(48.4-51.9)	1.06 H
Total eligible population using services ***	275,278	118,927	2,926		
% screened §	53.1	53.6	54.0	(52.2-55.8)	1.02 NS
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	3,447		
% screened §	56.3	55.8	58.7	(57.0-60.3)	1.04 H
Total eligible population using services ***	324,306	136,315	3,247		
% screened §	61.4	61.3	62.1	(60.4-63.8)	1.01 NS
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	6,608		
% screened §	52.1	51.8	54.6	(53.4-55.8)	1.05 H
% screened §, Age-Adjusted †	52.8	52.5	55.3	(53.5-57.2)	1.05 H
Total eligible population using services ***	599,584	255,242	6,173		
% screened §	57.6	57.7	58.3	(57.0-59.5)	1.01 NS
% screened §, Age-Adjusted †	58.1	58.3	58.9	(57.0-60.9)	1.01 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N16 – Stonegate-Queensway Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Stonegate-Queensway			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Colonoscopy ‡ (2001-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	3,161			
% screened within last 10 years ‡	30.7	32.9	36.4	(34.8-38.1)	1.19 H	
Total eligible population using services ***	275,278	118,927	2,926			
% screened within last 10 years ‡	34.4	37.2	39.2	(37.5-41.0)	1.14 H	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	3,447			
% screened within last 10 years ‡	39.0	40.7	42.3	(40.7-44.0)	1.09 H	
Total eligible population using services ***	324,306	136,315	3,247			
% screened within last 10 years ‡	42.4	44.6	44.7	(43.0-46.5)	1.05 H	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	6,608			
% screened within last 10 years ‡	35.1	37.0	39.5	(38.3-40.7)	1.13 H	
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	40.0	(38.5-41.6)	1.12 H	
Total eligible population using services ***	599,584	255,242	6,173			
% screened within last 10 years ‡	38.7	41.2	42.1	(40.9-43.4)	1.09 H	
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	42.6	(40.9-44.3)	1.08 H	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N16 – Stonegate-Queensway Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Stonegate-Queensway			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Fecal Occult Blood Testing ± (2009-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	210,079	88,954	1,967			
% of all eligible population screened within last 2 years	22.6	20.1	19.9	(18.1-21.6)	0.88 L	
Total eligible population using services ***	176,392	72,982	1,736			
% of all population using services who were screened	26.9	24.5	22.5	(20.6-24.5)	0.84 L	
Men and women, aged 60-74						
Total eligible population **	210,622	86,817	1,926			
% of all eligible population screened within last 2 years	26.5	23.4	26.0	(24.1-28.0)	0.98 NS	
Total eligible population using services ***	181,112	73,102	1,732			
% of all population using services who were screened	30.8	27.8	28.9	(26.8-31.1)	0.94 NS	
Men and women, aged 50-74						
Total eligible population **	420,701	175,771	3,893			
% screened within last 2 years	24.5	21.7	22.9	(21.6-24.2)	0.93 L	
% screened within last 2 years, Age-Adjusted †	25.0	22.1	23.6	(22.1-25.3)	0.94 NS	
Total eligible population using services ***	357,504	146,084	3,468			
% screened within last 2 years	28.9	26.1	25.7	(24.3-27.2)	0.89 L	
% screened within last 2 years, Age-Adjusted †	29.3	26.5	26.4	(24.7-28.3)	0.90 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>