

## N17 – Mimico Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Mimico		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
<b>Mammograms (2009-2011) <sup>a</sup></b>					
<b>Women, aged 50-59</b>					
Total eligible population **	152,883	65,948	1,719		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	50.6	(48.2-53.0)	0.93 L
Total eligible population using services ***	138,100	58,962	1,576		
% of all women using services who also had a mammogram	60.3	60.2	55.2	(52.7-57.7)	0.91 L
<b>Women, aged 60-69</b>					
Total eligible population **	131,959	56,131	1,454		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	53.4	(50.9-56.0)	0.93 L
Total eligible population using services ***	121,953	51,444	1,365		
% of all women using services who also had a mammogram	62.3	61.7	56.9	(54.3-59.6)	0.91 L
<b>Women, aged 50-69</b>					
Total eligible population **	284,842	122,079	3,173		
% having a mammogram within last 2 years	55.9	55.1	51.9	(50.2-53.6)	0.93 L
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	52.1	(49.6-54.7)	0.93 L
Total eligible population using services ***	260,053	110,406	2,941		
% having a mammogram within last 2 years	61.2	60.9	56.0	(54.2-57.8)	0.91 L
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	56.1	(53.4-58.9)	0.91 L

**CI** Confidence Interval.

**H / L / NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ( $p < 0.05$ ). Rates marked not significantly (NS) different do not reach this level of significance.

**<sup>a</sup>** Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

**\*** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

**\*\*** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

**\*\*\*** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

**†** Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

## N17 – Mimico Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Mimico		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
<b>Pap smears (2008-2011) <sup>a</sup></b>					
<b>Women, aged 21-34</b>					
Total eligible population **	190,152	88,940	1,839		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	66.6	(64.5-68.8)	1.13 H
Total eligible population using services ***	177,832	83,547	1,754		
% of all women using services who also had a Pap smear	63.2	66.2	69.8	(67.6-71.9)	1.10 H
<b>Women, aged 35-49</b>					
Total eligible population **	283,994	126,813	2,906		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	59.6	(57.9-61.4)	1.02 NS
Total eligible population using services ***	244,335	107,166	2,588		
% of all women using services who also had a Pap smear	68.0	68.7	67.0	(65.2-68.8)	0.99 NS
<b>Women, aged 50-69</b>					
Total eligible population **	267,274	114,379	2,919		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	53.1	(51.3-54.9)	0.96 L
Total eligible population using services ***	241,067	102,028	2,681		
% of all women using services who also had a Pap smear	61.3	61.6	57.9	(56.0-59.7)	0.94 L
<b>Women, aged 21-69</b>					
Total eligible population **	741,420	330,132	7,664		
% having a Pap smear within last 3 years	57.5	58.1	58.8	(57.7-59.9)	1.02 H
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	60.1	(58.3-61.9)	1.04 H
Total eligible population using services ***	663,234	292,741	7,023		
% having a Pap smear within last 3 years	64.3	65.5	64.2	(63.1-65.3)	1.00 NS
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	65.2	(63.3-67.2)	1.01 NS

**CI** Confidence Interval.

**H / L / NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ( $p < 0.05$ ). Rates marked not significantly (NS) different do not reach this level of significance.

**<sup>a</sup>** Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

**\*** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

**\*\*** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

**\*\*\*** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

**†** Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

## N17 – Mimico Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Mimico		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
<b>Any Colorectal Cancer Screening § (2011) <sup>a</sup></b>					
<b>Men and women, aged 50-59</b>					
Total eligible population **	309,272	135,071	3,519		
% screened §	47.4	47.4	41.4	(39.7-43.0)	0.87 L
Total eligible population using services ***	275,278	118,927	3,176		
% screened §	53.1	53.6	45.7	(44.0-47.5)	0.86 L
<b>Men and women, aged 60-74</b>					
Total eligible population **	354,276	150,297	4,029		
% screened §	56.3	55.8	51.9	(50.3-53.4)	0.92 L
Total eligible population using services ***	324,306	136,315	3,734		
% screened §	61.4	61.3	55.8	(54.2-57.4)	0.91 L
<b>Men and women, aged 50-74</b>					
Total eligible population **	663,548	285,368	7,548		
% screened §	52.1	51.8	47.0	(45.9-48.1)	0.90 L
% screened §, Age-Adjusted †	52.8	52.5	47.8	(46.2-49.4)	0.90 L
Total eligible population using services ***	599,584	255,242	6,910		
% screened §	57.6	57.7	51.2	(50.0-52.3)	0.89 L
% screened §, Age-Adjusted †	58.1	58.3	51.8	(50.1-53.6)	0.89 L

**CI** Confidence Interval.

**H / L / NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ( $p < 0.05$ ). Rates marked not significantly (NS) different do not reach this level of significance.

**<sup>a</sup>** Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

**\*** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

**\*\*** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

**\*\*\*** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

**§** Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

**†** Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

## N17 – Mimico Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Mimico		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
<b>Colonoscopy ‡ (2001-2011) <sup>a</sup></b>					
<b>Men and women, aged 50-59</b>					
Total eligible population **	309,272	135,071	3,519		
% screened within last 10 years ‡	30.7	32.9	28.4	(26.9-29.8)	0.92 L
Total eligible population using services ***	275,278	118,927	3,176		
% screened within last 10 years ‡	34.4	37.2	31.3	(29.7-32.9)	0.91 L
<b>Men and women, aged 60-74</b>					
Total eligible population **	354,276	150,297	4,029		
% screened within last 10 years ‡	39.0	40.7	37.8	(36.3-39.3)	0.97 NS
Total eligible population using services ***	324,306	136,315	3,734		
% screened within last 10 years ‡	42.4	44.6	40.6	(39.0-42.1)	0.96 L
<b>Men and women, aged 50-74</b>					
Total eligible population **	663,548	285,368	7,548		
% screened within last 10 years ‡	35.1	37.0	33.4	(32.3-34.5)	0.95 L
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	34.1	(32.8-35.5)	0.96 L
Total eligible population using services ***	599,584	255,242	6,910		
% screened within last 10 years ‡	38.7	41.2	36.3	(35.2-37.5)	0.94 L
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	37.0	(35.5-38.4)	0.94 L

**CI** Confidence Interval.

**H / L / NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ( $p < 0.05$ ). Rates marked not significantly (NS) different do not reach this level of significance.

**<sup>a</sup>** Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

**\*** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

**\*\*** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

**\*\*\*** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

**‡** Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

**†** Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

## N17 – Mimico Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Mimico		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
<b>Fecal Occult Blood Testing ± (2009-2011) <sup>a</sup></b>					
<b>Men and women, aged 50-59</b>					
Total eligible population **	210,079	88,954	2,476		
% of all eligible population screened within last 2 years	22.6	20.1	16.7	(15.2-18.1)	0.74 L
Total eligible population using services ***	176,392	72,982	2,136		
% of all population using services who were screened	26.9	24.5	19.3	(17.7-21.0)	0.72 L
<b>Men and women, aged 60-74</b>					
Total eligible population **	210,622	86,817	2,431		
% of all eligible population screened within last 2 years	26.5	23.4	20.3	(18.7-21.9)	0.76 L
Total eligible population using services ***	181,112	73,102	2,144		
% of all population using services who were screened	30.8	27.8	23.0	(21.2-24.8)	0.75 L
<b>Men and women, aged 50-74</b>					
Total eligible population **	420,701	175,771	4,907		
% screened within last 2 years	24.5	21.7	18.5	(17.4-19.5)	0.75 L
% screened within last 2 years, Age-Adjusted †	25.0	22.1	18.9	(17.6-20.2)	0.75 L
Total eligible population using services ***	357,504	146,084	4,280		
% screened within last 2 years	28.9	26.1	21.2	(19.9-22.4)	0.73 L
% screened within last 2 years, Age-Adjusted †	29.3	26.5	21.6	(20.2-23.0)	0.74 L

**CI** Confidence Interval.

**H / L / NS** Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ( $p < 0.05$ ). Rates marked not significantly (NS) different do not reach this level of significance.

**<sup>a</sup>** Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

**\*** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

**\*\*** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

**\*\*\*** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

**±** FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

**†** Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>