

N34 – Bathurst Manor Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Bathurst Manor		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	822		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	56.7	(53.3-60.1)	1.04 NS
Total eligible population using services ***	138,100	58,962	767		
% of all women using services who also had a mammogram	60.3	60.2	60.8	(57.3-64.2)	1.01 NS
Women, aged 60-69					
Total eligible population **	131,959	56,131	696		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	57.6	(53.9-61.3)	1.00 NS
Total eligible population using services ***	121,953	51,444	646		
% of all women using services who also had a mammogram	62.3	61.7	62.1	(58.3-65.8)	1.00 NS
Women, aged 50-69					
Total eligible population **	284,842	122,079	1,518		
% having a mammogram within last 2 years	55.9	55.1	57.1	(54.6-59.6)	1.02 NS
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	57.2	(53.4-61.2)	1.02 NS
Total eligible population using services ***	260,053	110,406	1,413		
% having a mammogram within last 2 years	61.2	60.9	61.4	(58.8-63.9)	1.00 NS
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	61.5	(57.4-65.7)	1.00 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N34 – Bathurst Manor Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Bathurst Manor		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Pap smears (2008-2011) ^a					
Women, aged 21-34					
Total eligible population **	190,152	88,940	972		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	60.2	(57.1-63.3)	1.02 NS
Total eligible population using services ***	177,832	83,547	904		
% of all women using services who also had a Pap smear	63.2	66.2	64.7	(61.6-67.8)	1.02 NS
Women, aged 35-49					
Total eligible population **	283,994	126,813	1,509		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	60.6	(58.2-63.1)	1.04 NS
Total eligible population using services ***	244,335	107,166	1,343		
% of all women using services who also had a Pap smear	68.0	68.7	68.1	(65.6-70.6)	1.00 NS
Women, aged 50-69					
Total eligible population **	267,274	114,379	1,428		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	55.4	(52.8-58.0)	1.00 NS
Total eligible population using services ***	241,067	102,028	1,315		
% of all women using services who also had a Pap smear	61.3	61.6	60.2	(57.5-62.8)	0.98 NS
Women, aged 21-69					
Total eligible population **	741,420	330,132	3,909		
% having a Pap smear within last 3 years	57.5	58.1	58.6	(57.1-60.2)	1.02 NS
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	58.9	(56.5-61.5)	1.02 NS
Total eligible population using services ***	663,234	292,741	3,562		
% having a Pap smear within last 3 years	64.3	65.5	64.3	(62.7-65.9)	1.00 NS
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	64.6	(62.0-67.4)	1.00 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N34 – Bathurst Manor Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Bathurst Manor		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,654		
% screened §	47.4	47.4	48.7	(46.3-51.1)	1.03 NS
Total eligible population using services ***	275,278	118,927	1,529		
% screened §	53.1	53.6	52.6	(50.1-55.1)	0.99 NS
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	1,856		
% screened §	56.3	55.8	58.0	(55.8-60.3)	1.03 NS
Total eligible population using services ***	324,306	136,315	1,707		
% screened §	61.4	61.3	63.0	(60.7-65.3)	1.03 NS
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	3,510		
% screened §	52.1	51.8	53.6	(52.0-55.3)	1.03 NS
% screened §, Age-Adjusted †	52.8	52.5	54.4	(51.9-56.9)	1.03 NS
Total eligible population using services ***	599,584	255,242	3,236		
% screened §	57.6	57.7	58.1	(56.4-59.8)	1.01 NS
% screened §, Age-Adjusted †	58.1	58.3	58.9	(56.2-61.7)	1.01 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N34 – Bathurst Manor Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Bathurst Manor		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,654		
% screened within last 10 years ‡	30.7	32.9	36.3	(34.0-38.6)	1.18 H
Total eligible population using services ***	275,278	118,927	1,529		
% screened within last 10 years ‡	34.4	37.2	39.2	(36.7-41.6)	1.14 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	1,856		
% screened within last 10 years ‡	39.0	40.7	44.8	(42.5-47.0)	1.15 H
Total eligible population using services ***	324,306	136,315	1,707		
% screened within last 10 years ‡	42.4	44.6	48.6	(46.2-50.9)	1.14 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	3,510		
% screened within last 10 years ‡	35.1	37.0	40.8	(39.1-42.4)	1.16 H
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	41.4	(39.3-43.7)	1.16 H
Total eligible population using services ***	599,584	255,242	3,236		
% screened within last 10 years ‡	38.7	41.2	44.1	(42.4-45.8)	1.14 H
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	44.9	(42.6-47.3)	1.14 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N34 – Bathurst Manor Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Bathurst Manor		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	1,039		
% of all eligible population screened within last 2 years	22.6	20.1	18.3	(15.9-20.6)	0.81 L
Total eligible population using services ***	176,392	72,982	915		
% of all population using services who were screened	26.9	24.5	20.8	(18.1-23.4)	0.77 L
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	1,012		
% of all eligible population screened within last 2 years	26.5	23.4	23.0	(20.4-25.6)	0.87 L
Total eligible population using services ***	181,112	73,102	865		
% of all population using services who were screened	30.8	27.8	26.9	(24.0-29.9)	0.87 L
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	2,051		
% screened within last 2 years	24.5	21.7	20.6	(18.9-22.4)	0.84 L
% screened within last 2 years, Age-Adjusted †	25.0	22.1	21.2	(19.2-23.3)	0.85 L
Total eligible population using services ***	357,504	146,084	1,780		
% screened within last 2 years	28.9	26.1	23.8	(21.8-25.7)	0.82 L
% screened within last 2 years, Age-Adjusted †	29.3	26.5	24.5	(22.2-27.0)	0.84 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>