

N4 – Rexdale-Kipling Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rexdale-Kipling			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Mammograms (2009-2011) ^a						
Women, aged 50-59						
Total eligible population **	152,883	65,948	629			
% of all eligible women having a mammogram within last 2 years	54.5	53.9	52.6	(48.7-56.5)	0.97 NS	
Total eligible population using services ***	138,100	58,962	588			
% of all women using services who also had a mammogram	60.3	60.2	56.3	(52.3-60.3)	0.93 L	
Women, aged 60-69						
Total eligible population **	131,959	56,131	541			
% of all eligible women having a mammogram within last 2 years	57.5	56.5	50.5	(46.2-54.7)	0.88 L	
Total eligible population using services ***	121,953	51,444	520			
% of all women using services who also had a mammogram	62.3	61.7	52.5	(48.2-56.8)	0.84 L	
Women, aged 50-69						
Total eligible population **	284,842	122,079	1,170			
% having a mammogram within last 2 years	55.9	55.1	51.6	(48.8-54.5)	0.92 L	
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	51.5	(47.4-55.8)	0.92 L	
Total eligible population using services ***	260,053	110,406	1,108			
% having a mammogram within last 2 years	61.2	60.9	54.5	(51.6-57.4)	0.89 L	
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	54.3	(50.0-58.8)	0.88 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N4 – Rexdale-Kipling Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rexdale-Kipling			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Pap smears (2008-2011) ^a						
Women, aged 21-34						
Total eligible population **	190,152	88,940	634			
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	63.6	(59.8-67.3)	1.08 H	
Total eligible population using services ***	177,832	83,547	605			
% of all women using services who also had a Pap smear	63.2	66.2	66.6	(62.9-70.4)	1.05 NS	
Women, aged 35-49						
Total eligible population **	283,994	126,813	997			
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	60.1	(57.0-63.1)	1.03 NS	
Total eligible population using services ***	244,335	107,166	906			
% of all women using services who also had a Pap smear	68.0	68.7	66.1	(63.0-69.2)	0.97 NS	
Women, aged 50-69						
Total eligible population **	267,274	114,379	1,103			
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	57.1	(54.2-60.0)	1.03 NS	
Total eligible population using services ***	241,067	102,028	1,038			
% of all women using services who also had a Pap smear	61.3	61.6	60.7	(57.7-63.7)	0.99 NS	
Women, aged 21-69						
Total eligible population **	741,420	330,132	2,734			
% having a Pap smear within last 3 years	57.5	58.1	59.7	(57.9-61.5)	1.04 H	
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	60.4	(57.4-63.5)	1.04 NS	
Total eligible population using services ***	663,234	292,741	2,549			
% having a Pap smear within last 3 years	64.3	65.5	64.0	(62.2-65.9)	1.00 NS	
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	64.7	(61.5-68.0)	1.00 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N4 – Rexdale-Kipling Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rexdale-Kipling			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Any Colorectal Cancer Screening § (2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	1,315			
% screened §	47.4	47.4	43.8	(41.1-46.5)	0.92 L	
Total eligible population using services ***	275,278	118,927	1,209			
% screened §	53.1	53.6	47.6	(44.7-50.4)	0.90 L	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	1,497			
% screened §	56.3	55.8	52.9	(50.4-55.4)	0.94 L	
Total eligible population using services ***	324,306	136,315	1,431			
% screened §	61.4	61.3	55.2	(52.6-57.8)	0.90 L	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	2,812			
% screened §	52.1	51.8	48.6	(46.8-50.5)	0.93 L	
% screened §, Age-Adjusted †	52.8	52.5	49.3	(46.7-52.1)	0.93 L	
Total eligible population using services ***	599,584	255,242	2,640			
% screened §	57.6	57.7	51.7	(49.8-53.6)	0.90 L	
% screened §, Age-Adjusted †	58.1	58.3	52.2	(49.5-55.1)	0.90 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N4 – Rexdale-Kipling Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rexdale-Kipling			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Colonoscopy ‡ (2001-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	1,315			
% screened within last 10 years ‡	30.7	32.9	28.0	(25.6-30.4)	0.91 L	
Total eligible population using services ***	275,278	118,927	1,209			
% screened within last 10 years ‡	34.4	37.2	30.4	(27.8-32.9)	0.88 L	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	1,497			
% screened within last 10 years ‡	39.0	40.7	34.3	(31.9-36.7)	0.88 L	
Total eligible population using services ***	324,306	136,315	1,431			
% screened within last 10 years ‡	42.4	44.6	35.8	(33.3-38.3)	0.84 L	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	2,812			
% screened within last 10 years ‡	35.1	37.0	31.4	(29.7-33.1)	0.89 L	
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	31.8	(29.8-34.0)	0.89 L	
Total eligible population using services ***	599,584	255,242	2,640			
% screened within last 10 years ‡	38.7	41.2	33.3	(31.5-35.1)	0.86 L	
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	33.7	(31.5-36.0)	0.86 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N4 – Rexdale-Kipling Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rexdale-Kipling			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Fecal Occult Blood Testing ± (2009-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	210,079	88,954	933			
% of all eligible population screened within last 2 years	22.6	20.1	20.9	(18.3-23.5)	0.93 NS	
Total eligible population using services ***	176,392	72,982	828			
% of all population using services who were screened	26.9	24.5	23.6	(20.7-26.4)	0.88 L	
Men and women, aged 60-74						
Total eligible population **	210,622	86,817	956			
% of all eligible population screened within last 2 years	26.5	23.4	26.3	(23.5-29.0)	0.99 NS	
Total eligible population using services ***	181,112	73,102	892			
% of all population using services who were screened	30.8	27.8	28.1	(25.2-31.1)	0.91 NS	
Men and women, aged 50-74						
Total eligible population **	420,701	175,771	1,889			
% screened within last 2 years	24.5	21.7	23.6	(21.7-25.5)	0.96 NS	
% screened within last 2 years, Age-Adjusted †	25.0	22.1	24.2	(21.9-26.6)	0.97 NS	
Total eligible population using services ***	357,504	146,084	1,720			
% screened within last 2 years	28.9	26.1	25.9	(23.9-28.0)	0.90 L	
% screened within last 2 years, Age-Adjusted †	29.3	26.5	26.3	(23.9-28.9)	0.90 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>