

N43 – Victoria Village Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Victoria Village		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	986		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	53.4	(50.3-56.6)	0.98 NS
Total eligible population using services ***	138,100	58,962	889		
% of all women using services who also had a mammogram	60.3	60.2	59.3	(56.1-62.5)	0.98 NS
Women, aged 60-69					
Total eligible population **	131,959	56,131	920		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	59.2	(56.1-62.4)	1.03 NS
Total eligible population using services ***	121,953	51,444	875		
% of all women using services who also had a mammogram	62.3	61.7	62.3	(59.1-65.5)	1.00 NS
Women, aged 50-69					
Total eligible population **	284,842	122,079	1,906		
% having a mammogram within last 2 years	55.9	55.1	56.2	(54.0-58.5)	1.01 NS
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	56.5	(53.2-60.0)	1.01 NS
Total eligible population using services ***	260,053	110,406	1,764		
% having a mammogram within last 2 years	61.2	60.9	60.8	(58.5-63.0)	0.99 NS
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	60.9	(57.3-64.6)	0.99 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N43 – Victoria Village Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Victoria Village		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Pap smears (2008-2011) ^a					
Women, aged 21-34					
Total eligible population **	190,152	88,940	1,185		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	59.7	(57.0-62.5)	1.01 NS
Total eligible population using services ***	177,832	83,547	1,114		
% of all women using services who also had a Pap smear	63.2	66.2	63.6	(60.7-66.4)	1.01 NS
Women, aged 35-49					
Total eligible population **	283,994	126,813	1,841		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	56.7	(54.4-59.0)	0.97 NS
Total eligible population using services ***	244,335	107,166	1,592		
% of all women using services who also had a Pap smear	68.0	68.7	65.6	(63.2-67.9)	0.96 L
Women, aged 50-69					
Total eligible population **	267,274	114,379	1,807		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	51.8	(49.5-54.1)	0.94 L
Total eligible population using services ***	241,067	102,028	1,648		
% of all women using services who also had a Pap smear	61.3	61.6	56.8	(54.4-59.2)	0.93 L
Women, aged 21-69					
Total eligible population **	741,420	330,132	4,833		
% having a Pap smear within last 3 years	57.5	58.1	55.6	(54.2-57.0)	0.97 L
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	56.3	(54.1-58.5)	0.97 NS
Total eligible population using services ***	663,234	292,741	4,354		
% having a Pap smear within last 3 years	64.3	65.5	61.7	(60.3-63.2)	0.96 L
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	62.3	(59.9-64.8)	0.97 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N43 – Victoria Village Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Victoria Village		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,970		
% screened §	47.4	47.4	42.9	(40.8-45.1)	0.91 L
Total eligible population using services ***	275,278	118,927	1,769		
% screened §	53.1	53.6	47.7	(45.4-50.0)	0.90 L
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	2,403		
% screened §	56.3	55.8	56.0	(54.0-58.0)	0.99 NS
Total eligible population using services ***	324,306	136,315	2,240		
% screened §	61.4	61.3	59.9	(57.8-61.9)	0.98 NS
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	4,373		
% screened §	52.1	51.8	50.1	(48.6-51.6)	0.96 L
% screened §, Age-Adjusted †	52.8	52.5	50.9	(48.7-53.1)	0.96 NS
Total eligible population using services ***	599,584	255,242	4,009		
% screened §	57.6	57.7	54.5	(53.0-56.0)	0.95 L
% screened §, Age-Adjusted †	58.1	58.3	55.1	(52.8-57.5)	0.95 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N43 – Victoria Village Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Victoria Village		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,970		
% screened within last 10 years ‡	30.7	32.9	24.9	(23.0-26.8)	0.81 L
Total eligible population using services ***	275,278	118,927	1,769		
% screened within last 10 years ‡	34.4	37.2	27.6	(25.5-29.7)	0.80 L
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	2,403		
% screened within last 10 years ‡	39.0	40.7	34.3	(32.4-36.2)	0.88 L
Total eligible population using services ***	324,306	136,315	2,240		
% screened within last 10 years ‡	42.4	44.6	36.7	(34.7-38.6)	0.86 L
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	4,373		
% screened within last 10 years ‡	35.1	37.0	30.1	(28.7-31.4)	0.86 L
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	30.6	(29.0-32.3)	0.86 L
Total eligible population using services ***	599,584	255,242	4,009		
% screened within last 10 years ‡	38.7	41.2	32.7	(31.2-34.1)	0.84 L
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	33.1	(31.3-35.0)	0.84 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N43 – Victoria Village Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Victoria Village		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	1,456		
% of all eligible population screened within last 2 years	22.6	20.1	22.9	(20.7-25.0)	1.01 NS
Total eligible population using services ***	176,392	72,982	1,257		
% of all population using services who were screened	26.9	24.5	26.5	(24.1-28.9)	0.99 NS
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	1,541		
% of all eligible population screened within last 2 years	26.5	23.4	31.3	(29.0-33.7)	1.18 H
Total eligible population using services ***	181,112	73,102	1,382		
% of all population using services who were screened	30.8	27.8	34.9	(32.4-37.5)	1.13 H
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	2,997		
% screened within last 2 years	24.5	21.7	27.2	(25.6-28.8)	1.11 H
% screened within last 2 years, Age-Adjusted †	25.0	22.1	28.0	(26.1-30.0)	1.12 H
Total eligible population using services ***	357,504	146,084	2,639		
% screened within last 2 years	28.9	26.1	30.9	(29.2-32.7)	1.07 H
% screened within last 2 years, Age-Adjusted †	29.3	26.5	31.6	(29.5-33.9)	1.08 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>