

N48 – Hillcrest Village Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Hillcrest Village		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	1,270		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	57.5	(54.8-60.2)	1.05 H
Total eligible population using services ***	138,100	58,962	1,080		
% of all women using services who also had a mammogram	60.3	60.2	67.6	(64.8-70.4)	1.12 H
Women, aged 60-69					
Total eligible population **	131,959	56,131	1,248		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	64.3	(61.7-67.0)	1.12 H
Total eligible population using services ***	121,953	51,444	1,125		
% of all women using services who also had a mammogram	62.3	61.7	71.4	(68.7-74.0)	1.15 H
Women, aged 50-69					
Total eligible population **	284,842	122,079	2,518		
% having a mammogram within last 2 years	55.9	55.1	60.9	(59.0-62.8)	1.09 H
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	61.1	(58.1-64.3)	1.09 H
Total eligible population using services ***	260,053	110,406	2,205		
% having a mammogram within last 2 years	61.2	60.9	69.5	(67.6-71.4)	1.14 H
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	69.6	(66.2-73.2)	1.13 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N48 – Hillcrest Village Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Hillcrest Village		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Pap smears (2008-2011) ^a					
Women, aged 21-34					
Total eligible population **	190,152	88,940	1,180		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	44.5	(41.7-47.3)	0.75 L
Total eligible population using services ***	177,832	83,547	1,047		
% of all women using services who also had a Pap smear	63.2	66.2	50.1	(47.1-53.2)	0.79 L
Women, aged 35-49					
Total eligible population **	283,994	126,813	2,318		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	54.4	(52.4-56.5)	0.93 L
Total eligible population using services ***	244,335	107,166	1,863		
% of all women using services who also had a Pap smear	68.0	68.7	67.7	(65.6-69.9)	1.00 NS
Women, aged 50-69					
Total eligible population **	267,274	114,379	2,395		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	57.6	(55.6-59.6)	1.04 H
Total eligible population using services ***	241,067	102,028	2,049		
% of all women using services who also had a Pap smear	61.3	61.6	67.3	(65.3-69.4)	1.10 H
Women, aged 21-69					
Total eligible population **	741,420	330,132	5,893		
% having a Pap smear within last 3 years	57.5	58.1	53.7	(52.5-55.0)	0.93 L
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	52.1	(50.2-54.0)	0.90 L
Total eligible population using services ***	663,234	292,741	4,959		
% having a Pap smear within last 3 years	64.3	65.5	63.9	(62.5-65.2)	0.99 NS
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	61.8	(59.5-64.0)	0.96 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N48 – Hillcrest Village Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Hillcrest Village		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	2,458		
% screened §	47.4	47.4	51.4	(49.4-53.4)	1.08 H
Total eligible population using services ***	275,278	118,927	2,060		
% screened §	53.1	53.6	61.2	(59.1-63.3)	1.15 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	3,443		
% screened §	56.3	55.8	64.9	(63.3-66.5)	1.15 H
Total eligible population using services ***	324,306	136,315	3,082		
% screened §	61.4	61.3	72.5	(70.9-74.0)	1.18 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	5,901		
% screened §	52.1	51.8	59.3	(58.0-60.5)	1.14 H
% screened §, Age-Adjusted †	52.8	52.5	59.6	(57.6-61.6)	1.13 H
Total eligible population using services ***	599,584	255,242	5,142		
% screened §	57.6	57.7	68.0	(66.7-69.2)	1.18 H
% screened §, Age-Adjusted †	58.1	58.3	68.0	(65.8-70.3)	1.17 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N48 – Hillcrest Village Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Hillcrest Village		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	2,458		
% screened within last 10 years ‡	30.7	32.9	32.8	(31.0-34.7)	1.07 H
Total eligible population using services ***	275,278	118,927	2,060		
% screened within last 10 years ‡	34.4	37.2	39.1	(37.0-41.2)	1.14 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	3,443		
% screened within last 10 years ‡	39.0	40.7	45.7	(44.0-47.4)	1.17 H
Total eligible population using services ***	324,306	136,315	3,082		
% screened within last 10 years ‡	42.4	44.6	51.0	(49.2-52.8)	1.20 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	5,901		
% screened within last 10 years ‡	35.1	37.0	40.3	(39.1-41.6)	1.15 H
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	40.6	(39.0-42.3)	1.14 H
Total eligible population using services ***	599,584	255,242	5,142		
% screened within last 10 years ‡	38.7	41.2	46.2	(44.9-47.6)	1.19 H
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	46.3	(44.5-48.2)	1.18 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N48 – Hillcrest Village Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Hillcrest Village		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	1,623		
% of all eligible population screened within last 2 years	22.6	20.1	26.4	(24.2-28.5)	1.17 H
Total eligible population using services ***	176,392	72,982	1,227		
% of all population using services who were screened	26.9	24.5	34.9	(32.2-37.5)	1.30 H
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	1,819		
% of all eligible population screened within last 2 years	26.5	23.4	33.6	(31.4-35.8)	1.27 H
Total eligible population using services ***	181,112	73,102	1,459		
% of all population using services who were screened	30.8	27.8	41.9	(39.3-44.4)	1.36 H
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	3,442		
% screened within last 2 years	24.5	21.7	30.2	(28.7-31.7)	1.23 H
% screened within last 2 years, Age-Adjusted †	25.0	22.1	30.8	(28.9-32.7)	1.23 H
Total eligible population using services ***	357,504	146,084	2,686		
% screened within last 2 years	28.9	26.1	38.7	(36.8-40.5)	1.34 H
% screened within last 2 years, Age-Adjusted †	29.3	26.5	39.1	(36.8-41.6)	1.34 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>