

N49 – Bayview Woods-Steeles Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Bayview Woods-Steeles		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	884		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	58.3	(55.0-61.5)	1.07 H
Total eligible population using services ***	138,100	58,962	787		
% of all women using services who also had a mammogram	60.3	60.2	65.4	(62.1-68.8)	1.08 H
Women, aged 60-69					
Total eligible population **	131,959	56,131	974		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	67.9	(64.9-70.8)	1.18 H
Total eligible population using services ***	121,953	51,444	882		
% of all women using services who also had a mammogram	62.3	61.7	74.9	(72.1-77.8)	1.20 H
Women, aged 50-69					
Total eligible population **	284,842	122,079	1,858		
% having a mammogram within last 2 years	55.9	55.1	63.3	(61.1-65.5)	1.13 H
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	63.4	(59.8-67.1)	1.13 H
Total eligible population using services ***	260,053	110,406	1,669		
% having a mammogram within last 2 years	61.2	60.9	70.5	(68.3-72.7)	1.15 H
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	70.5	(66.5-74.6)	1.15 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N49 – Bayview Woods-Steeles Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Bayview Woods-Steeles		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Pap smears (2008-2011) ^a					
Women, aged 21-34					
Total eligible population **	190,152	88,940	844		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	43.6	(40.3-46.9)	0.74 L
Total eligible population using services ***	177,832	83,547	733		
% of all women using services who also had a Pap smear	63.2	66.2	50.2	(46.6-53.8)	0.79 L
Women, aged 35-49					
Total eligible population **	283,994	126,813	1,499		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	58.2	(55.7-60.7)	1.00 NS
Total eligible population using services ***	244,335	107,166	1,221		
% of all women using services who also had a Pap smear	68.0	68.7	71.5	(69.0-74.0)	1.05 H
Women, aged 50-69					
Total eligible population **	267,274	114,379	1,691		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	62.6	(60.3-64.9)	1.13 H
Total eligible population using services ***	241,067	102,028	1,492		
% of all women using services who also had a Pap smear	61.3	61.6	70.9	(68.6-73.2)	1.16 H
Women, aged 21-69					
Total eligible population **	741,420	330,132	4,034		
% having a Pap smear within last 3 years	57.5	58.1	57.0	(55.5-58.5)	0.99 NS
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	54.6	(52.3-57.0)	0.94 L
Total eligible population using services ***	663,234	292,741	3,446		
% having a Pap smear within last 3 years	64.3	65.5	66.7	(65.1-68.3)	1.04 H
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	64.2	(61.5-67.0)	1.00 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N49 – Bayview Woods-Steeles Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Bayview Woods-Steeles		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,703		
% screened §	47.4	47.4	56.7	(54.4-59.1)	1.20 H
Total eligible population using services ***	275,278	118,927	1,495		
% screened §	53.1	53.6	64.4	(62.0-66.8)	1.21 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	2,670		
% screened §	56.3	55.8	67.1	(65.3-68.9)	1.19 H
Total eligible population using services ***	324,306	136,315	2,439		
% screened §	61.4	61.3	73.2	(71.5-75.0)	1.19 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	4,373		
% screened §	52.1	51.8	63.1	(61.6-64.5)	1.21 H
% screened §, Age-Adjusted †	52.8	52.5	63.0	(60.7-65.4)	1.19 H
Total eligible population using services ***	599,584	255,242	3,934		
% screened §	57.6	57.7	69.9	(68.4-71.3)	1.21 H
% screened §, Age-Adjusted †	58.1	58.3	69.8	(67.2-72.4)	1.20 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N49 – Bayview Woods-Steeles Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Bayview Woods-Steeles		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,703		
% screened within last 10 years ‡	30.7	32.9	38.3	(36.0-40.6)	1.25 H
Total eligible population using services ***	275,278	118,927	1,495		
% screened within last 10 years ‡	34.4	37.2	43.4	(40.9-45.9)	1.26 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	2,670		
% screened within last 10 years ‡	39.0	40.7	51.3	(49.5-53.2)	1.32 H
Total eligible population using services ***	324,306	136,315	2,439		
% screened within last 10 years ‡	42.4	44.6	56.0	(54.0-57.9)	1.32 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	4,373		
% screened within last 10 years ‡	35.1	37.0	46.3	(44.8-47.7)	1.32 H
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	46.2	(44.2-48.3)	1.29 H
Total eligible population using services ***	599,584	255,242	3,934		
% screened within last 10 years ‡	38.7	41.2	51.2	(49.6-52.8)	1.32 H
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	51.0	(48.8-53.3)	1.30 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N49 – Bayview Woods-Steeles Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Bayview Woods-Steeles		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	1,034		
% of all eligible population screened within last 2 years	22.6	20.1	28.7	(26.0-31.5)	1.27 H
Total eligible population using services ***	176,392	72,982	829		
% of all population using services who were screened	26.9	24.5	35.8	(32.6-39.1)	1.33 H
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	1,279		
% of all eligible population screened within last 2 years	26.5	23.4	31.4	(28.8-33.9)	1.18 H
Total eligible population using services ***	181,112	73,102	1,054		
% of all population using services who were screened	30.8	27.8	38.0	(35.1-41.0)	1.23 H
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	2,313		
% screened within last 2 years	24.5	21.7	30.2	(28.3-32.0)	1.23 H
% screened within last 2 years, Age-Adjusted †	25.0	22.1	30.3	(28.1-32.7)	1.21 H
Total eligible population using services ***	357,504	146,084	1,883		
% screened within last 2 years	28.9	26.1	37.1	(34.9-39.3)	1.28 H
% screened within last 2 years, Age-Adjusted †	29.3	26.5	37.2	(34.5-40.1)	1.27 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>