

N56 – Leaside-Bennington Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Leaside-Bennington			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Mammograms (2009-2011) ^a						
Women, aged 50-59						
Total eligible population **	152,883	65,948	1,092			
% of all eligible women having a mammogram within last 2 years	54.5	53.9	62.7	(59.9-65.6)	1.15 H	
Total eligible population using services ***	138,100	58,962	1,007			
% of all women using services who also had a mammogram	60.3	60.2	68.0	(65.1-70.9)	1.13 H	
Women, aged 60-69						
Total eligible population **	131,959	56,131	887			
% of all eligible women having a mammogram within last 2 years	57.5	56.5	62.0	(58.8-65.2)	1.08 H	
Total eligible population using services ***	121,953	51,444	820			
% of all women using services who also had a mammogram	62.3	61.7	67.1	(63.9-70.3)	1.08 H	
Women, aged 50-69						
Total eligible population **	284,842	122,079	1,979			
% having a mammogram within last 2 years	55.9	55.1	62.4	(60.3-64.5)	1.12 H	
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	62.4	(58.9-66.0)	1.11 H	
Total eligible population using services ***	260,053	110,406	1,827			
% having a mammogram within last 2 years	61.2	60.9	67.6	(65.5-69.7)	1.10 H	
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	67.5	(63.8-71.5)	1.10 H	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N56 – Leaside-Bennington Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Leaside-Bennington			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Pap smears (2008-2011) ^a						
Women, aged 21-34						
Total eligible population **	190,152	88,940	711			
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	63.6	(60.0-67.1)	1.08 H	
Total eligible population using services ***	177,832	83,547	664			
% of all women using services who also had a Pap smear	63.2	66.2	68.1	(64.5-71.6)	1.08 H	
Women, aged 35-49						
Total eligible population **	283,994	126,813	1,820			
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	70.5	(68.5-72.6)	1.21 H	
Total eligible population using services ***	244,335	107,166	1,613			
% of all women using services who also had a Pap smear	68.0	68.7	79.6	(77.6-81.6)	1.17 H	
Women, aged 50-69						
Total eligible population **	267,274	114,379	1,848			
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	69.2	(67.1-71.3)	1.25 H	
Total eligible population using services ***	241,067	102,028	1,697			
% of all women using services who also had a Pap smear	61.3	61.6	75.4	(73.3-77.4)	1.23 H	
Women, aged 21-69						
Total eligible population **	741,420	330,132	4,379			
% having a Pap smear within last 3 years	57.5	58.1	68.9	(67.5-70.2)	1.20 H	
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	67.8	(65.2-70.6)	1.17 H	
Total eligible population using services ***	663,234	292,741	3,974			
% having a Pap smear within last 3 years	64.3	65.5	75.9	(74.5-77.2)	1.18 H	
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	74.5	(71.6-77.5)	1.16 H	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N56 – Leaside-Bennington Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Leaside-Bennington		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	2,104		
% screened §	47.4	47.4	61.3	(59.2-63.4)	1.29 H
Total eligible population using services ***	275,278	118,927	1,934		
% screened §	53.1	53.6	66.5	(64.4-68.6)	1.25 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	2,218		
% screened §	56.3	55.8	72.2	(70.4-74.1)	1.28 H
Total eligible population using services ***	324,306	136,315	2,073		
% screened §	61.4	61.3	77.1	(75.3-78.9)	1.26 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	4,322		
% screened §	52.1	51.8	66.9	(65.5-68.3)	1.28 H
% screened §, Age-Adjusted †	52.8	52.5	68.0	(65.5-70.5)	1.29 H
Total eligible population using services ***	599,584	255,242	4,007		
% screened §	57.6	57.7	72.0	(70.6-73.4)	1.25 H
% screened §, Age-Adjusted †	58.1	58.3	73.0	(70.3-75.7)	1.26 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N56 – Leaside-Bennington Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Leaside-Bennington		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	2,104		
% screened within last 10 years ‡	30.7	32.9	50.1	(48.0-52.3)	1.63 H
Total eligible population using services ***	275,278	118,927	1,934		
% screened within last 10 years ‡	34.4	37.2	54.4	(52.2-56.6)	1.58 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	2,218		
% screened within last 10 years ‡	39.0	40.7	61.7	(59.7-63.7)	1.58 H
Total eligible population using services ***	324,306	136,315	2,073		
% screened within last 10 years ‡	42.4	44.6	65.8	(63.8-67.9)	1.55 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	4,322		
% screened within last 10 years ‡	35.1	37.0	56.1	(54.6-57.6)	1.60 H
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	57.2	(54.9-59.5)	1.60 H
Total eligible population using services ***	599,584	255,242	4,007		
% screened within last 10 years ‡	38.7	41.2	60.3	(58.8-61.8)	1.56 H
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	61.4	(58.9-63.9)	1.56 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N56 – Leaside-Bennington Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Leaside-Bennington		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	1,032		
% of all eligible population screened within last 2 years	22.6	20.1	21.1	(18.6-23.6)	0.94 NS
Total eligible population using services ***	176,392	72,982	865		
% of all population using services who were screened	26.9	24.5	25.2	(22.3-28.1)	0.94 NS
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	837		
% of all eligible population screened within last 2 years	26.5	23.4	26.4	(23.4-29.4)	1.00 NS
Total eligible population using services ***	181,112	73,102	696		
% of all population using services who were screened	30.8	27.8	31.8	(28.3-35.2)	1.03 NS
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	1,869		
% screened within last 2 years	24.5	21.7	23.5	(21.6-25.4)	0.96 NS
% screened within last 2 years, Age-Adjusted †	25.0	22.1	24.3	(22.0-26.8)	0.97 NS
Total eligible population using services ***	357,504	146,084	1,561		
% screened within last 2 years	28.9	26.1	28.1	(25.9-30.4)	0.97 NS
% screened within last 2 years, Age-Adjusted †	29.3	26.5	29.2	(26.4-32.2)	1.00 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>