

N60 – Woodbine-Lumsden Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Woodbine-Lumsden		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	555		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	55.9	(51.7-60.0)	1.02 NS
Total eligible population using services ***	138,100	58,962	510		
% of all women using services who also had a mammogram	60.3	60.2	60.8	(56.5-65.0)	1.01 NS
Women, aged 60-69					
Total eligible population **	131,959	56,131	361		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	54.3	(49.2-59.4)	0.94 NS
Total eligible population using services ***	121,953	51,444	336		
% of all women using services who also had a mammogram	62.3	61.7	58.3	(53.1-63.6)	0.94 NS
Women, aged 50-69					
Total eligible population **	284,842	122,079	916		
% having a mammogram within last 2 years	55.9	55.1	55.2	(52.0-58.5)	0.99 NS
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	55.0	(50.2-60.2)	0.98 NS
Total eligible population using services ***	260,053	110,406	846		
% having a mammogram within last 2 years	61.2	60.9	59.8	(56.5-63.1)	0.98 NS
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	59.5	(54.2-65.1)	0.97 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N60 – Woodbine-Lumsden Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Woodbine-Lumsden			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Pap smears (2008-2011) ^a						
Women, aged 21-34						
Total eligible population **	190,152	88,940	517			
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	60.7	(56.5-64.9)	1.03 NS	
Total eligible population using services ***	177,832	83,547	483			
% of all women using services who also had a Pap smear	63.2	66.2	65.0	(60.8-69.3)	1.03 NS	
Women, aged 35-49						
Total eligible population **	283,994	126,813	927			
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	65.0	(62.0-68.1)	1.11 H	
Total eligible population using services ***	244,335	107,166	845			
% of all women using services who also had a Pap smear	68.0	68.7	71.4	(68.3-74.4)	1.05 H	
Women, aged 50-69						
Total eligible population **	267,274	114,379	901			
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	57.0	(53.8-60.3)	1.03 NS	
Total eligible population using services ***	241,067	102,028	829			
% of all women using services who also had a Pap smear	61.3	61.6	62.0	(58.7-65.3)	1.01 NS	
Women, aged 21-69						
Total eligible population **	741,420	330,132	2,345			
% having a Pap smear within last 3 years	57.5	58.1	61.0	(59.0-63.0)	1.06 H	
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	61.3	(58.0-64.6)	1.06 H	
Total eligible population using services ***	663,234	292,741	2,157			
% having a Pap smear within last 3 years	64.3	65.5	66.3	(64.3-68.3)	1.03 H	
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	66.5	(63.0-70.2)	1.03 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N60 – Woodbine-Lumsden Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Woodbine-Lumsden		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,110		
% screened §	47.4	47.4	47.6	(44.6-50.5)	1.00 NS
Total eligible population using services ***	275,278	118,927	1,007		
% screened §	53.1	53.6	52.3	(49.2-55.4)	0.98 NS
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	1,051		
% screened §	56.3	55.8	51.7	(48.6-54.7)	0.92 L
Total eligible population using services ***	324,306	136,315	978		
% screened §	61.4	61.3	55.4	(52.3-58.5)	0.90 L
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	2,161		
% screened §	52.1	51.8	49.6	(47.5-51.7)	0.95 L
% screened §, Age-Adjusted †	52.8	52.5	50.1	(47.0-53.2)	0.95 NS
Total eligible population using services ***	599,584	255,242	1,985		
% screened §	57.6	57.7	53.9	(51.7-56.0)	0.94 L
% screened §, Age-Adjusted †	58.1	58.3	54.2	(50.9-57.7)	0.93 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N60 – Woodbine-Lumsden Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Woodbine-Lumsden		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,110		
% screened within last 10 years ‡	30.7	32.9	31.9	(29.2-34.6)	1.04 NS
Total eligible population using services ***	275,278	118,927	1,007		
% screened within last 10 years ‡	34.4	37.2	35.1	(32.1-38.0)	1.02 NS
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	1,051		
% screened within last 10 years ‡	39.0	40.7	35.1	(32.2-38.0)	0.90 L
Total eligible population using services ***	324,306	136,315	978		
% screened within last 10 years ‡	42.4	44.6	37.6	(34.6-40.7)	0.89 L
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	2,161		
% screened within last 10 years ‡	35.1	37.0	33.5	(31.5-35.4)	0.95 NS
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	33.9	(31.4-36.5)	0.95 NS
Total eligible population using services ***	599,584	255,242	1,985		
% screened within last 10 years ‡	38.7	41.2	36.3	(34.2-38.4)	0.94 L
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	36.6	(33.9-39.5)	0.93 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N60 – Woodbine-Lumsden Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Woodbine-Lumsden		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	741		
% of all eligible population screened within last 2 years	22.6	20.1	21.5	(18.5-24.4)	0.95 NS
Total eligible population using services ***	176,392	72,982	639		
% of all population using services who were screened	26.9	24.5	24.9	(21.5-28.2)	0.93 NS
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	663		
% of all eligible population screened within last 2 years	26.5	23.4	23.4	(20.2-26.6)	0.88 NS
Total eligible population using services ***	181,112	73,102	591		
% of all population using services who were screened	30.8	27.8	26.2	(22.7-29.8)	0.85 L
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	1,404		
% screened within last 2 years	24.5	21.7	22.4	(20.2-24.5)	0.91 L
% screened within last 2 years, Age-Adjusted †	25.0	22.1	22.6	(20.1-25.4)	0.90 NS
Total eligible population using services ***	357,504	146,084	1,230		
% screened within last 2 years	28.9	26.1	25.5	(23.1-28.0)	0.88 L
% screened within last 2 years, Age-Adjusted †	29.3	26.5	25.7	(22.9-28.8)	0.88 L

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>