

N64 – Woodbine Corridor Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Woodbine Corridor			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Mammograms (2009-2011) ^a						
Women, aged 50-59						
Total eligible population **	152,883	65,948	763			
% of all eligible women having a mammogram within last 2 years	54.5	53.9	58.2	(54.7-61.7)	1.07 H	
Total eligible population using services ***	138,100	58,962	703			
% of all women using services who also had a mammogram	60.3	60.2	63.2	(59.6-66.7)	1.05 NS	
Women, aged 60-69						
Total eligible population **	131,959	56,131	548			
% of all eligible women having a mammogram within last 2 years	57.5	56.5	54.9	(50.8-59.1)	0.95 NS	
Total eligible population using services ***	121,953	51,444	506			
% of all women using services who also had a mammogram	62.3	61.7	59.5	(55.2-63.8)	0.96 NS	
Women, aged 50-69						
Total eligible population **	284,842	122,079	1,311			
% having a mammogram within last 2 years	55.9	55.1	56.8	(54.1-59.5)	1.02 NS	
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	56.5	(52.4-60.8)	1.01 NS	
Total eligible population using services ***	260,053	110,406	1,209			
% having a mammogram within last 2 years	61.2	60.9	61.6	(58.9-64.4)	1.01 NS	
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	61.2	(56.8-65.9)	1.00 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N64 – Woodbine Corridor Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Woodbine Corridor			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Pap smears (2008-2011) ^a						
Women, aged 21-34						
Total eligible population **	190,152	88,940	721			
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	68.9	(65.6-72.3)	1.17 H	
Total eligible population using services ***	177,832	83,547	688			
% of all women using services who also had a Pap smear	63.2	66.2	72.2	(68.9-75.6)	1.14 H	
Women, aged 35-49						
Total eligible population **	283,994	126,813	1,526			
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	67.0	(64.6-69.3)	1.15 H	
Total eligible population using services ***	244,335	107,166	1,382			
% of all women using services who also had a Pap smear	68.0	68.7	74.0	(71.6-76.3)	1.09 H	
Women, aged 50-69						
Total eligible population **	267,274	114,379	1,218			
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	61.0	(58.3-63.7)	1.10 H	
Total eligible population using services ***	241,067	102,028	1,107			
% of all women using services who also had a Pap smear	61.3	61.6	67.1	(64.4-69.9)	1.10 H	
Women, aged 21-69						
Total eligible population **	741,420	330,132	3,465			
% having a Pap smear within last 3 years	57.5	58.1	65.3	(63.7-66.9)	1.14 H	
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	65.9	(63.1-68.8)	1.14 H	
Total eligible population using services ***	663,234	292,741	3,177			
% having a Pap smear within last 3 years	64.3	65.5	71.2	(69.6-72.8)	1.11 H	
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	71.4	(68.3-74.5)	1.11 H	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N64 – Woodbine Corridor Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Woodbine Corridor		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,529		
% screened §	47.4	47.4	49.3	(46.8-51.8)	1.04 NS
Total eligible population using services ***	275,278	118,927	1,369		
% screened §	53.1	53.6	55.0	(52.4-57.6)	1.04 NS
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	1,397		
% screened §	56.3	55.8	54.5	(51.9-57.1)	0.97 NS
Total eligible population using services ***	324,306	136,315	1,287		
% screened §	61.4	61.3	58.8	(56.1-61.5)	0.96 NS
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	2,926		
% screened §	52.1	51.8	51.8	(50.0-53.6)	0.99 NS
% screened §, Age-Adjusted †	52.8	52.5	52.5	(49.8-55.3)	0.99 NS
Total eligible population using services ***	599,584	255,242	2,656		
% screened §	57.6	57.7	56.9	(55.0-58.7)	0.99 NS
% screened §, Age-Adjusted †	58.1	58.3	57.3	(54.4-60.4)	0.99 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N64 – Woodbine Corridor Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Woodbine Corridor		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,529		
% screened within last 10 years ‡	30.7	32.9	32.2	(29.8-34.5)	1.05 NS
Total eligible population using services ***	275,278	118,927	1,369		
% screened within last 10 years ‡	34.4	37.2	35.9	(33.3-38.4)	1.04 NS
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	1,397		
% screened within last 10 years ‡	39.0	40.7	37.1	(34.5-39.6)	0.95 NS
Total eligible population using services ***	324,306	136,315	1,287		
% screened within last 10 years ‡	42.4	44.6	39.9	(37.3-42.6)	0.94 NS
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	2,926		
% screened within last 10 years ‡	35.1	37.0	34.5	(32.8-36.2)	0.98 NS
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	35.2	(33.0-37.5)	0.98 NS
Total eligible population using services ***	599,584	255,242	2,656		
% screened within last 10 years ‡	38.7	41.2	37.8	(36.0-39.7)	0.98 NS
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	38.3	(35.9-40.9)	0.98 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N64 – Woodbine Corridor Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Woodbine Corridor		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	1,014		
% of all eligible population screened within last 2 years	22.6	20.1	23.6	(21.0-26.2)	1.04 NS
Total eligible population using services ***	176,392	72,982	855		
% of all population using services who were screened	26.9	24.5	28.0	(24.9-31.0)	1.04 NS
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	851		
% of all eligible population screened within last 2 years	26.5	23.4	25.3	(22.3-28.2)	0.95 NS
Total eligible population using services ***	181,112	73,102	745		
% of all population using services who were screened	30.8	27.8	28.9	(25.6-32.1)	0.94 NS
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	1,865		
% screened within last 2 years	24.5	21.7	24.3	(22.4-26.3)	0.99 NS
% screened within last 2 years, Age-Adjusted †	25.0	22.1	24.6	(22.3-27.1)	0.98 NS
Total eligible population using services ***	357,504	146,084	1,600		
% screened within last 2 years	28.9	26.1	28.4	(26.2-30.6)	0.98 NS
% screened within last 2 years, Age-Adjusted †	29.3	26.5	28.5	(25.8-31.4)	0.97 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>