

N68 – North Riverdale Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	North Riverdale		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	810		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	55.1	(51.6-58.5)	1.01 NS
Total eligible population using services ***	138,100	58,962	719		
% of all women using services who also had a mammogram	60.3	60.2	62.0	(58.5-65.6)	1.03 NS
Women, aged 60-69					
Total eligible population **	131,959	56,131	627		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	59.0	(55.2-62.9)	1.03 NS
Total eligible population using services ***	121,953	51,444	573		
% of all women using services who also had a mammogram	62.3	61.7	64.6	(60.7-68.5)	1.04 NS
Women, aged 50-69					
Total eligible population **	284,842	122,079	1,437		
% having a mammogram within last 2 years	55.9	55.1	56.8	(54.2-59.3)	1.02 NS
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	57.2	(53.2-61.3)	1.02 NS
Total eligible population using services ***	260,053	110,406	1,292		
% having a mammogram within last 2 years	61.2	60.9	63.2	(60.5-65.8)	1.03 NS
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	63.4	(59.0-68.0)	1.03 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N68 – North Riverdale Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	North Riverdale		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Pap smears (2008-2011) ^a					
Women, aged 21-34					
Total eligible population **	190,152	88,940	786		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	65.4	(62.1-68.7)	1.11 H
Total eligible population using services ***	177,832	83,547	741		
% of all women using services who also had a Pap smear	63.2	66.2	69.4	(66.0-72.7)	1.10 H
Women, aged 35-49					
Total eligible population **	283,994	126,813	1,529		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	62.3	(59.8-64.7)	1.06 H
Total eligible population using services ***	244,335	107,166	1,298		
% of all women using services who also had a Pap smear	68.0	68.7	73.3	(70.9-75.7)	1.08 H
Women, aged 50-69					
Total eligible population **	267,274	114,379	1,394		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	62.7	(60.2-65.2)	1.13 H
Total eligible population using services ***	241,067	102,028	1,242		
% of all women using services who also had a Pap smear	61.3	61.6	70.4	(67.8-72.9)	1.15 H
Women, aged 21-69					
Total eligible population **	741,420	330,132	3,709		
% having a Pap smear within last 3 years	57.5	58.1	63.1	(61.5-64.6)	1.10 H
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	63.4	(60.8-66.2)	1.10 H
Total eligible population using services ***	663,234	292,741	3,281		
% having a Pap smear within last 3 years	64.3	65.5	71.3	(69.7-72.8)	1.11 H
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	71.1	(68.2-74.2)	1.10 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N68 – North Riverdale Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	North Riverdale		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,653		
% screened §	47.4	47.4	53.7	(51.3-56.1)	1.13 H
Total eligible population using services ***	275,278	118,927	1,433		
% screened §	53.1	53.6	61.7	(59.2-64.2)	1.16 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	1,658		
% screened §	56.3	55.8	62.1	(59.7-64.4)	1.10 H
Total eligible population using services ***	324,306	136,315	1,514		
% screened §	61.4	61.3	67.8	(65.5-70.2)	1.11 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	3,311		
% screened §	52.1	51.8	57.9	(56.2-59.6)	1.11 H
% screened §, Age-Adjusted †	52.8	52.5	58.8	(56.1-61.5)	1.11 H
Total eligible population using services ***	599,584	255,242	2,947		
% screened §	57.6	57.7	64.8	(63.1-66.6)	1.13 H
% screened §, Age-Adjusted †	58.1	58.3	65.4	(62.5-68.5)	1.13 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N68 – North Riverdale Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	North Riverdale		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Colonoscopy ‡ (2001-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,653		
% screened within last 10 years ‡	30.7	32.9	39.1	(36.7-41.4)	1.27 H
Total eligible population using services ***	275,278	118,927	1,433		
% screened within last 10 years ‡	34.4	37.2	44.8	(42.2-47.4)	1.30 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	1,658		
% screened within last 10 years ‡	39.0	40.7	44.5	(42.1-46.8)	1.14 H
Total eligible population using services ***	324,306	136,315	1,514		
% screened within last 10 years ‡	42.4	44.6	48.5	(46.0-51.1)	1.14 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	3,311		
% screened within last 10 years ‡	35.1	37.0	41.8	(40.1-43.4)	1.19 H
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	42.3	(40.1-44.7)	1.19 H
Total eligible population using services ***	599,584	255,242	2,947		
% screened within last 10 years ‡	38.7	41.2	46.7	(44.9-48.5)	1.21 H
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	47.1	(44.6-49.7)	1.20 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N68 – North Riverdale Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	North Riverdale		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	995		
% of all eligible population screened within last 2 years	22.6	20.1	23.2	(20.6-25.8)	1.03 NS
Total eligible population using services ***	176,392	72,982	779		
% of all population using services who were screened	26.9	24.5	29.7	(26.4-32.9)	1.10 NS
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	897		
% of all eligible population screened within last 2 years	26.5	23.4	30.0	(27.0-33.0)	1.13 H
Total eligible population using services ***	181,112	73,102	755		
% of all population using services who were screened	30.8	27.8	35.6	(32.2-39.0)	1.16 H
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	1,892		
% screened within last 2 years	24.5	21.7	26.4	(24.4-28.4)	1.08 NS
% screened within last 2 years, Age-Adjusted †	25.0	22.1	27.3	(24.9-29.9)	1.09 NS
Total eligible population using services ***	357,504	146,084	1,534		
% screened within last 2 years	28.9	26.1	32.6	(30.2-34.9)	1.13 H
% screened within last 2 years, Age-Adjusted †	29.3	26.5	33.3	(30.4-36.4)	1.14 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>