

N71 – Cabbagetown-South St. James Town Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Cabbagetown-South St. James Town			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Mammograms (2009-2011) ^a						
Women, aged 50-59						
Total eligible population **	152,883	65,948	644			
% of all eligible women having a mammogram within last 2 years	54.5	53.9	47.5	(43.7-51.4)	0.87 L	
Total eligible population using services ***	138,100	58,962	544			
% of all women using services who also had a mammogram	60.3	60.2	56.3	(52.1-60.4)	0.93 NS	
Women, aged 60-69						
Total eligible population **	131,959	56,131	682			
% of all eligible women having a mammogram within last 2 years	57.5	56.5	52.2	(48.5-55.9)	0.91 L	
Total eligible population using services ***	121,953	51,444	611			
% of all women using services who also had a mammogram	62.3	61.7	58.3	(54.4-62.2)	0.94 L	
Women, aged 50-69						
Total eligible population **	284,842	122,079	1,326			
% having a mammogram within last 2 years	55.9	55.1	49.9	(47.2-52.6)	0.89 L	
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	50.0	(46.3-54.0)	0.89 L	
Total eligible population using services ***	260,053	110,406	1,155			
% having a mammogram within last 2 years	61.2	60.9	57.3	(54.5-60.2)	0.94 L	
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	57.3	(53.0-61.9)	0.93 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N71 – Cabbagetown-South St. James Town Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Cabbagetown-South St. James Town			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Pap smears (2008-2011) ^a						
Women, aged 21-34						
Total eligible population **	190,152	88,940	833			
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	62.1	(58.8-65.4)	1.05 NS	
Total eligible population using services ***	177,832	83,547	770			
% of all women using services who also had a Pap smear	63.2	66.2	67.1	(63.8-70.5)	1.06 H	
Women, aged 35-49						
Total eligible population **	283,994	126,813	1,170			
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	52.7	(49.9-55.6)	0.90 L	
Total eligible population using services ***	244,335	107,166	939			
% of all women using services who also had a Pap smear	68.0	68.7	65.7	(62.7-68.7)	0.97 NS	
Women, aged 50-69						
Total eligible population **	267,274	114,379	1,229			
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	48.1	(45.3-50.9)	0.87 L	
Total eligible population using services ***	241,067	102,028	1,052			
% of all women using services who also had a Pap smear	61.3	61.6	56.2	(53.2-59.2)	0.92 L	
Women, aged 21-69						
Total eligible population **	741,420	330,132	3,232			
% having a Pap smear within last 3 years	57.5	58.1	53.4	(51.7-55.1)	0.93 L	
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	54.5	(51.9-57.2)	0.94 L	
Total eligible population using services ***	663,234	292,741	2,761			
% having a Pap smear within last 3 years	64.3	65.5	62.5	(60.7-64.3)	0.97 NS	
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	63.4	(60.4-66.5)	0.98 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N71 – Cabbagetown-South St. James Town Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Cabbagetown-South St. James Town		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,684		
% screened §	47.4	47.4	46.6	(44.2-48.9)	0.98 NS
Total eligible population using services ***	275,278	118,927	1,439		
% screened §	53.1	53.6	54.3	(51.8-56.9)	1.02 NS
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	2,043		
% screened §	56.3	55.8	55.7	(53.5-57.8)	0.99 NS
Total eligible population using services ***	324,306	136,315	1,822		
% screened §	61.4	61.3	61.9	(59.7-64.1)	1.01 NS
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	3,727		
% screened §	52.1	51.8	51.5	(49.9-53.1)	0.99 NS
% screened §, Age-Adjusted †	52.8	52.5	52.1	(49.8-54.5)	0.99 NS
Total eligible population using services ***	599,584	255,242	3,261		
% screened §	57.6	57.7	58.6	(56.9-60.3)	1.02 NS
% screened §, Age-Adjusted †	58.1	58.3	58.9	(56.3-61.7)	1.01 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N71 – Cabbagetown-South St. James Town Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Cabbagetown-South St. James Town			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Colonoscopy ‡ (2001-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	1,684			
% screened within last 10 years ‡	30.7	32.9	32.7	(30.4-34.9)	1.06 NS	
Total eligible population using services ***	275,278	118,927	1,439			
% screened within last 10 years ‡	34.4	37.2	38.1	(35.6-40.6)	1.11 H	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	2,043			
% screened within last 10 years ‡	39.0	40.7	43.2	(41.1-45.4)	1.11 H	
Total eligible population using services ***	324,306	136,315	1,822			
% screened within last 10 years ‡	42.4	44.6	48.0	(45.7-50.3)	1.13 H	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	3,727			
% screened within last 10 years ‡	35.1	37.0	38.4	(36.9-40.0)	1.09 H	
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	39.1	(37.1-41.2)	1.09 H	
Total eligible population using services ***	599,584	255,242	3,261			
% screened within last 10 years ‡	38.7	41.2	43.6	(41.9-45.3)	1.13 H	
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	44.1	(41.8-46.5)	1.12 H	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N71 – Cabbagetown-South St. James Town Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Cabbagetown-South St. James Town			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Fecal Occult Blood Testing ± (2009-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	210,079	88,954	1,116			
% of all eligible population screened within last 2 years	22.6	20.1	19.4	(17.0-21.7)	0.86 L	
Total eligible population using services ***	176,392	72,982	873			
% of all population using services who were screened	26.9	24.5	24.7	(21.9-27.6)	0.92 NS	
Men and women, aged 60-74						
Total eligible population **	210,622	86,817	1,139			
% of all eligible population screened within last 2 years	26.5	23.4	20.5	(18.2-22.9)	0.77 L	
Total eligible population using services ***	181,112	73,102	927			
% of all population using services who were screened	30.8	27.8	25.2	(22.4-28.0)	0.82 L	
Men and women, aged 50-74						
Total eligible population **	420,701	175,771	2,255			
% screened within last 2 years	24.5	21.7	20.0	(18.3-21.6)	0.81 L	
% screened within last 2 years, Age-Adjusted †	25.0	22.1	20.1	(18.2-22.1)	0.80 L	
Total eligible population using services ***	357,504	146,084	1,800			
% screened within last 2 years	28.9	26.1	25.0	(23.0-27.0)	0.87 L	
% screened within last 2 years, Age-Adjusted †	29.3	26.5	25.1	(22.8-27.5)	0.85 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>