

N80 – Palmerston-Little Italy Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Palmerston-Little Italy		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Mammograms (2009-2011) ^a					
Women, aged 50-59					
Total eligible population **	152,883	65,948	629		
% of all eligible women having a mammogram within last 2 years	54.5	53.9	54.7	(50.8-58.6)	1.00 NS
Total eligible population using services ***	138,100	58,962	537		
% of all women using services who also had a mammogram	60.3	60.2	64.1	(60.0-68.1)	1.06 NS
Women, aged 60-69					
Total eligible population **	131,959	56,131	672		
% of all eligible women having a mammogram within last 2 years	57.5	56.5	53.0	(49.2-56.7)	0.92 L
Total eligible population using services ***	121,953	51,444	596		
% of all women using services who also had a mammogram	62.3	61.7	59.7	(55.8-63.7)	0.96 NS
Women, aged 50-69					
Total eligible population **	284,842	122,079	1,301		
% having a mammogram within last 2 years	55.9	55.1	53.8	(51.1-56.5)	0.96 NS
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	53.8	(49.9-57.9)	0.96 NS
Total eligible population using services ***	260,053	110,406	1,133		
% having a mammogram within last 2 years	61.2	60.9	61.8	(59.0-64.6)	1.01 NS
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	61.8	(57.3-66.5)	1.01 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N80 – Palmerston-Little Italy Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Palmerston-Little Italy		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Pap smears (2008-2011) ^a					
Women, aged 21-34					
Total eligible population **	190,152	88,940	1,586		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	59.0	(56.5-61.4)	1.00 NS
Total eligible population using services ***	177,832	83,547	1,480		
% of all women using services who also had a Pap smear	63.2	66.2	63.2	(60.7-65.6)	1.00 NS
Women, aged 35-49					
Total eligible population **	283,994	126,813	1,643		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	52.3	(49.9-54.7)	0.89 L
Total eligible population using services ***	244,335	107,166	1,265		
% of all women using services who also had a Pap smear	68.0	68.7	67.9	(65.3-70.5)	1.00 NS
Women, aged 50-69					
Total eligible population **	267,274	114,379	1,227		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	53.6	(50.8-56.4)	0.97 NS
Total eligible population using services ***	241,067	102,028	1,053		
% of all women using services who also had a Pap smear	61.3	61.6	62.5	(59.6-65.4)	1.02 NS
Women, aged 21-69					
Total eligible population **	741,420	330,132	4,456		
% having a Pap smear within last 3 years	57.5	58.1	55.0	(53.6-56.5)	0.96 L
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	54.9	(52.8-57.1)	0.95 L
Total eligible population using services ***	663,234	292,741	3,798		
% having a Pap smear within last 3 years	64.3	65.5	64.6	(63.0-66.1)	1.00 NS
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	64.7	(62.2-67.4)	1.01 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N80 – Palmerston-Little Italy Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Palmerston-Little Italy		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	1,391		
% screened §	47.4	47.4	45.3	(42.7-47.9)	0.96 NS
Total eligible population using services ***	275,278	118,927	1,151		
% screened §	53.1	53.6	54.6	(51.7-57.4)	1.03 NS
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	1,900		
% screened §	56.3	55.8	51.2	(49.0-53.5)	0.91 L
Total eligible population using services ***	324,306	136,315	1,654		
% screened §	61.4	61.3	58.5	(56.1-60.8)	0.95 L
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	3,291		
% screened §	52.1	51.8	48.7	(47.0-50.4)	0.93 L
% screened §, Age-Adjusted †	52.8	52.5	48.9	(46.5-51.4)	0.93 L
Total eligible population using services ***	599,584	255,242	2,805		
% screened §	57.6	57.7	56.9	(55.0-58.7)	0.99 NS
% screened §, Age-Adjusted †	58.1	58.3	56.9	(54.2-59.8)	0.98 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N80 – Palmerston-Little Italy Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Palmerston-Little Italy			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Colonoscopy ‡ (2001-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	1,391			
% screened within last 10 years ‡	30.7	32.9	29.3	(26.9-31.7)	0.95 NS	
Total eligible population using services ***	275,278	118,927	1,151			
% screened within last 10 years ‡	34.4	37.2	35.2	(32.4-37.9)	1.02 NS	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	1,900			
% screened within last 10 years ‡	39.0	40.7	34.7	(32.5-36.8)	0.89 L	
Total eligible population using services ***	324,306	136,315	1,654			
% screened within last 10 years ‡	42.4	44.6	39.5	(37.1-41.8)	0.93 L	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	3,291			
% screened within last 10 years ‡	35.1	37.0	32.4	(30.8-34.0)	0.92 L	
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	32.6	(30.6-34.6)	0.91 L	
Total eligible population using services ***	599,584	255,242	2,805			
% screened within last 10 years ‡	38.7	41.2	37.7	(35.9-39.5)	0.97 NS	
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	37.8	(35.6-40.2)	0.96 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N80 – Palmerston-Little Italy Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Palmerston-Little Italy		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Fecal Occult Blood Testing ± (2009-2011) ^a					
Men and women, aged 50-59					
Total eligible population **	210,079	88,954	970		
% of all eligible population screened within last 2 years	22.6	20.1	21.5	(19.0-24.1)	0.95 NS
Total eligible population using services ***	176,392	72,982	732		
% of all population using services who were screened	26.9	24.5	28.6	(25.3-31.8)	1.06 NS
Men and women, aged 60-74					
Total eligible population **	210,622	86,817	1,210		
% of all eligible population screened within last 2 years	26.5	23.4	23.4	(21.0-25.8)	0.88 L
Total eligible population using services ***	181,112	73,102	970		
% of all population using services who were screened	30.8	27.8	29.2	(26.3-32.0)	0.95 NS
Men and women, aged 50-74					
Total eligible population **	420,701	175,771	2,180		
% screened within last 2 years	24.5	21.7	22.6	(20.8-24.3)	0.92 L
% screened within last 2 years, Age-Adjusted †	25.0	22.1	22.7	(20.7-24.8)	0.91 L
Total eligible population using services ***	357,504	146,084	1,702		
% screened within last 2 years	28.9	26.1	28.9	(26.8-31.1)	1.00 NS
% screened within last 2 years, Age-Adjusted †	29.3	26.5	28.9	(26.4-31.6)	0.99 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>