	City of	Toronto					
	Toronto	Central LHIN	South Parkdale				
Indicators	Count,	Count,	Count,	ł	(95% CI)	ł	Rate
	%	%	%	1		ł	Ratio*
Mammograms (2009-2011) <sup>a</sup>						ł	
Women, aged 50-59						1	
Total eligible population **	152,883	65,948	1,140	ł		ł	
% of all eligible women having a mammogram within last 2 years	54.5	53.9	45.6	ł	(42.7-48.5)	ł	0.84 L
Total eligible population using services ***	138,100	58,962	1,007	ł		ł	
% of all women using services who also had a mammogram	60.3	60.2	51.6	ł	(48.6-54.7)	ł	0.86 L
Women, aged 60-69				ł		ł	
Total eligible population **	131,959	56,131	937	ł		ł	
% of all eligible women having a mammogram within last 2 years	57.5	56.5	42.0	ł	(38.9-45.2)	ł	0.73 L
Total eligible population using services ***	121,953	51,444	858	ł		ł	
% of all women using services who also had a mammogram	62.3	61.7	45.9	ł	(42.6-49.3)	ł	0.74 L
Women, aged 50-69				ł		ł	
Total eligible population **	284,842	122,079	2,077	ł		ł	
% having a mammogram within last 2 years	55.9	55.1	44.0	ł	(41.9-46.1)	ł	0.79 L
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	43.7	ł	(40.9-46.7)	ł	0.78 L
Total eligible population using services ***	260,053	110,406	1,865	ł		ł	
% having a mammogram within last 2 years	61.2	60.9	49.0	ł	(46.7-51.3)	ł	0.80 L
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	48.6	ł	(45.5-51.9)	ł	0.79 L

CI Confidence Interval.

H/L/NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.

<sup>a</sup> Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

\* Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

\*\* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

\*\*\* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

+ Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: http://www.torontohealthprofiles.ca/aboutTheData.php

© Toronto Community Health Profiles Partnership, 2001 - 2012.

	City of	Toronto					
	Toronto	Central LHIN	South Parkdale				
Indicators	Count,	Count,	Count,	-	(95% CI)	1	Rate
	%	%	%	1		1	Ratio*
Pap smears (2008-2011) <sup>a</sup>				ł		ł	
Women, aged 21-34							
Total eligible population **	190,152	88,940	1,704			1	
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	58.0	ł	(55.7-60.4)	ł	0.98 NS
Total eligible population using services ***	177,832	83,547	1,604	ł		ł	
% of all women using services who also had a Pap smear	63.2	66.2	61.7	ł	(59.3-64.0)	1	0.98 NS
Women, aged 35-49						1	
Total eligible population **	283,994	126,813	2,292	ł		ł	
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	51.3	ł	(49.3-53.4)	ł	0.88 L
Total eligible population using services ***	244,335	107,166	1,921	ł		ł	
% of all women using services who also had a Pap smear	68.0	68.7	61.2	ł	(59.0-63.4)	ł	0.90 L
Women, aged 50-69				ł		-	
Total eligible population **	267,274	114,379	1,972	ł		ł	
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	40.0	ł	(37.8-42.2)	ł	0.72 L
Total eligible population using services ***	241,067	102,028	1,765	ł		ł	
% of all women using services who also had a Pap smear	61.3	61.6	44.7	ł	(42.4-47.0)	1	0.73 L
Women, aged 21-69				ł		ł	
Total eligible population **	741,420	330,132	5,968	ł		ł	
% having a Pap smear within last 3 years	57.5	58.1	49.5	ł	(48.2-50.8)	ł	0.86 L
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	50.2	ł	(48.4-52.1)	ł	0.87 L
Total eligible population using services ***	663,234	292,741	5,290	ł		ł	
% having a Pap smear within last 3 years	64.3	65.5	55.8	ł	(54.5-57.2)	ł	0.87 L
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	56.5	ł	(54.5-58.6)	ł	0.88 L

CI Confidence Interval.

H/L/NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.

<sup>a</sup> Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

\* Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

- \*\* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.
- \*\*\* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.
- **†** Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: http://www.torontohealthprofiles.ca/aboutTheData.php

	City of	Toronto					
	Toronto	Central LHIN	South Parkdale				
Indicators	Count,	Count,	Count,	1	(95% CI)	1	Rate
	%	%	%	1		ł	Ratio*
Any Colorectal Cancer Screening § (2011) <sup>a</sup>							
Men and women, aged 50-59							
Total eligible population **	309,272	135,071	2,667	ł		ł	
% screened §	47.4	47.4	33.8	ł	(32.0-35.6)	ł	0.71 L
Total eligible population using services ***	275,278	118,927	2,280	ł		ł	
% screened §	53.1	53.6	39.5	ł	(37.5-41.5)	ł	0.74 L
Men and women, aged 60-74				ł			
Total eligible population **	354,276	150,297	2,650	ł		ł	
% screened §	56.3	55.8	41.5	ł	(39.6-43.3)	ł	0.74 L
Total eligible population using services ***	324,306	136,315	2,359	ł		ł	
% screened §	61.4	61.3	46.5	ł	(44.5-48.6)	ł	0.76 L
Men and women, aged 50-74				ł		1	
Total eligible population **	663,548	285,368	5,317	ł		ł	
% screened §	52.1	51.8	37.6	ł	(36.3-38.9)	-	0.72 L
% screened §, Age-Adjusted †	52.8	52.5	38.5	ł	(36.8-40.2)	ł	0.73 L
Total eligible population using services ***	599,584	255,242	4,639	ł		-	
% screened §	57.6	57.7	43.1	ł	(41.6-44.5)	ł	0.75 L
% screened §, Age-Adjusted †	58.1	58.3	43.8	ł	(41.8-45.8)	ł	0.75 L

CI Confidence Interval.

H/L/NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.

<sup>a</sup> Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

\* Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

\*\* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

\*\*\* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

**†** Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: http://www.torontohealthprofiles.ca/aboutTheData.php

	City of	Toronto					
	Toronto	Central LHIN	South Parkdale				
Indicators	Count,	Count,	Count,	ł	(95% CI)	ł	Rate
	%	%	%	ł		ł	Ratio*
Colonoscopy ‡ (2001-2011) ª				1			
Men and women, aged 50-59							
Total eligible population **	309,272	135,071	2,667	ł		ł	
% screened within last 10 years ‡	30.7	32.9	17.2	ł	(15.8-18.6)	ł	0.56 L
Total eligible population using services ***	275,278	118,927	2,280	ł		-	
% screened within last 10 years ‡	34.4	37.2	20.0	ł	(18.4-21.7)	ł	0.58 L
Men and women, aged 60-74							
Total eligible population **	354,276	150,297	2,650	ł		ł	
% screened within last 10 years ‡	39.0	40.7	22.6	ł	(21.0-24.2)	ł	0.58 L
Total eligible population using services ***	324,306	136,315	2,359	ł		ł	
% screened within last 10 years ‡	42.4	44.6	25.4	ł	(23.6-27.1)	ł	0.60 L
Men and women, aged 50-74						1	
Total eligible population **	663,548	285,368	5,317	ł		ł	
% screened within last 10 years ‡	35.1	37.0	19.9	ł	(18.8-21.0)	ł	0.57 L
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	20.5	ł	(19.3-21.8)	ł	0.57 L
Total eligible population using services ***	599,584	255,242	4,639	ł		-	
% screened within last 10 years ‡	38.7	41.2	22.8	ł	(21.6-24.0)	1	0.59 L
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	23.3	ł	(21.9-24.8)	ł	0.59 L

CI Confidence Interval.

H/L/NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.

<sup>a</sup> Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

\* Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

\*\* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

\*\*\* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

**†** Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: http://www.torontohealthprofiles.ca/aboutTheData.php

© Toronto Community Health Profiles Partnership, 2001 - 2012.

	City of	Toronto					
	Toronto	Central LHIN	South Parkdale				
Indicators	Count,	Count,	Count,	1	(95% CI)	ł	Rate
	%	%	%	ł		ł	Ratio*
Fecal Occult Blood Testing ± (2009-2011) <sup>a</sup>							
Men and women, aged 50-59							
Total eligible population **	210,079	88,954	2,128	- 1		-	
% of all eligible population screened within last 2 years	22.6	20.1	17.1	ł	(15.5-18.7)		0.76 L
Total eligible population using services ***	176,392	72,982	1,743	ł		ł	
% of all population using services who were screened	26.9	24.5	20.8	ł	(18.9-22.7)	1	0.77 L
Men and women, aged 60-74				ł		1	
Total eligible population **	210,622	86,817	1,917	ł		ł	
% of all eligible population screened within last 2 years	26.5	23.4	19.1	ł	(17.3-20.9)	ł	0.72 L
Total eligible population using services ***	181,112	73,102	1,627	ł		1	
% of all population using services who were screened	30.8	27.8	22.5	ł	(20.5-24.5)	ł	0.73 L
Men and women, aged 50-74				ł		1	
Total eligible population **	420,701	175,771	4,045	ł		ł	
% screened within last 2 years	24.5	21.7	18.0	ł	(16.8-19.2)	-	0.73 L
% screened within last 2 years, Age-Adjusted †	25.0	22.1	18.3	ł	(17.0-19.7)	ł	0.73 L
Total eligible population using services ***	357,504	146,084	3,370	ł		-	
% screened within last 2 years	28.9	26.1	21.6	ł	(20.2-23.0)	ł	0.75 L
% screened within last 2 years, Age-Adjusted †	29.3	26.5	21.8	ł	(20.2-23.5)	ł	0.75 L

CI Confidence Interval.

H/L/NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate (p < 0.05). Rates marked not significantly (NS) different do not reach this level of significance.

<sup>a</sup> Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

\* Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

\*\* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

\*\*\* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

**†** Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: http://www.torontohealthprofiles.ca/aboutTheData.php