

N87 – High Park-Swansea Profile: Prevention

| Indicators | City of Toronto | Toronto Central LHIN | High Park-Swansea | | | |
|--|-----------------|----------------------|-------------------|-------------|----------------|--|
| | Count, % | Count, % | Count, % | (95% CI) | Rate Ratio* | |
| Mammograms (2009-2011) ^a | | | | | | |
| Women, aged 50-59 | | | | | | |
| Total eligible population ** | 152,883 | 65,948 | 1,300 | | | |
| % of all eligible women having a mammogram within last 2 years | 54.5 | 53.9 | 55.5 | (52.8-58.2) | 1.02 NS | |
| Total eligible population using services *** | 138,100 | 58,962 | 1,146 | | | |
| % of all women using services who also had a mammogram | 60.3 | 60.2 | 62.9 | (60.1-65.7) | 1.04 NS | |
| Women, aged 60-69 | | | | | | |
| Total eligible population ** | 131,959 | 56,131 | 1,094 | | | |
| % of all eligible women having a mammogram within last 2 years | 57.5 | 56.5 | 59.9 | (57.0-62.8) | 1.04 NS | |
| Total eligible population using services *** | 121,953 | 51,444 | 1,020 | | | |
| % of all women using services who also had a mammogram | 62.3 | 61.7 | 64.2 | (61.3-67.2) | 1.03 NS | |
| Women, aged 50-69 | | | | | | |
| Total eligible population ** | 284,842 | 122,079 | 2,394 | | | |
| % having a mammogram within last 2 years | 55.9 | 55.1 | 57.5 | (55.5-59.5) | 1.03 NS | |
| % having a mammogram within last 2 years - Age-Adjusted † | 56.1 | 55.3 | 57.8 | (54.8-61.0) | 1.03 NS | |
| Total eligible population using services *** | 260,053 | 110,406 | 2,166 | | | |
| % having a mammogram within last 2 years | 61.2 | 60.9 | 63.5 | (61.5-65.6) | 1.04 H | |
| % having a mammogram within last 2 years - Age-Adjusted † | 61.4 | 61.0 | 63.6 | (60.3-67.1) | 1.04 NS | |

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N87 – High Park-Swansea Profile: Prevention

| Indicators | City of Toronto | Toronto Central LHIN | High Park-Swansea | | | |
|--|-----------------|----------------------|-------------------|-------------|----------------|--|
| | Count, % | Count, % | Count, % | (95% CI) | Rate Ratio* | |
| Pap smears (2008-2011) ^a | | | | | | |
| Women, aged 21-34 | | | | | | |
| Total eligible population ** | 190,152 | 88,940 | 1,501 | | | |
| % of all eligible women having a Pap smear within last 3 years | 59.1 | 62.2 | 68.0 | (65.7-70.4) | 1.15 H | |
| Total eligible population using services *** | 177,832 | 83,547 | 1,433 | | | |
| % of all women using services who also had a Pap smear | 63.2 | 66.2 | 71.2 | (68.9-73.6) | 1.13 H | |
| Women, aged 35-49 | | | | | | |
| Total eligible population ** | 283,994 | 126,813 | 2,524 | | | |
| % of all eligible women having a Pap smear within last 3 years | 58.5 | 58.1 | 62.6 | (60.7-64.4) | 1.07 H | |
| Total eligible population using services *** | 244,335 | 107,166 | 2,130 | | | |
| % of all women using services who also had a Pap smear | 68.0 | 68.7 | 74.1 | (72.3-76.0) | 1.09 H | |
| Women, aged 50-69 | | | | | | |
| Total eligible population ** | 267,274 | 114,379 | 2,216 | | | |
| % of all eligible women having a Pap smear within last 3 years | 55.3 | 55.0 | 59.3 | (57.2-61.3) | 1.07 H | |
| Total eligible population using services *** | 241,067 | 102,028 | 1,982 | | | |
| % of all women using services who also had a Pap smear | 61.3 | 61.6 | 66.2 | (64.2-68.3) | 1.08 H | |
| Women, aged 21-69 | | | | | | |
| Total eligible population ** | 741,420 | 330,132 | 6,241 | | | |
| % having a Pap smear within last 3 years | 57.5 | 58.1 | 62.7 | (61.5-63.9) | 1.09 H | |
| % having a Pap smear within last 3 years - Age-Adjusted † | 57.8 | 58.6 | 63.4 | (61.4-65.5) | 1.10 H | |
| Total eligible population using services *** | 663,234 | 292,741 | 5,545 | | | |
| % having a Pap smear within last 3 years | 64.3 | 65.5 | 70.6 | (69.4-71.8) | 1.10 H | |
| % having a Pap smear within last 3 years - Age-Adjusted † | 64.4 | 65.8 | 70.9 | (68.6-73.1) | 1.10 H | |

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N87 – High Park-Swansea Profile: Prevention

| Indicators | City of Toronto | Toronto Central LHIN | High Park-Swansea | | | |
|--|-----------------|----------------------|-------------------|-------------|----------------|--|
| | Count, % | Count, % | Count, % | (95% CI) | Rate Ratio* | |
| Any Colorectal Cancer Screening § (2011) ^a | | | | | | |
| Men and women, aged 50-59 | | | | | | |
| Total eligible population ** | 309,272 | 135,071 | 2,641 | | | |
| % screened § | 47.4 | 47.4 | 48.4 | (46.4-50.3) | 1.02 NS | |
| Total eligible population using services *** | 275,278 | 118,927 | 2,304 | | | |
| % screened § | 53.1 | 53.6 | 55.4 | (53.4-57.4) | 1.04 H | |
| Men and women, aged 60-74 | | | | | | |
| Total eligible population ** | 354,276 | 150,297 | 2,897 | | | |
| % screened § | 56.3 | 55.8 | 56.9 | (55.0-58.7) | 1.01 NS | |
| Total eligible population using services *** | 324,306 | 136,315 | 2,666 | | | |
| % screened § | 61.4 | 61.3 | 61.5 | (59.7-63.4) | 1.00 NS | |
| Men and women, aged 50-74 | | | | | | |
| Total eligible population ** | 663,548 | 285,368 | 5,538 | | | |
| % screened § | 52.1 | 51.8 | 52.8 | (51.5-54.1) | 1.01 NS | |
| % screened §, Age-Adjusted † | 52.8 | 52.5 | 53.5 | (51.6-55.5) | 1.01 NS | |
| Total eligible population using services *** | 599,584 | 255,242 | 4,970 | | | |
| % screened § | 57.6 | 57.7 | 58.7 | (57.3-60.0) | 1.02 NS | |
| % screened §, Age-Adjusted † | 58.1 | 58.3 | 59.1 | (57.0-61.3) | 1.02 NS | |

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N87 – High Park-Swansea Profile: Prevention

| Indicators | City of Toronto | Toronto Central LHIN | High Park-Swansea | | | |
|---|-----------------|----------------------|-------------------|-------------|----------------|--|
| | Count, % | Count, % | Count, % | (95% CI) | Rate Ratio* | |
| Colonoscopy ‡ (2001-2011) ^a | | | | | | |
| Men and women, aged 50-59 | | | | | | |
| Total eligible population ** | 309,272 | 135,071 | 2,641 | | | |
| % screened within last 10 years ‡ | 30.7 | 32.9 | 36.0 | (34.2-37.8) | 1.17 H | |
| Total eligible population using services *** | 275,278 | 118,927 | 2,304 | | | |
| % screened within last 10 years ‡ | 34.4 | 37.2 | 41.2 | (39.2-43.2) | 1.20 H | |
| Men and women, aged 60-74 | | | | | | |
| Total eligible population ** | 354,276 | 150,297 | 2,897 | | | |
| % screened within last 10 years ‡ | 39.0 | 40.7 | 42.8 | (41.0-44.6) | 1.10 H | |
| Total eligible population using services *** | 324,306 | 136,315 | 2,666 | | | |
| % screened within last 10 years ‡ | 42.4 | 44.6 | 46.2 | (44.4-48.1) | 1.09 H | |
| Men and women, aged 50-74 | | | | | | |
| Total eligible population ** | 663,548 | 285,368 | 5,538 | | | |
| % screened within last 10 years ‡ | 35.1 | 37.0 | 39.6 | (38.3-40.9) | 1.13 H | |
| % screened within last 10 years ‡, Age-Adjusted † | 35.7 | 37.6 | 40.1 | (38.5-41.9) | 1.12 H | |
| Total eligible population using services *** | 599,584 | 255,242 | 4,970 | | | |
| % screened within last 10 years ‡ | 38.7 | 41.2 | 43.9 | (42.5-45.3) | 1.13 H | |
| % screened within last 10 years ‡, Age-Adjusted † | 39.3 | 41.7 | 44.3 | (42.4-46.2) | 1.13 H | |

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N87 – High Park-Swansea Profile: Prevention

| Indicators | City of Toronto | Toronto Central LHIN | High Park-Swansea | | | |
|--|-----------------|----------------------|-------------------|-------------|----------------|--|
| | Count, % | Count, % | Count, % | (95% CI) | Rate Ratio* | |
| Fecal Occult Blood Testing ± (2009-2011) ^a | | | | | | |
| Men and women, aged 50-59 | | | | | | |
| Total eligible population ** | 210,079 | 88,954 | 1,655 | | | |
| % of all eligible population screened within last 2 years | 22.6 | 20.1 | 17.6 | (15.7-19.4) | 0.78 L | |
| Total eligible population using services *** | 176,392 | 72,982 | 1,319 | | | |
| % of all population using services who were screened | 26.9 | 24.5 | 22.1 | (19.8-24.3) | 0.82 L | |
| Men and women, aged 60-74 | | | | | | |
| Total eligible population ** | 210,622 | 86,817 | 1,616 | | | |
| % of all eligible population screened within last 2 years | 26.5 | 23.4 | 22.6 | (20.6-24.7) | 0.85 L | |
| Total eligible population using services *** | 181,112 | 73,102 | 1,392 | | | |
| % of all population using services who were screened | 30.8 | 27.8 | 26.3 | (24.0-28.6) | 0.85 L | |
| Men and women, aged 50-74 | | | | | | |
| Total eligible population ** | 420,701 | 175,771 | 3,271 | | | |
| % screened within last 2 years | 24.5 | 21.7 | 20.1 | (18.7-21.5) | 0.82 L | |
| % screened within last 2 years, Age-Adjusted † | 25.0 | 22.1 | 20.7 | (19.1-22.3) | 0.83 L | |
| Total eligible population using services *** | 357,504 | 146,084 | 2,711 | | | |
| % screened within last 2 years | 28.9 | 26.1 | 24.2 | (22.6-25.8) | 0.84 L | |
| % screened within last 2 years, Age-Adjusted † | 29.3 | 26.5 | 24.6 | (22.8-26.6) | 0.84 L | |

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>