

N92 – Corso Italia-Davenport Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Corso Italia-Davenport			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Mammograms (2009-2011) ^a						
Women, aged 50-59						
Total eligible population **	152,883	65,948	853			
% of all eligible women having a mammogram within last 2 years	54.5	53.9	56.9	(53.5-60.2)	1.04 NS	
Total eligible population using services ***	138,100	58,962	774			
% of all women using services who also had a mammogram	60.3	60.2	62.7	(59.3-66.1)	1.04 NS	
Women, aged 60-69						
Total eligible population **	131,959	56,131	682			
% of all eligible women having a mammogram within last 2 years	57.5	56.5	54.5	(50.8-58.3)	0.95 NS	
Total eligible population using services ***	121,953	51,444	625			
% of all women using services who also had a mammogram	62.3	61.7	59.5	(55.7-63.4)	0.96 NS	
Women, aged 50-69						
Total eligible population **	284,842	122,079	1,535			
% having a mammogram within last 2 years	55.9	55.1	55.8	(53.3-58.3)	1.00 NS	
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	55.6	(51.9-59.5)	0.99 NS	
Total eligible population using services ***	260,053	110,406	1,399			
% having a mammogram within last 2 years	61.2	60.9	61.3	(58.7-63.8)	1.00 NS	
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	61.0	(56.9-65.3)	0.99 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N92 – Corso Italia-Davenport Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Corso Italia-Davenport		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Pap smears (2008-2011) ^a					
Women, aged 21-34					
Total eligible population **	190,152	88,940	1,045		
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	57.8	(54.8-60.8)	0.98 NS
Total eligible population using services ***	177,832	83,547	957		
% of all women using services who also had a Pap smear	63.2	66.2	63.1	(60.1-66.2)	1.00 NS
Women, aged 35-49					
Total eligible population **	283,994	126,813	1,506		
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	58.5	(56.0-61.0)	1.00 NS
Total eligible population using services ***	244,335	107,166	1,280		
% of all women using services who also had a Pap smear	68.0	68.7	68.8	(66.3-71.4)	1.01 NS
Women, aged 50-69					
Total eligible population **	267,274	114,379	1,391		
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	53.6	(50.9-56.2)	0.97 NS
Total eligible population using services ***	241,067	102,028	1,253		
% of all women using services who also had a Pap smear	61.3	61.6	59.5	(56.7-62.2)	0.97 NS
Women, aged 21-69					
Total eligible population **	741,420	330,132	3,942		
% having a Pap smear within last 3 years	57.5	58.1	56.6	(55.0-58.1)	0.98 NS
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	56.8	(54.5-59.3)	0.98 NS
Total eligible population using services ***	663,234	292,741	3,490		
% having a Pap smear within last 3 years	64.3	65.5	63.9	(62.3-65.5)	0.99 NS
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	64.2	(61.5-66.9)	1.00 NS

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N92 – Corso Italia-Davenport Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Corso Italia-Davenport			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Any Colorectal Cancer Screening § (2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	1,761			
% screened §	47.4	47.4	44.6	(42.3-47.0)	0.94 L	
Total eligible population using services ***	275,278	118,927	1,575			
% screened §	53.1	53.6	49.9	(47.4-52.4)	0.94 L	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	1,920			
% screened §	56.3	55.8	48.2	(45.9-50.4)	0.86 L	
Total eligible population using services ***	324,306	136,315	1,735			
% screened §	61.4	61.3	53.3	(50.9-55.6)	0.87 L	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	3,681			
% screened §	52.1	51.8	46.5	(44.9-48.1)	0.89 L	
% screened §, Age-Adjusted †	52.8	52.5	46.8	(44.6-49.1)	0.89 L	
Total eligible population using services ***	599,584	255,242	3,310			
% screened §	57.6	57.7	51.7	(50.0-53.4)	0.90 L	
% screened §, Age-Adjusted †	58.1	58.3	51.9	(49.5-54.5)	0.89 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N92 – Corso Italia-Davenport Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Corso Italia-Davenport			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Colonoscopy ‡ (2001-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	1,761			
% screened within last 10 years ‡	30.7	32.9	28.3	(26.2-30.4)	0.92 L	
Total eligible population using services ***	275,278	118,927	1,575			
% screened within last 10 years ‡	34.4	37.2	31.6	(29.3-33.9)	0.92 L	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	1,920			
% screened within last 10 years ‡	39.0	40.7	28.9	(26.9-30.9)	0.74 L	
Total eligible population using services ***	324,306	136,315	1,735			
% screened within last 10 years ‡	42.4	44.6	31.9	(29.7-34.1)	0.75 L	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	3,681			
% screened within last 10 years ‡	35.1	37.0	28.6	(27.1-30.1)	0.81 L	
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	28.7	(26.9-30.5)	0.80 L	
Total eligible population using services ***	599,584	255,242	3,310			
% screened within last 10 years ‡	38.7	41.2	31.8	(30.2-33.4)	0.82 L	
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	31.8	(29.9-33.8)	0.81 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N92 – Corso Italia-Davenport Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Corso Italia-Davenport			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Fecal Occult Blood Testing ± (2009-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	210,079	88,954	1,236			
% of all eligible population screened within last 2 years	22.6	20.1	21.1	(18.8-23.4)	0.94 NS	
Total eligible population using services ***	176,392	72,982	1,050			
% of all population using services who were screened	26.9	24.5	24.9	(22.2-27.5)	0.92 NS	
Men and women, aged 60-74						
Total eligible population **	210,622	86,817	1,323			
% of all eligible population screened within last 2 years	26.5	23.4	24.9	(22.5-27.2)	0.94 NS	
Total eligible population using services ***	181,112	73,102	1,139			
% of all population using services who were screened	30.8	27.8	28.9	(26.3-31.5)	0.94 NS	
Men and women, aged 50-74						
Total eligible population **	420,701	175,771	2,559			
% screened within last 2 years	24.5	21.7	23.1	(21.4-24.7)	0.94 NS	
% screened within last 2 years, Age-Adjusted †	25.0	22.1	23.4	(21.5-25.4)	0.94 NS	
Total eligible population using services ***	357,504	146,084	2,189			
% screened within last 2 years	28.9	26.1	27.0	(25.1-28.8)	0.93 L	
% screened within last 2 years, Age-Adjusted †	29.3	26.5	27.3	(25.1-29.6)	0.93 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>