

N93 – Dovercourt-Wallace Emerson-Junction Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Dovercourt-Wallace Emerson-Junction			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Mammograms (2009-2011) ^a						
Women, aged 50-59						
Total eligible population **	152,883	65,948	1,847			
% of all eligible women having a mammogram within last 2 years	54.5	53.9	53.0	(50.7-55.2)	0.97 NS	
Total eligible population using services ***	138,100	58,962	1,639			
% of all women using services who also had a mammogram	60.3	60.2	59.7	(57.3-62.0)	0.99 NS	
Women, aged 60-69						
Total eligible population **	131,959	56,131	1,544			
% of all eligible women having a mammogram within last 2 years	57.5	56.5	53.1	(50.6-55.6)	0.92 L	
Total eligible population using services ***	121,953	51,444	1,431			
% of all women using services who also had a mammogram	62.3	61.7	57.3	(54.7-59.9)	0.92 L	
Women, aged 50-69						
Total eligible population **	284,842	122,079	3,391			
% having a mammogram within last 2 years	55.9	55.1	53.0	(51.3-54.7)	0.95 L	
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	53.0	(50.6-55.6)	0.95 L	
Total eligible population using services ***	260,053	110,406	3,070			
% having a mammogram within last 2 years	61.2	60.9	58.6	(56.8-60.3)	0.96 L	
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	58.4	(55.7-61.2)	0.95 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N93 – Dovercourt-Wallace Emerson-Junction Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Dovercourt-Wallace Emerson-Junction			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Pap smears (2008-2011) ^a						
Women, aged 21-34						
Total eligible population **	190,152	88,940	3,035			
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	60.2	(58.5-62.0)	1.02 NS	
Total eligible population using services ***	177,832	83,547	2,799			
% of all women using services who also had a Pap smear	63.2	66.2	65.3	(63.5-67.1)	1.03 H	
Women, aged 35-49						
Total eligible population **	283,994	126,813	3,762			
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	56.7	(55.1-58.3)	0.97 L	
Total eligible population using services ***	244,335	107,166	3,208			
% of all women using services who also had a Pap smear	68.0	68.7	66.5	(64.9-68.2)	0.98 NS	
Women, aged 50-69						
Total eligible population **	267,274	114,379	3,186			
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	49.6	(47.9-51.4)	0.90 L	
Total eligible population using services ***	241,067	102,028	2,852			
% of all women using services who also had a Pap smear	61.3	61.6	55.4	(53.6-57.3)	0.90 L	
Women, aged 21-69						
Total eligible population **	741,420	330,132	9,983			
% having a Pap smear within last 3 years	57.5	58.1	55.5	(54.5-56.5)	0.97 L	
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	55.8	(54.4-57.3)	0.97 L	
Total eligible population using services ***	663,234	292,741	8,859			
% having a Pap smear within last 3 years	64.3	65.5	62.6	(61.6-63.6)	0.97 L	
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	62.9	(61.2-64.5)	0.98 NS	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N93 – Dovercourt-Wallace Emerson-Junction Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Dovercourt-Wallace Emerson-Junction			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Any Colorectal Cancer Screening § (2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	3,950			
% screened §	47.4	47.4	39.5	(37.9-41.0)	0.83 L	
Total eligible population using services ***	275,278	118,927	3,394			
% screened §	53.1	53.6	45.9	(44.2-47.6)	0.86 L	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	4,337			
% screened §	56.3	55.8	46.9	(45.4-48.4)	0.83 L	
Total eligible population using services ***	324,306	136,315	3,924			
% screened §	61.4	61.3	51.8	(50.2-53.4)	0.84 L	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	8,287			
% screened §	52.1	51.8	43.4	(42.3-44.4)	0.83 L	
% screened §, Age-Adjusted †	52.8	52.5	44.0	(42.6-45.5)	0.83 L	
Total eligible population using services ***	599,584	255,242	7,318			
% screened §	57.6	57.7	49.1	(47.9-50.2)	0.85 L	
% screened §, Age-Adjusted †	58.1	58.3	49.5	(47.9-51.1)	0.85 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N93 – Dovercourt-Wallace Emerson-Junction Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Dovercourt-Wallace Emerson-Junction			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Colonoscopy ‡ (2001-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	3,950			
% screened within last 10 years ‡	30.7	32.9	21.8	(20.5-23.1)	0.71 L	
Total eligible population using services ***	275,278	118,927	3,394			
% screened within last 10 years ‡	34.4	37.2	25.3	(23.8-26.7)	0.73 L	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	4,337			
% screened within last 10 years ‡	39.0	40.7	28.2	(26.8-29.5)	0.72 L	
Total eligible population using services ***	324,306	136,315	3,924			
% screened within last 10 years ‡	42.4	44.6	31.1	(29.6-32.5)	0.73 L	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	8,287			
% screened within last 10 years ‡	35.1	37.0	25.1	(24.2-26.1)	0.72 L	
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	25.7	(24.6-26.8)	0.72 L	
Total eligible population using services ***	599,584	255,242	7,318			
% screened within last 10 years ‡	38.7	41.2	28.4	(27.4-29.4)	0.73 L	
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	28.8	(27.6-30.1)	0.73 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N93 – Dovercourt-Wallace Emerson-Junction Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Dovercourt-Wallace Emerson-Junction			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Fecal Occult Blood Testing ± (2009-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	210,079	88,954	3,019			
% of all eligible population screened within last 2 years	22.6	20.1	20.8	(19.4-22.2)	0.92 L	
Total eligible population using services ***	176,392	72,982	2,465			
% of all population using services who were screened	26.9	24.5	25.5	(23.8-27.2)	0.95 NS	
Men and women, aged 60-74						
Total eligible population **	210,622	86,817	3,029			
% of all eligible population screened within last 2 years	26.5	23.4	24.0	(22.5-25.5)	0.91 L	
Total eligible population using services ***	181,112	73,102	2,618			
% of all population using services who were screened	30.8	27.8	27.8	(26.1-29.5)	0.90 L	
Men and women, aged 50-74						
Total eligible population **	420,701	175,771	6,048			
% screened within last 2 years	24.5	21.7	22.4	(21.4-23.5)	0.91 L	
% screened within last 2 years, Age-Adjusted †	25.0	22.1	22.8	(21.5-24.0)	0.91 L	
Total eligible population using services ***	357,504	146,084	5,083			
% screened within last 2 years	28.9	26.1	26.7	(25.4-27.9)	0.92 L	
% screened within last 2 years, Age-Adjusted †	29.3	26.5	26.9	(25.4-28.4)	0.92 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>