

N98 – Rosedale-Moore Park Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rosedale-Moore Park			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Mammograms (2009-2011) ^a						
Women, aged 50-59						
Total eligible population **	152,883	65,948	1,443			
% of all eligible women having a mammogram within last 2 years	54.5	53.9	56.8	(54.3-59.4)	1.04 NS	
Total eligible population using services ***	138,100	58,962	1,262			
% of all women using services who also had a mammogram	60.3	60.2	65.0	(62.3-67.6)	1.08 H	
Women, aged 60-69						
Total eligible population **	131,959	56,131	1,549			
% of all eligible women having a mammogram within last 2 years	57.5	56.5	63.2	(60.8-65.6)	1.10 H	
Total eligible population using services ***	121,953	51,444	1,392			
% of all women using services who also had a mammogram	62.3	61.7	70.3	(67.9-72.7)	1.13 H	
Women, aged 50-69						
Total eligible population **	284,842	122,079	2,992			
% having a mammogram within last 2 years	55.9	55.1	60.1	(58.4-61.9)	1.08 H	
% having a mammogram within last 2 years - Age-Adjusted †	56.1	55.3	60.2	(57.5-63.1)	1.07 H	
Total eligible population using services ***	260,053	110,406	2,654			
% having a mammogram within last 2 years	61.2	60.9	67.8	(66.0-69.6)	1.11 H	
% having a mammogram within last 2 years - Age-Adjusted †	61.4	61.0	67.8	(64.7-71.0)	1.10 H	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Includes data from the Ontario Breast Screening Program (OBSP). Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N98 – Rosedale-Moore Park Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rosedale-Moore Park			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Pap smears (2008-2011) ^a						
Women, aged 21-34						
Total eligible population **	190,152	88,940	1,279			
% of all eligible women having a Pap smear within last 3 years	59.1	62.2	63.0	(60.4-65.7)	1.07 H	
Total eligible population using services ***	177,832	83,547	1,172			
% of all women using services who also had a Pap smear	63.2	66.2	68.8	(66.1-71.4)	1.09 H	
Women, aged 35-49						
Total eligible population **	283,994	126,813	2,068			
% of all eligible women having a Pap smear within last 3 years	58.5	58.1	59.3	(57.2-61.4)	1.01 NS	
Total eligible population using services ***	244,335	107,166	1,655			
% of all women using services who also had a Pap smear	68.0	68.7	74.1	(72.0-76.2)	1.09 H	
Women, aged 50-69						
Total eligible population **	267,274	114,379	2,659			
% of all eligible women having a Pap smear within last 3 years	55.3	55.0	63.0	(61.2-64.8)	1.14 H	
Total eligible population using services ***	241,067	102,028	2,341			
% of all women using services who also had a Pap smear	61.3	61.6	71.6	(69.7-73.4)	1.17 H	
Women, aged 21-69						
Total eligible population **	741,420	330,132	6,006			
% having a Pap smear within last 3 years	57.5	58.1	61.7	(60.5-63.0)	1.07 H	
% having a Pap smear within last 3 years - Age-Adjusted †	57.8	58.6	61.6	(59.6-63.8)	1.07 H	
Total eligible population using services ***	663,234	292,741	5,168			
% having a Pap smear within last 3 years	64.3	65.5	71.7	(70.5-73.0)	1.12 H	
% having a Pap smear within last 3 years - Age-Adjusted †	64.4	65.8	71.6	(69.2-74.1)	1.11 H	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include laboratory data from hospitals.

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Women eligible for provincial health insurance (OHIP) between April 1st, 2008-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N98 – Rosedale-Moore Park Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rosedale-Moore Park		
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*
Any Colorectal Cancer Screening § (2011) ^a					
Men and women, aged 50-59					
Total eligible population **	309,272	135,071	2,693		
% screened §	47.4	47.4	59.4	(57.5-61.2)	1.25 H
Total eligible population using services ***	275,278	118,927	2,379		
% screened §	53.1	53.6	66.8	(64.9-68.7)	1.26 H
Men and women, aged 60-74					
Total eligible population **	354,276	150,297	4,156		
% screened §	56.3	55.8	71.2	(69.8-72.6)	1.26 H
Total eligible population using services ***	324,306	136,315	3,765		
% screened §	61.4	61.3	78.3	(77.0-79.6)	1.28 H
Men and women, aged 50-74					
Total eligible population **	663,548	285,368	6,849		
% screened §	52.1	51.8	66.5	(65.4-67.7)	1.28 H
% screened §, Age-Adjusted †	52.8	52.5	66.6	(64.6-68.5)	1.26 H
Total eligible population using services ***	599,584	255,242	6,144		
% screened §	57.6	57.7	73.9	(72.8-75.0)	1.28 H
% screened §, Age-Adjusted †	58.1	58.3	73.8	(71.7-76.0)	1.27 H

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

§ Any Colorectal screening includes any of the following: fecal occult blood testing (within 2 years); rigid sigmoidoscopy, flexible sigmoidoscopy, single contrast barium enema, double contrast barium enema (within 5 years); or colonoscopy (within 10 years). For more information see the "About the Data" section.

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N98 – Rosedale-Moore Park Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rosedale-Moore Park			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Colonoscopy ‡ (2001-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	309,272	135,071	2,693			
% screened within last 10 years ‡	30.7	32.9	50.8	(48.9-52.7)	1.65 H	
Total eligible population using services ***	275,278	118,927	2,379			
% screened within last 10 years ‡	34.4	37.2	57.1	(55.1-59.1)	1.66 H	
Men and women, aged 60-74						
Total eligible population **	354,276	150,297	4,156			
% screened within last 10 years ‡	39.0	40.7	63.0	(61.6-64.5)	1.62 H	
Total eligible population using services ***	324,306	136,315	3,765			
% screened within last 10 years ‡	42.4	44.6	69.3	(67.8-70.8)	1.63 H	
Men and women, aged 50-74						
Total eligible population **	663,548	285,368	6,849			
% screened within last 10 years ‡	35.1	37.0	58.2	(57.1-59.4)	1.66 H	
% screened within last 10 years ‡, Age-Adjusted †	35.7	37.6	58.2	(56.4-60.1)	1.63 H	
Total eligible population using services ***	599,584	255,242	6,144			
% screened within last 10 years ‡	38.7	41.2	64.6	(63.4-65.8)	1.67 H	
% screened within last 10 years ‡, Age-Adjusted †	39.3	41.7	64.5	(62.5-66.6)	1.64 H	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios for both sexes were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

‡ Colonoscopy (Z555 plus one of E740, E741, E747 or E705 on the same day).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>

N98 – Rosedale-Moore Park Profile: Prevention

Indicators	City of Toronto	Toronto Central LHIN	Rosedale-Moore Park			
	Count, %	Count, %	Count, %	(95% CI)	Rate Ratio*	
Fecal Occult Blood Testing ± (2009-2011) ^a						
Men and women, aged 50-59						
Total eligible population **	210,079	88,954	1,296			
% of all eligible population screened within last 2 years	22.6	20.1	15.6	(13.6-17.6)	0.69 L	
Total eligible population using services ***	176,392	72,982	991			
% of all population using services who were screened	26.9	24.5	20.4	(17.9-22.9)	0.76 L	
Men and women, aged 60-74						
Total eligible population **	210,622	86,817	1,492			
% of all eligible population screened within last 2 years	26.5	23.4	19.8	(17.8-21.8)	0.75 L	
Total eligible population using services ***	181,112	73,102	1,112			
% of all population using services who were screened	30.8	27.8	26.5	(23.9-29.1)	0.86 L	
Men and women, aged 50-74						
Total eligible population **	420,701	175,771	2,788			
% screened within last 2 years	24.5	21.7	17.8	(16.4-19.2)	0.73 L	
% screened within last 2 years, Age-Adjusted †	25.0	22.1	18.1	(16.6-19.8)	0.73 L	
Total eligible population using services ***	357,504	146,084	2,103			
% screened within last 2 years	28.9	26.1	23.6	(21.8-25.4)	0.82 L	
% screened within last 2 years, Age-Adjusted †	29.3	26.5	24.1	(22.0-26.4)	0.82 L	

CI Confidence Interval.

H / L / NS Chances are at least 19 in 20 that the rate is higher (H) or lower (L) than the City of Toronto rate ($p < 0.05$). Rates marked not significantly (NS) different do not reach this level of significance.

^a Data source: Ontario Ministry of Health and Long-term Care (MOHLTC) physician and laboratory claims. Does not include data from providers at Community Health Centres (CHCs).

***** Rate ratios were created by dividing the local area rate by the City of Toronto aggregate rate.

****** Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011. Please see "About the Data" section for full list of eligibility criteria.

******* Denominator: Population eligible for provincial health insurance (OHIP) between April 1st, 2009-March 31st, 2011 who had contact with the health system within the previous 3 years. Please see "About the Data" section for full list of eligibility criteria.

± FOBT: Fecal occult blood testing (L181, G004, L179, Q152, Q043 or Q133A).

† Rates are age-adjusted using the direct method and the 1991 Canada population as the standard population.

For information about definitions, data quality & limitations, and selection & preparation of variables, please go to: <http://www.torontohealthprofiles.ca/aboutTheData.php>